

# Indestro Tools


Indestro Mfg. Corp.  
Chicago, Illinois

U. S. A.



CATALOG NO. 22A

PLANT  
NO. 1




## *It takes quality to build a reputation.....*

Good reputations are earned as a result of much effort over a long period of years. We, at Indestro, put a high value on the reputation that has been earned in the past almost 50 years of manufacturing tools, acclaimed by mechanics the world over as tools of quality.

Making quality tools is an art. It takes careful planning and design by experienced engineers. It requires the skill of loyal workers who take pride in their work. It requires the use of the best materials and modern manufacturing methods.

In the future, as in the past, we shall keep our standards high. We will continue to use the best materials. Through continuous research we will improve design and manufacturing methods. We will keep our prices competitive. We will continue to make the best, ever better.

PLANT  
NO. 2



# INDESTRO



## Guarantee

Indestro Products are fully guaranteed against defects in workmanship and material, except those products indicated by a star (\*) which, because of their unique design, are not guaranteed.

The guarantee does not apply if inspection shows that the tool has been worn out from use, or has been abused by hammering, or used on undersized nuts, or ground or design changed, or used for purposes other than that for which it was designed.

### DISPOSITION OF DEFECTIVE PRODUCT

Under the above policy, FREE REPLACEMENT or REPAIR will be made of any defective tool, upon its return Prepaid to:

Indestro Mfg. Corp.  
4880 Bloomingdale Avenue  
Chicago 39, Illinois

### RETURN GOODS POLICY (Excluding Defective Products)

- (a) No merchandise may be returned without permission from the factory specifying items and quantities to be returned.
- (b) No merchandise may be returned under any circumstances,
  - (1) which is obsolete, or
  - (2) which has been out of the factory 12 months or more.

Credit for Returned Merchandise will be priced at the price paid or the current price, whichever is lower, less freight both ways and less a 10% handling charge.

Should it be necessary to refinish the merchandise to put same in a salable condition, the cost of such reconditioning will be deducted from the amount of the credit.

We reserve the right to make changes in, or discontinue the production of, any item at such time as we deem necessary.

### SPEED INDEX

PRODUCTS	PAGES
----------	-------

Adaptors.....	2, 4, 9, 18
Adjustable Wrenches.....	26
Battery Tools.....	51, 62
Body and Fender Tools	
	54, 55, 56
Brake Tools.....	51, 60
Brushes.....	58
Chisels.....	46, 47, 48, 49
Cutters.....	54, 60, 62
Displays.....	72 thru 95
Extractors, Screw.....	47
Gauges.....	65, 66
Hacksaws and Blades.....	52
Hammers.....	53, 54
Ignition Tools	
	23, 50, 51, 61, 63, 64
Lubrication Tools.....	62
Metric-Size Tools..	69, 70, 71
Pipe Wrenches.....	26
Piston Tools.....	59
Pliers.....	50, 51, 64
Promotional Aids.....	96
Pry Bars.....	46
Pullers.....	67, 68
Pulleys.....	66
Punches.....	46, 47, 48, 49
Rim Wrenches.....	57
Screwdrivers.....	43, 44, 45
Set Screw Wrenches...	28, 29
Snips.....	52
Sockets and Fittings	
	2 thru 20, 38 thru 42
Sockets, Metric.....	69, 70, 71
Special Purpose Tools	
	9, 60, 61
Tire and Rim Tools.....	58
Torque Wrenches	
	3, 5, 9, 18, 27
Valve Tools.....	58
Wrenches:	
Box End.	24, 32, 33, 34, 58
Flare Nut.....	60
Open End	
	22, 23, 30, 31, 63, 69
Combination	
	25, 35, 36, 37

For Complete Alphabetical Index, Please  
See Pages 97, 98

INDESTRO MFG. CORP.

2649-59 N. Kildare Ave.  
CHICAGO 39, ILLINOIS

PRINTED  
IN  
U.S.A.



## CHROME ALLOY STEEL

These small precision tools are made from chrome alloy steel, heat treated, polished and brightly chrome plated—the best choice for efficient work on small mechanical devices.



Federal Spec: GGG-W-641b

A newly designed and engineered male drive chrome alloy steel ratchet. Features a patented form fit finger tip reversing cap—will not reverse when “palming”.

Close positive action is assured with 52 teeth—a new “bite” every 7°.

Comfortable Oval Grip handle, and compact round head provides utmost ease and speed under restricted operating conditions.

Torque tested far beyond government specifications. Chrome plated and polished. Length 4 5/8".

## NO. 2875 REVERSIBLE RATCHET

STD. PKG. 3. PKG. WT. 3/4 LB.

## RATCHET INNER BODY ASSEMBLY



The 1/4" square drive ratchet is so constructed that the inner body assembly can be quickly removed from the ratchet handle for cleaning or inspection. (See instruction booklet attached to each ratchet).

Further disassembly of this unit is not recommended.

## NO. 2875-8 RATCHET INNER BODY ASSEMBLY

STD. PKG. 1. PKG. WT. 1/8 LB.




**DISCONTINUED**  
See Select Steel No. 6070

A forged 30° self action ratchet. Simplified construction provides trouble free operation and easy maintenance. Chrome plated and polished. Length 5".

## NO. 2839 REVERSIBLE RATCHET

STD. PKG. 3. PKG. WT. 3/4 LB.



Federal Spec: GGG-W-641b

Oval Grip swing head handle. A most versatile and essential tool. Drilled for use with cross bar as either an offset or “T” handle. Length 6".

## NO. 2850 6" SWING HEAD HANDLE

STD. PKG. 4. PKG. WT. 1/2 LB.

## NO. 2855 4" CROSS BAR

STD. PKG. 4. PKG. WT. 1/8 LB.



Federal Spec: GGG-W-641b

Universal Joint with spring loaded friction to hold drive in any position. Male and female type. Length 1 5/16".

## NO. 2836 UNIVERSAL JOINT

STD. PKG. 3. PKG. WT. 1/8 LB.



6 Point



4 Point



8 Point

Federal Spec: GGG-W-641b

Small, beautifully proportioned sockets with strong, thin walls, ideal for working on small devices. The drive openings have recesses in all four faces for quick, positive attachment to any handle.


Polished and brightly chrome plated.

## 6 POINT

No.	Size	Length	Std. Pkg.	Pkg. Wt.
2806	3/16" 6 Pt.	15/16"	6	1/8 lb.
2807	7/32" 6 Pt.	15/16"	6	1/8 lb.
2808	1/4" 6 Pt.	15/16"	6	1/8 lb.
2809	9/32" 6 Pt.	15/16"	6	1/8 lb.
2810	5/16" 6 Pt.	15/16"	6	1/8 lb.
2811	11/32" 6 Pt.	15/16"	6	1/8 lb.
2812	3/8" 6 Pt.	15/16"	6	1/4 lb.
2814	7/16" 6 Pt.	15/16"	6	1/4 lb.

## 4 POINT AND 8 POINT

No.	Size	Length	Std. Pkg.	Pkg. Wt.
2806S	3/16" 4 Pt.	15/16"	4	1/8 lb.
2807S	7/32" 4 Pt.	15/16"	4	1/8 lb.
2808S	1/4" 8 Pt.	15/16"	4	1/8 lb.
2810S	5/16" 8 Pt.	15/16"	4	1/4 lb.
2812S	3/8" 8 Pt.	15/16"	4	1/4 lb.



Federal Spec: GGG-W-641b

Two lengths of Extensions are offered to meet different conditions.

## NO. 2832 3" EXTENSION

STD. PKG. 4. PKG. WT. 1/4 LB.

## NO. 2833 6" EXTENSION

STD. PKG. 4. PKG. WT. 1/2 LB.

No. 481



No. 491



Federal Spec: GGG-W-641b

Adaptor to enable use of 3/8" square drive sockets with 1/4" square drive handle.

## NO. 481 1/4" FEMALE, 3/8" MALE ADAPTOR

STD. PKG. 4. PKG. WT. 1/8 LB.

Use this adaptor to turn 1/4" square drive handles with 3/8" square drive sockets.

## NO. 491 1/4" MALE, 3/8" FEMALE ADAPTOR

STD. PKG. 4. PKG. WT. 1/4 LB.



## CHROME ALLOY STEEL



Spin-flex handle meets the need for that tool which "will reach around the corner" and yet have positive action in turning in either on or off direction. Handy for those hard to reach places under the dash, around the carburetor, etc. With shock-proof amber handle. Length 7".

NO. 2879 7" SPIN-FLEX HANDLE

STD. PKG. 4. PKG. WT.  $\frac{3}{4}$  LB.

Shock-proof and break-proof amber handle for spinning nuts on or off. Length 4".

NO. 2872 4" SPINNER HANDLE

STD. PKG. 4. PKG. WT.  $\frac{1}{2}$  LB.

A long Spinner with break-proof, shock-proof amber handle. Length 6".

NO. 2873 6" SPINNER HANDLE

STD. PKG. 4. PKG. WT.  $\frac{5}{8}$  LB.

The socket sets shown below fill the need for automotive and aviation servicemen; repairing of radio, television, electrical devices and home appliances.

## 11 PIECE SET



A basic set of the most popular sockets and a swing head handle with cross bar. Complete with an attractive plastic box of high impact strength.

## CONTENTS

No.	Description	No.	Description
2808	$\frac{1}{4}$ " Hex 6 Pt. Skt.	2808S	$\frac{1}{4}$ " Sq. 8 Pt. Skt.
2809	$\frac{9}{32}$ " Hex 6 Pt. Skt.	2810S	$\frac{5}{16}$ " Sq. 8 Pt. Skt.
2810	$\frac{5}{16}$ " Hex 6 Pt. Skt.	2812S	$\frac{3}{8}$ " Sq. 8 Pt. Skt.
2811	$\frac{11}{32}$ " Hex 6 Pt. Skt.	2850	6" Sw. Hd. Hdle.
2812	$\frac{3}{8}$ " Hex 6 Pt. Skt.	2855	4" Cross Bar
2814	$\frac{7}{16}$ " Hex 6 Pt. Skt.		

NO. 7600 11 PIECE SOCKET SET IN PLASTIC BOX

STD. PKG. 1. PKG. WT.  $\frac{3}{4}$  LB.NO. 9947 PLASTIC BOX, ONLY— $7\frac{5}{8}$ " x  $2\frac{3}{4}$ " x  $1\frac{1}{8}$ "STD. PKG. 1. PKG. WT.  $\frac{1}{4}$  LB.

Attached to a  $\frac{1}{4}$ " sq. dr. handle, this laminated steel extension is the ideal tool to reach otherwise inaccessible places. Length 6".

NO. 2869 6" FLEXIBLE EXTENSION

STD. PKG. 4. PKG. WT.  $\frac{1}{2}$  LB.

Make a flexible drive with any  $\frac{1}{4}$ " Sq. Dr. Handle and this Flexible Extension. Length 4".

NO. 2870 4" FLEXIBLE EXTENSION

STD. PKG. 4. PKG. WT.  $\frac{5}{8}$  LB.

Torque indicating wrench with a range of 120 inch pounds (10 foot pounds). Scale graduations in 5 inch pound units. Ideal and especially desirable in achieving accurate measurement for small delicate work.

NO. 8099-1/4" 1/4" SQUARE DRIVE TORQUE WRENCH

STD. PKG. 1. PKG. WT.  $\frac{3}{8}$  LB.

The small sockets and perfectly proportioned extensions and handles will reach and turn nuts or bolts in the most restricted spaces.



14 PIECE SET

An intermediate set complete with ratchet offering the most used sockets, handles, and attachments. Set is complete in red enameled box.

## CONTENTS

No.	Description	No.	Description
2806	$\frac{3}{16}$ " Hex 6 Pt. Skt.	2814	$\frac{7}{16}$ " Hex 6 Pt. Skt.
2807	$\frac{7}{32}$ " Hex 6 Pt. Skt.	2808S	$\frac{1}{4}$ " Sq. 8 Pt. Skt.
2808	$\frac{1}{4}$ " Hex 6 Pt. Skt.	2810S	$\frac{5}{16}$ " Sq. 8 Pt. Skt.
2809	$\frac{9}{32}$ " Hex 6 Pt. Skt.	2812S	$\frac{3}{8}$ " Sq. 8 Pt. Skt.
2810	$\frac{5}{16}$ " Hex 6 Pt. Skt.	2832	3" Extension
2811	$\frac{11}{32}$ " Hex 6 Pt. Skt.	2873	6" Spin. Handle
2812	$\frac{3}{8}$ " Hex 6 Pt. Skt.	2875	Reversible Ratchet
2814	$\frac{7}{16}$ " Hex 6 Pt. Skt.		


NO. 7602 14 PIECE SOCKET SET IN METAL BOX

STD. PKG. 1. PKG. WT.  $1\frac{5}{8}$  LBS.NO. 9930L METAL BOX, ONLY  $6\frac{5}{8}$ " x  $2\frac{3}{4}$ " x  $1$ "STD. PKG. 1. PKG. WT.  $\frac{3}{4}$  LB.



## CHROME ALLOY STEEL

A series of chrome alloy handles and fittings with professional balance, modern comfortable design, and beautiful appearance.



Federal Spec: GGG-W-641b

An outstanding chrome alloy steel ratchet—proven so by professional mechanics thru three years of field testing.

Compact round head provides ease and speed when working in close areas.

The new Oval Grip handle provides comfort and greater "knuckle clearance".

Patented design finger tip reversing cap—will not reverse when palmed.

Fifty-two teeth assures fast ratcheting—a new hold every 7°. Torque tests far beyond government specifications. Length 7 1/2". Chrome plated and polished.

**NO. 2777 REVERSIBLE RATCHET**

STD. PKG. 3. PKG. WT. 1 3/4 LBS.

Same as above, except round knurled handle.

**NO. 2775 REVERSIBLE RATCHET**

STD. PKG. 3. PKG. WT. 1 5/8 LBS.



The Swivel Head ratchet, a revolutionary concept in ratchets, affords the user positive ratcheting action from 0° to 90° in either direction. Designed primarily for the removal of spark plugs, and to by-pass obstructions. 52 tooth action. Length 10".

**★NO. 2736 SWIVEL HEAD RATCHET**

STD. PKG. 3. PKG. WT. 2 1/4 LBS.

**RATCHET INNER BODY ASSEMBLY**



The 3/8" square drive Ratchets, Nos. 2775, 2777, and 2736 illustrated above, are so designed that the inner body assembly can be quickly removed from the ratchet handle for cleaning or inspection. (See instruction booklet attached to each ratchet.) Further disassembly of this unit is not recommended.

**NO. 2775-8 RATCHET INNER BODY ASSEMBLY**

STD. PKG. 1. PKG. WT. 1/8 LB.



**See Select Steel No. 6270**  
DISCONTINUED  
Finger tip reversible ratchet, male drive, small compact head—30 tooth action. Chrome plated and polished. Length 7 1/2".

**NO. 2739 REVERSIBLE RATCHET**

STD. PKG. 3. PKG. WT. 1 3/4 LBS.



Federal Spec: GGG-W-641b

Forged in one piece. Fully polished. Drilled for cross bar.

**NO. 2730 3" EXTENSION** STD. PKG. 4. PKG. WT. 5/8 LB.

**NO. 2732 4 1/2" EXTENSION** STD. PKG. 4. PKG. WT. 3/4 LB.

**NO. 2733 6" EXTENSION** STD. PKG. 4. PKG. WT. 3/4 LB.

**NO. 2734 9" EXTENSION** STD. PKG. 4. PKG. WT. 1 1/4 LB.

**NO. 2735 12" EXTENSION** STD. PKG. 4. PKG. WT. 1 1/2 LB.

**NO. 2737 20" EXTENSION** STD. PKG. 4. PKG. WT. 3 LBS.



Federal Spec: GGG-W-641b

This swing head handle features a new design—the Oval Grip handle. Spring tension holds head to any preselected angle. Drilled for use with a cross bar. Length 9".

**NO. 2782 9" SWING HEAD HANDLE**

STD. PKG. 3. PKG. WT. 1 1/8 LBS.



Federal Spec: GGG-W-641b

Same as above, except round knurled handle. Length 9".

**NO. 2781 9" SWING HEAD HANDLE**

STD. PKG. 3. PKG. WT. 1 1/8 LBS.



Cross bar designed to add versatility to swing head handles and extensions for use as T handles.

**NO. 2780 5 1/2" CROSS BAR**

STD. PKG. 3. PKG. WT. 3/8 LB.




Federal Spec: GGG-W-641b

An especially useful tool around obstructions as the head can be moved to any suitable position on the bar. Spring loaded head holds at the selected position. Length 8".

**NO. 2763 8" SLIDE "T" HANDLE**

STD. PKG. 2. PKG. WT. 3/4 LB.



The most used tool for speedy assembly or tear down. Handle is designed with a ball thrust bearing for easy operation and is knurled permitting a good comfortable grip. Finished in chrome plate it sparkles with quality. Length 16 1/2".

**NO. 2785 16 1/2" SPEEDER**

STD. PKG. 3. PKG. WT. 3 1/8 LBS.



Federal Spec: GGG-W-641b

A time saver for those "hard to reach" nuts or bolts. Spring tension in joints holds drive at any selected angle. Length 11 13/16".

**NO. 2797 UNIVERSAL JOINT**

STD. PKG. 3. PKG. WT. 3/8 LB.



No. 482



No. 491

Federal Spec: GGG-W-641b

With this adaptor, 1/2" square drive sockets can be used with any 3/8" square drive handle. Length 1 1/4".

**NO. 482 3/8" FEMALE, 1/2" MALE ADAPTOR**

STD. PKG. 4. PKG. WT. 5/8 LB.

Using this adaptor, all 1/4" square drive sockets can be turned with any 3/8" square drive handle. Length 1".

**NO. 491 3/8" FEMALE, 1/4" MALE ADAPTOR**

STD. PKG. 4. PKG. WT. 1/4 LB.



## CHROME ALLOY STEEL

Indestro is nationally recognized for making the finest sockets. Precision machined to exact size, hot broached teeth accurately centered, uniform wall strength, and four way lock-on feature are the *Professional* qualities most desired.



12 Point



8 Point



6 Point

Federal Spec: GGG-W-641b

Each Indestro socket has RETAINING GROOVES in all four sides of the drive opening to provide an instant lock-on of socket to fitting without positioning. Chrome plated and fully polished.



12 Point



6 Point

Federal Spec: GGG-W-641b

The extra deep sockets shown here provide the clearance required on spark plugs and body bolts. These sockets have straight, thin walls with high strength imparted by hot broaching and controlled heat treatment of quality chrome alloy steel. Polished and brightly chrome plated.

### 12 POINT SOCKETS

No.	Size	Length	Std. Pkg.	Pkg. Wt.
2714	7/16"	1 1/16"	6	1/4 lb.
2716	1/2"	1 1/16"	6	3/8 lb.
2718	9/16"	1 1/16"	6	1/2 lb.
2720	5/8"	1 1/16"	6	1/2 lb.
2722	11/16"	1 1/8"	6	3/4 lb.
2724	3/4"	1 1/8"	6	3/4 lb.
2726	13/16"	1 3/16"	6	1 lb.
2728	7/8"	1 1/4"	6	1 1/4 lb.

### 8 POINT SOCKETS

2712S	3/8"	1 1/16"	4	1/4 lb.
2714S	7/16"	1 1/8"	4	3/8 lb.
2716S	1/2"	1 1/8"	4	1/2 lb.

### 6 POINT SOCKETS

2708H	1/4"	1 1/16"	6	1/4 lb.
2710H	5/16"	1 1/16"	6	1/4 lb.
2712H	3/8"	1 1/16"	6	1/2 lb.
2714H	7/16"	1 1/16"	6	1/2 lb.
2716H	1/2"	1 1/16"	6	1/2 lb.
2718H	9/16"	1 1/8"	6	1/2 lb.
2720H	5/8"	1 1/8"	6	1/2 lb.
2722H	11/16"	1 1/8"	6	3/4 lb.
2724H	3/4"	1 1/8"	6	3/4 lb.
2726H	13/16"	1 3/16"	6	1 lb.
2728H	7/8"	1 1/4"	6	1 1/4 lb.



Federal Spec: GGG-W-641b

Universal joint sockets will save time on many jobs. The short over-all length enable these sockets to operate in tight places. A patented spring loaded tension holds socket at selected angle. 6 point hexagon opening for positive hold on nuts. Nominal length 1 11/16" over-all.

No.	Size	Std. Pkg.	Pkg. Wt.
2712UV	3/8"	2	1/4 lb.
2714UV	7/16"	2	1/4 lb.
2716UV	1/2"	2	1/4 lb.
2718UV	9/16"	2	1/4 lb.
2720UV	5/8"	2	1/4 lb.
2722UV	11/16"	2	1/4 lb.
2724UV	3/4"	2	1/4 lb.



### SPARK PLUG HOLDING SOCKET

This special deep socket—13/16" opening—has an oil resistant insert which securely holds and protects 14 mm. spark plugs. The socket may be used with any 3/8" Sq. Dr. fitting—or, if the plug is obstructed, use Ratchet No. 2736—a 13/16" wrench can be applied to the male plug. Made from alloy steel. Fully chrome plated and polished. Length 27/16".




### NO. 2748HS 13/16" SPARK PLUG HOLDING SOCKET

STD. PKG. 6. PKG. WT. 1 1/2 LBS.

### NO. 2748HS-2 INSERT ONLY

STD. PKG. 6. PKG. WT. 1/8 LB.

Spark plugs which the above sockets will fit are listed on Page 100.



Torque indicating Wrench has a range of 50 foot pounds with 2 1/2 ft. lb. scale graduations. Simplicity of construction insures accuracy and long life. This size is popular for adjusting automatic transmissions. Length 13 5/16".

### NO. 8099-3/8" 3/8" SQUARE DRIVE TORQUE WRENCH

STD. PKG. 1. PKG. WT. 3/4 LB.



## CHROME ALLOY STEEL

For work in close and crowded spaces, Indestro  $\frac{3}{8}$ " square drive sets are unequalled. They are extra strong being made of chrome alloy steel and scientifically heat treated for long life service. Sockets have thin walls, and fittings are compactly designed and balanced for ease of usage and speed in confined work. Tools are polished to a sparkling finish and brightly chrome plated. Metal boxes are of heavy gauge steel and baked enamel Chinese red color.

## 6 PIECE SET



A set of the six most popular sizes of Universal Joint sockets complete in metal box. Sockets are 6 point with friction arrangement for positive grip at any angle.

## CONTENTS

No.	Description
2714UV	$\frac{7}{16}$ " Hex Universal Joint Socket
2716UV	$\frac{1}{2}$ " Hex Universal Joint Socket
2718UV	$\frac{9}{16}$ " Hex Universal Joint Socket
2720UV	$\frac{5}{8}$ " Hex Universal Joint Socket
2722UV	$\frac{11}{16}$ " Hex Universal Joint Socket
2724UV	$\frac{3}{4}$ " Hex Universal Joint Socket

NO. 7709 6 PC. UNIVERSAL JOINT SOCKET SET IN BOX  
STD. PKG. 1. PKG. WT.  $1\frac{1}{2}$  LBS.  
NO. 9904L METAL BOX, ONLY— $6\frac{5}{8}$ " x  $2\frac{7}{8}$ " x  $1\frac{1}{16}$ "  
STD. PKG. 1. PKG. WT.  $\frac{5}{8}$  LB.  
NO. 7709F 6 PC. UNIVERSAL JOINT SOCKET SET  
IN FIBRE BOX  
STD. PKG. 1. PKG. WT. 1 LB.

## 9 PIECE SET



A 9 piece set containing the most essential sockets and fittings with metal box. Frequently used as a "starter" set. Box features "push button" cover release.

## CONTENTS

No.	Description	No.	Description
2712	$\frac{3}{8}$ " 6 Pt. Socket	2722	$\frac{11}{16}$ " 12 Pt. Socket
2714	$\frac{7}{16}$ " 12 Pt. Socket	2724	$\frac{3}{4}$ " 12 Pt. Socket
2716	$\frac{1}{2}$ " 12 Pt. Socket	2780	$5\frac{1}{2}$ " Cross Bar
2718	$\frac{9}{16}$ " 12 Pt. Socket	2781	9" Swing Head
2720	$\frac{5}{8}$ " 12 Pt. Socket	2720	Handle
		2722	$\frac{11}{16}$ " 12 Pt. Socket

NO. 7700 9 PC. 12 POINT SOCKET SET IN METAL BOX  
STD. PKG. 1. PKG. WT.  $2\frac{5}{8}$  LBS.  
NO. 7700H 9 PC. 6 POINT SOCKET SET IN METAL BOX  
STD. PKG. 1. PKG. WT.  $2\frac{5}{8}$  LBS.  
NO. 9961 METAL BOX, ONLY— $10\frac{1}{4}$ " x  $3\frac{3}{8}$ " x  $2\frac{1}{8}$ "  
STD. PKG. 1. PKG. WT.  $1\frac{1}{4}$  LBS.

Offered here is an assembly of sets that are unmatched for selection of tools for greatest utility in each set. Particularly used by automotive and aviation mechanics, refrigeration, stationary engineers, general service and assembly lines. Not only are these sets the finest that money can buy but you get more for what you spend because these sets represent the greatest values ever offered.

## 7 PIECE SET



A complete set of 7 deep wall sockets invaluable for the mechanic or service station for changing spark plugs, work on body bolts, etc. Chinese red, baked enamel, metal box.

## CONTENTS

No.	Description	No.	Description
2742	$\frac{7}{16}$ " 12 Pt. Deep Socket	2746	$1\frac{1}{16}$ " 12 Pt. Deep Socket
2743	$\frac{1}{2}$ " 12 Pt. Deep Socket	2747	$\frac{3}{4}$ " 12 Pt. Deep Socket
2744	$\frac{9}{16}$ " 12 Pt. Deep Socket	2748	$1\frac{3}{16}$ " 12 Pt. Deep Socket
2745	$\frac{5}{8}$ " 12 Pt. Deep Socket		

NO. 7707 SET OF 7 DEEP 12 POINT SOCKETS IN METAL BOX  
STD. PKG. 1. PKG. WT.  $2\frac{5}{8}$  LBS.  
NO. 7707H SET OF 7 DEEP 6 POINT SOCKETS IN METAL BOX  
STD. PKG. 1. PKG. WT.  $2\frac{5}{8}$  LBS.  
NO. 9904L METAL BOX, ONLY— $6\frac{5}{8}$ " x  $2\frac{7}{8}$ " x  $1\frac{1}{16}$ "  
STD. PKG. 1. PKG. WT.  $\frac{5}{8}$  LB.

## 11 PIECE SET



A set of 11 pieces usually chosen as it contains the most used tools when speed and utility is desired. "Push button" cover release is featured in this sturdy metal box.

## CONTENTS


No.	Description	No.	Description
2712	$\frac{3}{8}$ " 6 Pt. Socket	2724	$\frac{3}{4}$ " 12 Pt. Socket
2714	$\frac{7}{16}$ " 12 Pt. Socket	2733	$\frac{6}{7}$ " Extension
2716	$\frac{1}{2}$ " 12 Pt. Socket	2780	$5\frac{1}{2}$ " Cross Bar
2718	$\frac{9}{16}$ " 12 Pt. Socket	2781	9" Swing Head
2720	$\frac{5}{8}$ " 12 Pt. Socket	2720	Handle
2722	$\frac{11}{16}$ " 12 Pt. Socket	2775	Reversible Ratchet

NO. 7701 11 PC. 12 POINT SOCKET SET IN METAL BOX  
STD. PKG. 1. PKG. WT.  $3\frac{1}{2}$  LBS.  
NO. 7701H 11 PC. 6 POINT SOCKET SET IN METAL BOX  
STD. PKG. 1. PKG. WT.  $3\frac{1}{2}$  LBS.  
NO. 9961 METAL BOX, ONLY— $10\frac{1}{4}$ " x  $3\frac{3}{8}$ " x  $2\frac{1}{8}$ "  
STD. PKG. 1. PKG. WT.  $1\frac{1}{4}$  LBS.



## CHROME ALLOY STEEL


## 14 PIECE SET



The excellent choice of tools assembled in this set has made it the most popular set in this series. In metal box.

## CONTENTS

No.	Description	No.	Description
<b>2712</b>	$\frac{3}{8}$ " 6 Pt. Socket	<b>2730</b>	3" Extension
<b>2714</b>	$\frac{7}{16}$ " 12 Pt. Socket	<b>2733</b>	6" Extension
<b>2716</b>	$\frac{1}{2}$ " 12 Pt. Socket	<b>2735</b>	12" Extension
<b>2718</b>	$\frac{9}{16}$ " 12 Pt. Socket	<b>2763</b>	8" Slide T Handle
<b>2720</b>	$\frac{5}{8}$ " 12 Pt. Socket	<b>2785</b>	16" Speeder
<b>2722</b>	$\frac{11}{16}$ " 12 Pt. Socket	<b>2775</b>	Reversible Ratchet
<b>2724</b>	$\frac{3}{4}$ " 12 Pt. Socket	<b>2797</b>	Universal Joint
<b>NO. 7705</b>	<b>14 PC. 12 POINT SOCKET SET IN METAL BOX</b> STD. PKG. 1. PKG. WT. 5 $\frac{1}{8}$ LBS.		
<b>NO. 7705H</b>	<b>14 PC. 6 POINT SOCKET SET IN METAL BOX</b> STD. PKG. 1. PKG. WT. 5 $\frac{1}{8}$ LBS.		
<b>NO. 9915L</b>	<b>METAL BOX, ONLY—17<math>\frac{1}{4}</math>" x 5<math>\frac{1}{4}</math>" x 1<math>\frac{1}{4}</math>"</b> STD. PKG. 1. PKG. WT. 2 $\frac{1}{8}$ LBS.		



## CONTENTS

No.	Description
<b>2712</b>	$\frac{3}{8}$ " 6 Pt. Socket
<b>2714</b>	$\frac{7}{16}$ " 12 Pt. Socket
<b>2716</b>	$\frac{1}{2}$ " 12 Pt. Socket
<b>2718</b>	$\frac{9}{16}$ " 12 Pt. Socket
<b>2720</b>	$\frac{5}{8}$ " 12 Pt. Socket
<b>2722</b>	$\frac{11}{16}$ " 12 Pt. Socket
<b>2724</b>	$\frac{3}{4}$ " 12 Pt. Socket
<b>2726</b>	$\frac{13}{16}$ " 12 Pt. Socket
<b>2728</b>	$\frac{7}{8}$ " 12 Pt. Socket
<b>2712S</b>	$\frac{3}{8}$ " 8 Pt. Socket
<b>2714S</b>	$\frac{7}{16}$ " 8 Pt. Socket
<b>2716S</b>	$\frac{1}{2}$ " 8 Pt. Socket
<b>2720</b>	$\frac{5}{8}$ " 12 Pt. Deep Socket
<b>2722</b>	$\frac{11}{16}$ " 12 Pt. Deep Socket
<b>2724</b>	$\frac{3}{4}$ " 12 Pt. Deep Socket
<b>2726</b>	$\frac{13}{16}$ " 12 Pt. Deep Socket
<b>2728</b>	$\frac{7}{8}$ " 12 Pt. Deep Socket
<b>2712S</b>	$\frac{3}{8}$ " 8 Pt. Deep Socket
<b>2714S</b>	$\frac{7}{16}$ " 8 Pt. Deep Socket
<b>2716S</b>	$\frac{1}{2}$ " 8 Pt. Deep Socket
<b>2742</b>	$\frac{7}{16}$ " 12 Pt. Deep Socket
<b>2743</b>	$\frac{1}{2}$ " 12 Pt. Deep Socket
<b>2744</b>	$\frac{9}{16}$ " 12 Pt. Deep Socket
<b>2745</b>	$\frac{5}{8}$ " 12 Pt. Deep Socket

**NO. C7711** 31 PC. 12 POINT SOCKET SET IN METAL BOX  
**NO. C7711H** 31 PC. 6 POINT SOCKET SET IN METAL BOX  
**NO. 9965** METAL BOX ONLY—19" x 5 $\frac{3}{4}$ " x 4 $\frac{1}{4}$ "

## 19 PIECE SET



Discriminating mechanics will always select this set as it contains 19 tools of greatest importance to accomplish the most difficult jobs speedily with ease and convenience. In streamlined metal box with cantilever socket tray.

## CONTENTS

No.	Description	No.	Description
<b>2712</b>	$\frac{3}{8}$ " 6 Pt. Socket	<b>2714S</b>	$\frac{7}{16}$ " 8 Pt. Socket
<b>2714</b>	$\frac{7}{16}$ " 12 Pt. Socket	<b>2716S</b>	$\frac{1}{2}$ " 8 Pt. Socket
<b>2716</b>	$\frac{1}{2}$ " 12 Pt. Socket	<b>2797</b>	Universal Joint
<b>2718</b>	$\frac{9}{16}$ " 12 Pt. Socket	<b>2730</b>	3" Extension
<b>2720</b>	$\frac{5}{8}$ " 12 Pt. Socket	<b>2733</b>	6" Extension
<b>2722</b>	$\frac{11}{16}$ " 12 Pt. Socket	<b>2780</b>	5 $\frac{1}{2}$ " Cross Bar
<b>2724</b>	$\frac{3}{4}$ " 12 Pt. Socket	<b>2781</b>	9" Swing Head
<b>2726</b>	$\frac{13}{16}$ " 12 Pt. Socket	<b>2728</b>	Handle
<b>2728</b>	$\frac{7}{8}$ " 12 Pt. Socket	<b>2785</b>	16" Speeder
<b>2712S</b>	$\frac{3}{8}$ " 8 Pt. Socket	<b>2775</b>	Reversible Ratchet

**NO. C7710** 19 PC. 12 POINT SOCKET SET IN METAL BOX  
STD. PKG. 1. PKG. WT. 9 LBS.

**NO. C7710H** 19 PC. 6 POINT SOCKET SET IN METAL BOX  
STD. PKG. 1. PKG. WT. 9 LBS.

**NO. 9964** METAL BOX, ONLY—17" x 5 $\frac{3}{4}$ " x 4 $\frac{1}{4}$ "  
STD. PKG. 1. PKG. WT. 4 $\frac{1}{4}$  LBS.

## 31 PIECE SET

A deluxe set especially appointed for automotive and aviation mechanics. It is the ultimate in the selection of tools for broadest combination of working arrangements of sockets and fittings. For added convenience this metal box is equipped with a cantilever socket and fitting tray.

## CONTENTS

No.	Description
<b>2746</b>	$1\frac{1}{16}$ " 12 Pt. Deep Socket
<b>2747</b>	$\frac{3}{4}$ " 12 Pt. Deep Socket
<b>2748</b>	$1\frac{3}{16}$ " 12 Pt. Deep Socket
<b>2714UV</b>	$\frac{7}{16}$ " Universal Joint Socket
<b>2716UV</b>	$\frac{1}{2}$ " Universal Joint Socket
<b>2718UV</b>	$\frac{9}{16}$ " Universal Joint Socket
<b>2720UV</b>	$\frac{5}{8}$ " Universal Joint Socket
<b>2722UV</b>	$1\frac{1}{16}$ " Universal Joint Socket
<b>2724UV</b>	$\frac{3}{4}$ " Universal Joint Socket
<b>2730</b>	3" Extension
<b>2733</b>	6" Extension
<b>2735</b>	12" Extension
<b>2781</b>	9" Swing Head Handle
<b>2785</b>	16" Speeder
<b>2775</b>	Reversible Ratchet

STD. PKG. 1. PKG. WT. 11 $\frac{1}{2}$  LBS.

STD. PKG. 1. PKG. WT. 11 $\frac{1}{2}$  LBS.

STD. PKG. 1. PKG. WT. 5 $\frac{1}{2}$  LBS.



## CHROME ALLOY STEEL

The Quality and Value of Indestro sockets and fittings are unsurpassed for excellence. Made of Chrome Alloy steel and scientifically heat treated, Indestro sockets and fittings are the strongest ever developed, and are acclaimed by professional mechanics everywhere.

All sockets are hot broached providing smooth walls of uniform thickness, and accurately centered teeth.



Federal Spec: GGG-W-641b

Check the outstanding features—designed and engineered by *Professional* men for *Professional* men.

- Patented form fit finger tip reversing cap—no rough edges to irritate the hand when palmed.
- Ratchet will not reverse when palmed.
- Compact round head provides ease and speed when working in restricted places—no blind corners.
- Fifty-two teeth guarantees fast, close, positive ratcheting action—a new “bite” every 7°.
- The newly designed Oval Grip handle affords the user comfort and greater “knuckle clearance”.
- Tough chrome alloy steel—torque tested far beyond government specifications.

Fully chrome plated. Length 10 1/2".

### NO. 3277 REVERSIBLE RATCHET

STD. PKG. 3. PKG. WT. 4 LBS.




Federal Spec: GGG-W-641b

The ratcheting mechanism of this ratchet is the same as No. 3277, illustrated above. This ratchet is available for the user who prefers a round knurled handle.

### NO. 3275 REVERSIBLE RATCHET

STD. PKG. 3. PKG. WT. 4 LBS.

### RATCHET INNER BODY ASSEMBLY



Ratchet Nos. 3275 and 3277 are so designed that the inner body assembly can be quickly removed from the ratchet handle for cleaning or inspection. (See instruction booklet attached to each ratchet).

### NO. 3275-8 RATCHET INNER BODY ASSEMBLY

STD. PKG. 1. PKG. WT. 1/4 LB.



Forged male drive ratchet—30 tooth action. Instant finger tip reversing. Simplified design provides easy maintenance. Chrome plated.

### NO. 3239 REVERSIBLE RATCHET

STD. PKG. 3. PKG. WT. 3 1/8 LBS.

*See Selection Steel No. 6470*

Indestro sockets are locked to handles speedily by a RETAINING GROOVE in each of the four walls at the drive end.

Chrome Alloy steel used in Indestro fittings provides extra strength while eliminating bulk and clumsiness. Fully chrome plated and polished.



Female drive reversible 36 tooth ratchet. Designed extra strong with smooth positive easy action. Slight pressure on thumb lever instantly reverses action. Length 9 1/4".

**NO. 3202R REVERSIBLE RATCHET, FEMALE DRIVE**  
STD. PKG. 3. PKG. WT. 3 LBS.

**NO. 3215**



**NO. 3205**



A connector for use with female drive ratchet wrench. Ball and spring at each end lock into ratchet and socket. No. 3215 has head knurled for easy removal.

**NO. 3215 RATCHET ADAPTOR PLUG**  
STD. PKG. 4. PKG. WT. 5/8 LB.

**NO. 3205 1 1/4" EXTENSION**  
STD. PKG. 4. PKG. WT. 5/8 LB.

*Federal Spec: GGG-W-641b*



Provides accessibility to many difficult jobs. Close coupled and with spring tension. Length 2 9/32".

**NO. 3217 UNIVERSAL JOINT**  
STD. PKG. 4. PKG. WT. 1 LB.



*Federal Spec: GGG-W-641b*

Extensions are important to a socket set as nuts and bolts in out-of-reach places can be conveniently turned. Forged in one piece for extra strength. Cross drilled for use with cross bar No. 3210.

**NO. 3230 2 7/8" EXTENSION**  
STD. PKG. 4. PKG. WT. 1 LB.

**NO. 3216 5 1/2" EXTENSION**  
STD. PKG. 4. PKG. WT. 1 1/2 LB.

**NO. 3211 10" EXTENSION**  
STD. PKG. 4. PKG. WT. 2 1/4 LB.



*Federal Spec: GGG-W-641b*

The sliding T handle is ideal for use around crowded places as the head slides from one end of the bar to the other to clear obstructions. The head will hold at any selected position on the bar thru ball and spring tension.

**NO. 3206 11" SLIDE "T" HANDLE**  
STD. PKG. 4. PKG. WT. 4 1/2 LB.

## CHROME ALLOY STEEL



Federal Spec: GGG-W-641b

The swing head handle is the ideal tool where extra leverage is needed to tighten or "break loose" a stubborn nut or bolt. Ball and spring tension hold head at any selected angle. The Oval Grip handle provides comfort as well as greater "knuckle clearance".

## NO. 3225 11 1/2" SWING HEAD HANDLE

STD. PKG. 2. PKG. WT. 2 5/8 LBS.

## NO. 3226 15 1/2" SWING HEAD HANDLE

STD. PKG. 2. PKG. WT. 3 1/4 LBS.

## NO. 3227 18" SWING HEAD HANDLE

STD. PKG. 2. PKG. WT. 3 5/8 LBS.



Federal Spec: GGG-W-641b

Same swing head handle, as illustrated above, except handle is of the round knurled type.

## NO. 3220H 11 1/2" SWING HEAD HANDLE

STD. PKG. 2. PKG. WT. 2 5/8 LBS.

## NO. 3222H 15 1/2" SWING HEAD HANDLE

STD. PKG. 2. PKG. WT. 3 1/4 LBS.

## NO. 3223H 18" SWING HEAD HANDLE

STD. PKG. 2. PKG. WT. 3 5/8 LBS.



Select steel swing head handle. Length 15". Chrome plated.

## NO. 3224 15" SWING HEAD HANDLE

STD. PKG. 2. PKG. WT. 3 LBS.

Used with swing head handles and extensions to form a "T" handle. Also used for turning deep wall sockets. Length 9".

## NO. 3210 9" CROSS BAR

STD. PKG. 4. PKG. WT. 1 1/8 LBS.



Designed especially for speedy nut turning. Comfortable knurled handle insures firm grip in greasy hands. Ball bearing design prevents sticking and allows a smooth working action. Friction ball in drive end gives positive lock to socket.

## NO. 3208 17 5/8" SPEEDER

STD. PKG. 4. PKG. WT. 5 1/8 LBS.

## NO. 3209 12" SPEEDER

STD. PKG. 4. PKG. WT. 5 1/2 LBS.



The "L-T" handle provides the user with a combination speed and leverage tool. Removable handle can be attached to either end of bar. Length 9 1/2". Fully plated.


## NO. 646 L-T HANDLE

STD. PKG. 4. PKG. WT. 5 1/2 LBS.

NO. 483



NO. 492



Federal Spec: GGG-W-641b

Permits use of 3/4" square drive sockets with 1/2" square drive fittings. Recessed grooves in female end and spring loaded ball in male end for firm lock to sockets and fittings.

## NO. 483 1/2" FEMALE, 3/4" MALE ADAPTOR

STD. PKG. 4. PKG. WT. 1 1/4 LBS.

Permits use of 3/8" square drive sockets with 1/2" square drive fittings. Has spring loaded ball in male end for positive lock to socket. Recessed grooves in female end.

## NO. 492 1/2" FEMALE, 1/2" MALE ADAPTOR

STD. PKG. 4. PKG. WT. 3/4 LB.



Fed. Spec: GGG-W-641b Type XIV Class 1 Form A Size No. 8

Designed especially for adjusting drag links and for use as a heavy duty screw driver. Has 1/2" square drive female end. Bit .150" thick, 15 1/16" wide.

## NO. 3213 DRAG LINK SOCKET

STD. PKG. 4. PKG. WT. 5/8 LB.

## FORD CONNECTING ROD SOCKET



Special Ford connecting rod socket. Although made of the best chrome alloy steel, this socket is not guaranteed. For use in restricted space the nose is tapered thinner than good engineering permits.

## NO. 618X 6 PT. 1/16" SOCKET

STD. PKG. 6. PKG. WT. 5/8 LB.



Two torque measuring wrenches are available in 1/2" square drive. One with maximum range of 100 foot lbs.; the other 150 foot lbs., both with scales graduated in 2 1/2 foot lb. units. Sturdy beam construction assures long life and accuracy. Manufacturers' recommendations for cylinder heads, connecting rods, main bearings, spark plugs, and other parts are included in a torque book packed with every wrench. Length 18".

## NO. 8099 1/2" SQ. DR. TORQUE WRENCH

Range 100 Ft. Lbs.

STD. PKG. 1. PKG. WT. 1 1/4 LBS.

## NO. 8099 1/2" SQ. DR. TORQUE WRENCH

Range 150 Ft. Lbs.

STD. PKG. 1. PKG. WT. 1 1/8 LBS.



## 12 POINT



## 8 POINT



## 6 POINT.



Federal Spec: GGG-W-641b

## 12 POINT SOCKETS

Tapered thin wall 12 point sockets to fit hexagon nuts and bolts. Chrome plated and fully polished.

No.	Size	Length	Std. Pkg.	Pkg. Wt.
1214	7/16"	1 1/2"	6	3/4 lb.
1216	1/2"	1 1/2"	6	3/4 lb.
1218	9/16"	1 1/2"	6	3/4 lb.
1219	19/32"	1 9/16"	6	3/4 lb.
1220	5/8"	1 9/16"	6	3/4 lb.
1221	21/32"	1 9/16"	6	1 lb.
1222	11/16"	1 9/16"	6	1 1/4 lbs.
1224	3/4"	1 9/16"	6	1 1/2 lbs.
1225	25/32"	1 5/8"	6	1 1/2 lbs.
1226	13/16"	1 5/8"	6	1 5/8 lbs.
1228	7/8"	1 21/32"	6	1 1/8 lbs.
1230	15/16"	1 21/32"	6	2 lbs.
1232	1"	1 21/32"	6	2 1/4 lbs.
1234	1 1/16"	1 21/32"	6	2 1/2 lbs.
1236	1 1/8"	1 21/32"	6	2 3/4 lbs.
1240	1 1/4"	1 21/32"	6	3 3/8 lbs.

## 8 POINT SOCKETS

Tapered 8 point double square sockets to fit square nuts and bolts. Chrome plated and fully polished.

No.	Size	Length	Std. Pkg.	Pkg. Wt.
1212S	3/8"	1 7/16"	4	1/2 lb.
1214S	7/16"	1 15/32"	4	5/8 lb.
1216S	1/2"	1 15/32"	4	5/8 lb.
1218S	9/16"	1 15/32"	4	3/4 lb.
1220S	5/8"	1 15/32"	4	1 lb.
1222S	11/16"	1 15/32"	4	1 lb.
1224S	3/4"	1 15/32"	4	1 3/8 lbs.
1226S	13/16"	1 17/32"	4	1 5/8 lbs.
1228S	7/8"	1 19/32"	4	2 lbs.

## 6 POINT SOCKETS

Especially designed with 6 point openings for positive grip where bolts or nuts are undersize or distorted with rounded corners. Straight thin walls. Chrome plated. Fully polished.

No.	Size	Length	Std. Pkg.	Pkg. Wt.
1212H	3/8"	1 1/2"	6	3/4 lb.
1214H	7/16"	1 1/2"	6	3/4 lb.
1216H	1/2"	1 1/2"	6	3/4 lb.
1218H	9/16"	1 1/2"	6	3/4 lb.
1220H	5/8"	1 9/16"	6	3/4 lb.
1222H	11/16"	1 9/16"	6	1 1/4 lbs.
1224H	3/4"	1 9/16"	6	1 1/2 lbs.
1226H	13/16"	1 5/8"	6	1 5/8 lbs.
1228H	7/8"	1 21/32"	6	1 1/8 lbs.
1230H	1 5/16"	1 21/32"	6	2 lbs.
1232H	1"	1 21/32"	6	2 1/4 lbs.
1234H	1 1/16"	1 21/32"	6	2 1/2 lbs.
1236H	1 1/8"	1 21/32"	6	2 3/4 lbs.
1240H	1 1/4"	1 21/32"	6	3 3/8 lbs.

## 12 POINT DEEP SOCKETS




Federal Spec:  
GGG-W-641b

Used especially on spark plugs to avoid cracking the ceramic or distorting the plug. Necessary for work on deeply recessed nuts. Vital for use where a bolt protrudes away beyond a nut as in the case of U bolts, spring clips, etc., on cars and trucks. Chrome plated and fully polished.

No.	Size	Length	Std. Pkg.	Pkg. Wt.
3016	1/2"	3 1/4"	6	1 3/4 lbs.
3018	9/16"	3 1/4"	6	1 3/4 lbs.
3020	5/8"	3 1/4"	6	1 3/4 lbs.
3022	11/16"	3 1/4"	6	1 3/4 lbs.
3024	3/4"	3 1/4"	6	2 lbs.
3026	13/16"	3 1/4"	6	2 1/2 lbs.
3028	7/8"	3 1/4"	6	2 3/4 lbs.
3030	15/16"	3 1/4"	6	3 lbs.
3032	1"	3 1/4"	6	3 1/4 lbs.
Extra Thin Deep Socket				
★ 3026T	13/16"	3 1/4"	6	2 lbs.

## SPARK PLUG HOLDING SOCKET



This special deep socket—13/16" opening—has an oil resistant insert which securely holds and protects 14 mm. spark plugs. The socket may be used with any 1/2" Square Drive fitting—or, if the plug is obstructed, a 13/16" wrench can be applied to the male plug. Made from alloy steel. Fully chrome plated and polished. Length 2 7/16".

NO. 3026HS      13/16" SPARK PLUG HOLDING SOCKET  
STD. PKG. 6. PKG. WT. 1 1/2 LBS.  
NO. 3026HS-2      INSERT ONLY  
STD. PKG. 6. PKG. WT. 1/8 LBS.



## CHROME ALLOY STEEL

Indestro socket sets represent the highest value in quality built tools. Truly regal in appearance they always meet with instantaneous acceptance with their beautiful sparkling chrome plated finish in streamlined metal boxes of colorful Chinese red enamel.

Indestro socket sets always satisfy as the selection of tools in each set is carefully planned to provide the utmost in utility. The professional mechanic who depends on his tools always chooses Indestro Socket Sets for their reputation of standing the strain of constant daily usage and he knows that they will serve him well and tirelessly with unequalled efficiency of quality built tools.

Another very desirable feature of Indestro socket sets are the metal boxes, designed with graceful eye appealing lines of heavy gauge metal and rounded corners, each box spaciously provides adequate room for additional tools.

### SPARK PLUG SOCKET SET



6 piece deep socket set containing the most popular sizes for use in service station or mechanic's kit. Handle furnished as illustrated. Sockets can be used with any  $\frac{1}{2}$ " square drive handle. Available in handy metal box or carton.

#### CONTENTS

No.	Description
3020	$\frac{5}{8}$ " 12 Pt. Deep Socket
3022	$\frac{11}{16}$ " 12 Pt. Deep Socket
3026	$\frac{13}{16}$ " 12 Pt. Deep Socket
3028	$\frac{7}{8}$ " 12 Pt. Deep Socket
3032	1" 12 Pt. Deep Socket
54-1	6" L Handle

NO. 7820 6 PC. SPARK PLUG SOCKET SET IN METAL BOX  
STD. PKG. 1. PKG. WT.  $4\frac{1}{4}$  LBS.

NO. 9918L METAL BOX, ONLY— $7\frac{3}{4}$ " x  $3\frac{3}{4}$ " x  $1\frac{1}{8}$ "  
STD. PKG. 1. PKG. WT.  $\frac{3}{4}$  LB.

NO. 7821 6 PC. SPARK PLUG SOCKET SET IN CARTON  
STD. PKG. 1. PKG. WT.  $2\frac{3}{8}$  LBS.



### 12 PIECE SET



A general purpose set containing 10 of the more popular sizes of sockets and swing head handle with cross bar. Furnished complete in metal box with exclusive "push button" cover release.

#### CONTENTS

No.	Description	No.	Description
1214	$\frac{7}{16}$ " 12 Pt. Socket	1226	$\frac{13}{16}$ " 12 Pt. Socket
1216	$\frac{1}{2}$ " 12 Pt. Socket	1228	$\frac{7}{8}$ " 12 Pt. Socket
1218	$\frac{9}{16}$ " 12 Pt. Socket	1230	$\frac{15}{16}$ " 12 Pt. Socket
1220	$\frac{5}{8}$ " 12 Pt. Socket	1232	1" 12 Pt. Socket
1222	$\frac{11}{16}$ " 12 Pt. Socket	3210	9" Cross Bar
1224	$\frac{3}{4}$ " 12 Pt. Socket	3220H	$11\frac{1}{2}$ " Sw. Hd. Hdle.

NO. 7803 12 PC. SOCKET SET IN METAL BOX  
STD. PKG. 1. PKG. WT.  $5\frac{1}{4}$  LBS.

NO. 9962 BOX, ONLY— $12\frac{1}{4}$ " x  $3\frac{3}{8}$ " x  $2\frac{1}{8}$ "  
STD. PKG. 1. PKG. WT.  $1\frac{1}{2}$  LBS.

### 17 PIECE SET



A dandy set as it contains the basic tools including a reversible ratchet handle required for speedy assembly or disassembly of work. In metal box with exclusive "push button" cover release.

#### CONTENTS

No.	Description	No.	Description
1214	$\frac{7}{16}$ " 12 Pt. Socket	1230	$\frac{15}{16}$ " 12 Pt. Socket
1216	$\frac{1}{2}$ " 12 Pt. Socket	1232	1" 12 Pt. Socket
1218	$\frac{9}{16}$ " 12 Pt. Socket	1234	$1\frac{1}{16}$ " 12 Pt. Socket
1219	$\frac{19}{32}$ " 12 Pt. Socket	1236	$1\frac{1}{8}$ " 12 Pt. Socket
1220	$\frac{5}{8}$ " 12 Pt. Socket	3216	5 $\frac{1}{2}$ " Extension
1222	$\frac{11}{16}$ " 12 Pt. Socket	3222H	$15\frac{1}{2}$ " Sw. Hd. Hdle.
1224	$\frac{3}{4}$ " 12 Pt. Socket	3210	9" Cross Bar
1226	$\frac{13}{16}$ " 12 Pt. Socket	3275	Reversible Ratchet
1228	$\frac{7}{8}$ " 12 Pt. Socket		


NO. 7805 17 PC. SOCKET SET IN METAL BOX  
STD. PKG. 1. PKG. WT.  $8\frac{1}{2}$  LBS.

NO. 9963 BOX, ONLY— $16$ " x  $3\frac{3}{8}$ " x  $2\frac{1}{8}$ "  
STD. PKG. 1. PKG. WT.  $1\frac{1}{4}$  LBS.

# 1/2" SQ. DR. SOCKET SETS

## CHROME ALLOY STEEL

### 18 PIECE SET



A favorite set as it contains 18 of the most necessary tools for general work complete in a streamlined metal box. The cantilever socket tray is an added and unusual feature in a box of these dimensions.


#### CONTENTS

No.	Description	No.	Description
1214	7/16" 12 Pt. Socket	1230	15/16" 12 Pt. Socket
1216	1/2" 12 Pt. Socket	1232	1" 12 Pt. Socket
1218	9/16" 12 Pt. Socket	1234	11/16" 12 Pt. Socket
1219	19/32" 12 Pt. Socket	1236	1 1/8" 12 Pt. Socket
1220	5/8" 12 Pt. Socket	3216	5 1/2" Extension
1222	11/16" 12 Pt. Socket	3211	10" Extension
1224	3/4" 12 Pt. Socket	3222H	15 1/2" Sw. Hd. Hdle.
1226	13/16" 12 Pt. Socket	3210	9" Cross Bar
1228	7/8" 12 Pt. Socket	3275	Reversible Ratchet

**NO. 7806 18 PC. SOCKET SET IN METAL BOX**  
STD. PKG. 1. PKG. WT. 12 5/8 LBS.  
**NO. 9965 BOX, ONLY—19" x 5 7/8" x 4 5/8"**  
STD. PKG. 1. PKG. WT. 5 5/8 LBS.

### 30 AND 19 PIECE SETS

A consistently best seller—chosen again and again over all other sets. Contains a wide range of sockets and fittings to satisfy the professional, as well as the home owner. In seamless watertight metal box—cantilever socket tray provides quick easy access to all tools.



### 21 PIECE SET



A complete basic socket set featuring a complete range of sockets to 1 1/4". In sturdy deep drawn, cantilever box.

#### CONTENTS

No.	Description	No.	Description
1214	7/16" 12 Pt. Socket	1232	1" 12 Pt. Socket
1216	1/2" 12 Pt. Socket	1234	1 1/16" 12 Pt. Socket
1218	9/16" 12 Pt. Socket	1236	1 1/8" 12 Pt. Socket
1219	19/32" 12 Pt. Socket	1240	1 1/4" 12 Pt. Socket
1220	5/8" 12 Pt. Socket	3216	5 1/2" Extension
1222	11/16" 12 Pt. Socket	3211	10" Extension
1224	3/4" 12 Pt. Socket	3217	Universal Joint
1225	25/32" 12 Pt. Socket	3223H	18" Sw. Hd. Hdle.
1226	13/16" 12 Pt. Socket	3208	17 5/8" Speeder
1228	7/8" 12 Pt. Socket	3275	Reversible Ratchet
1230	15/16" 12 Pt. Socket		

**NO. C7809 21 PC. SOCKET SET IN METAL BOX**  
STD. PKG. 1. PKG. WT. 16 1/4 LBS.  
**NO. 9966 BOX, ONLY—19" x 7 1/2" x 5 5/8"**  
STD. PKG. 1. PKG. WT. 6 1/4 LBS.  
*If desired in hip roof box with tote tray, order:*  
**NO. 7809 21 PC. SOCKET SET IN METAL BOX**  
STD. PKG. 1. PKG. WT. 17 1/8 LBS.  
**NO. 9910A BOX, ONLY—19" x 7 1/2" x 6 3/8"**  
STD. PKG. 1. PKG. WT. 7 1/8 LBS.

#### CONTENTS

No.	Description	No.	Description
2808	7/4" Square Drive	1219	19/32" 12 Pt. Socket
2809	1/4" 6 Pt. Socket	1220	5/8" 12 Pt. Socket
2810	9/32" 6 Pt. Socket	1222	11/16" 12 Pt. Socket
2811	5/16" 6 Pt. Socket	1224	3/4" 12 Pt. Socket
2812	11/32" 6 Pt. Socket	1225	25/32" 12 Pt. Socket
2814	3/8" 6 Pt. Socket	1226	13/16" 12 Pt. Socket
2808S	1/4" 8 Pt. Sq. Skt.	1228	7/8" 12 Pt. Socket
2810S	5/16" 8 Pt. Sq. Skt.	1230	15/16" 12 Pt. Socket
2812S	3/8" 8 Pt. Sq. Skt.	1232	1" 12 Pt. Socket
2850	6" Sw. Hd. Hdle.	1234	1 1/16" 12 Pt. Socket
2855	4" Cross Bar	1236	1 1/8" 12 Pt. Socket
		3216	5 1/2" Extension
1214	7/16" 12 Pt. Socket	3222H	15 1/2" Sw. Hd. Hdle.
1216	1/2" 12 Pt. Socket	3210	9" Cross Bar
1218	9/16" 12 Pt. Socket	3208	17 5/8" Speeder
		3275	Reversible Ratchet

**NO. C7811 30 PC. SOCKET SET IN METAL BOX**  
STD. PKG. 1. PKG. WT. 15 1/2 LBS.  
**NO. C7807 19 PC. SOCKET SET (LESS 1/4" SQ. DR. SET) IN METAL BOX**  
STD. PKG. 1. PKG. WT. 14 5/8 LBS.  
**NO. 9966 BOX, ONLY—19" x 7 1/2" x 5 5/8"**  
STD. PKG. 1. PKG. WT. 6 1/4 LBS.  
*If desired in hip roof box with tote tray, order:*  
**NO. 7811 30 PC. SOCKET SET IN METAL BOX**  
STD. PKG. 1. PKG. WT. 16 5/8 LBS.  
**NO. 7807 19 PC. SOCKET SET (LESS 1/4" SQ. DR. SET) IN METAL BOX**  
STD. PKG. 1. PKG. WT. 15 1/2 LBS.  
**NO. 9910A BOX, ONLY—19" x 7 1/2" x 6 3/8"**  
STD. PKG. 1. PKG. WT. 7 1/8 LBS.



## 36 AND 25 PIECE SETS

The supreme selection of sockets and fittings has made this set an all time favorite for utility and value. The brilliant chrome plated tools, scientifically designed for utility, balance and strength will work effortlessly in the most limited spaces. Complete with an especially designed deep drawn, seamless, watertight metal box with cantilever socket tray.



## CHROME ALLOY STEEL

## CONTENTS

No.	Description	No.	Description
2808	1/4" Square Drive	1224	3/8" 12 Pt. Socket
2809	1/4" 6 Pt. Socket	1225	25/32" 12 Pt. Socket
2810	9/32" 6 Pt. Socket	1226	13/32" 12 Pt. Socket
2811	5/16" 6 Pt. Socket	1228	7/8" 12 Pt. Socket
2812	11/32" 6 Pt. Socket	1230	15/16" 12 Pt. Socket
2814	3/8" 6 Pt. Socket	1232	1" 12 Pt. Socket
2816	7/16" 6 Pt. Socket	1234	11/16" 12 Pt. Socket
2808S	1/4" 8 Pt. Sq. Skt.	1236	11/8" 12 Pt. Socket
2810S	5/16" 8 Pt. Sq. Skt.	1240	1 1/4" 12 Pt. Socket
2812S	3/8" 8 Pt. Sq. Skt.	1216S	1/2" 8 Pt. Sq. Skt.
2850	6" Sw. Hd. Hdle.	1218S	9/16" 8 Pt. Sq. Skt.
2855	4" Cross Bar	1220S	5/8" 8 Pt. Sq. Skt.
		1222S	11/16" 8 Pt. Sq. Skt.
		3216	5 1/2" Extension
		3211	10" Extension
		3222H	15 1/2" Sw. Hd. Hdle.
		3210	9" Cross Bar
		3208	17 5/8" Speeder
		3275	Reversible Ratchet

NO. C7813 36 PC. SOCKET SET IN METAL BOX STD. PKG. 1. PKG. WT. 17 1/8 LBS.

NO. C7810 25 PC. SOCKET SET (LESS 1/4" DRIVE SET) IN METAL BOX STD. PKG. 1. PKG. WT. 17 LBS.

NO. 9966 BOX, ONLY—19" x 7 1/2" x 5 5/8" STD. PKG. 1. PKG. WT. 6 1/4 LBS.

If desired in hip roof box with tote tray, order:

NO. 7813 36 PC. SOCKET SET IN METAL BOX STD. PKG. 1. PKG. WT. 18 1/4 LBS.


NO. 7810 25 PC. SOCKET SET (LESS 1/4" DRIVE SET) IN METAL BOX STD. PKG. 1. PKG. WT. 17 1/8 LBS.

NO. 9910A BOX, ONLY—19" x 7 1/2" x 6 3/8" STD. PKG. 1. PKG. WT. 7 1/8 LBS.

## 35 PIECE TOOL SET



## CONTENTS



No.	Description	No.	Description	No.	Description
1214	1/2" Square Drive	915	13/16" x 7/8" Box Wrench		
1216	7/16" 12 Pt. Socket	916	15/16" x 1" Box Wrench		
1218	1/2" 12 Pt. Socket	136	Screw Drivers		
1220	9/16" 12 Pt. Socket	3714	1/8" x 1 1/8" Midget		
1222	5/8" 12 Pt. Socket	3726	3/16" x 4" Square Blade		
1224	11/16" 12 Pt. Socket	4681	1/4" x 6" Square Blade		
1226	3/4" 12 Pt. Socket	980-8	No. 1 Phillips		
1228	13/16" 12 Pt. Socket	1901	Miscellaneous Tools		
1230	7/8" 12 Pt. Socket	1950	8 oz. Ball Pein Hammer		
1232	15/16" 12 Pt. Socket	1970	1/2" x 5 3/4" Cold Chisel		
3216	1" 12 Pt. Socket	9031	3/32" x 4 1/2" Taper Punch		
3222H	5 1/2" Extension	3403	4" Center Punch		
	15 1/2" Sw. Hd. Hdle.		Hacksaw		
3275	Reversible Ratchet		Water Pump Plier		

NO. C7815 35 PC. TOOL SET IN METAL BOX STD. PKG. 1. PKG. WT. 19 1/4 LBS.

NO. 9966 BOX, ONLY—19" x 7 1/2" x 5 5/8" STD. PKG. 1. PKG. WT. 6 1/4 LBS.

If desired in hip roof box with tote tray, order:


NO. 7815 35 PC. TOOL SET IN METAL BOX STD. PKG. 1. PKG. WT. 20 1/8 LBS.

NO. 9910A BOX, ONLY—19" x 7 1/2" x 6 3/8" STD. PKG. 1. PKG. WT. 7 1/8 LBS.



## CHROME ALLOY STEEL

64 PIECE TOOL SET



A distinctive tool set that immediately creates a desire for ownership wherever displayed. Unreservedly recommended for the mechanic who depends on his tools for a living. A custom selection of tools chosen so that any light or heavy job is approached with the complete confidence of having the correct tools to do the work rapidly and with convenience.

The sparkling array of chrome plated tools is neatly arranged by full size partitions in a sturdy metal box of streamlined design with liberal roominess to conveniently add other tools. Only a cantilever designed box provides complete visibility of all tools, at a glance.

A professional mechanic's tool set at an unbelievable value.

## CONTENTS

No.	Description	No.	Description	No.	Description
2808	1/4" Square Drive	2781	9" Sw. Hd. Hdle.	P725	7/16" x 1/2" End Wrench
2809	1/8" 6 Pt. Socket	2775	Reversible Ratchet	P727	9/16" x 5/8" End Wrench
2810	9/32" 6 Pt. Socket	1214	1/2" Square Drive	P29C	11/16" x 13/16" End Wrench
2811	5/16" 6 Pt. Socket	1216	7/16" 12 Pt. Socket	P731A	3/4" x 7/8" End Wrench
	11/32" 6 Pt. Socket	1218	1/2" 12 Pt. Socket	P33C	15/16" x 1" End Wrench
2812	3/8" 6 Pt. Socket	1220	9/16" 12 Pt. Socket		
2814	7/16" 6 Pt. Socket	1222	5/8" 12 Pt. Socket		
2808S	1/4" 8 Pt. Sq. Socket	1224	11/16" 12 Pt. Socket		
2810S	5/16" 8 Pt. Sq. Socket	1226	3/4" 12 Pt. Socket		
2812S	3/8" 8 Pt. Sq. Socket	1228	13/16" 12 Pt. Socket		
2850	6" Sw. Hd. Hdle.	1230	7/8" 12 Pt. Socket		
2855	4" Cross Bar	1232	15/16" 12 Pt. Socket		
2832	3" Extension	1234	1" 12 Pt. Socket		
		1236	1 1/8" 12 Pt. Socket		
2712	3/8" Square Drive	1240	1 1/4" 12 Pt. Socket		
2714	3/8" 6 Pt. Socket	3216	5 1/2" Extension		
2714	7/16" 12 Pt. Socket	3211	10" Extension		
2716	1/2" 12 Pt. Socket	3222H	15 1/2" Sw. Hd. Hdle.		
2718	9/16" 12 Pt. Socket	3208	17 5/8" Speeder		
		3275	Reversible Ratchet		
2720	5/8" 12 Pt. Socket				
2722	11/16" 12 Pt. Socket				
2724	3/4" 12 Pt. Socket				
2726	13/16" 12 Pt. Socket				
2728	7/8" 12 Pt. Socket				
2730	3" Extension	P721	Select Steel Open End Wrenches		
2733	6" Extension		5/16" x 3/8" End Wrench		

NO. C7817 64 PC. TOOL SET IN METAL BOX  
NO. 9967 BOX, ONLY—19" x 7 1/2" x 7"

STD. PKG. 1. PKG. WT. 27 1/4 LBS.  
STD. PKG. 1. PKG. WT. 7 5/8 LBS.



100 PIECE SET

This 100 piece tool set is an *outstanding value*. Each tool has been expertly chosen to handle the thousand-and-one jobs that occur in the home, farm, automotive, aircraft and electrical industries. Every tool is made to Indestro's rigid specifications and *fully guaranteed*.

Complete with the newest, most compact portable chest on the market. Has carrying handle on top, plus full length tote tray and 2 full width drawers. Drawers have easy acting compound slides with positive stops. Locking bar automatically secures drawers when cover is closed.



CONTENTS

No.	Description	No.	Description
<b>P720</b>	<b>Open End Wrenches</b>	<b>136</b>	<b>Ignition Set</b>
<b>P723</b>	$5\frac{1}{16}'' \times 11\frac{3}{16}''$ Open End Wrench	<b>168</b>	$\frac{1}{8}'' \times 1\frac{7}{8}''$ Screw Driver
<b>P725B</b>	$\frac{3}{8}'' \times 8\frac{1}{16}''$ Open End Wrench	<b>174</b>	Feeler Gauge
<b>P27</b>	$1\frac{1}{2}'' \times 9\frac{9}{16}''$ Open End Wrench	<b>892</b>	Ignition File
	$19\frac{1}{32}'' \times 11\frac{1}{16}''$ Open End Wrench	<b>894</b>	$1\frac{3}{64}'' \times 1\frac{15}{64}''$ Ignition Wrench
<b>P729</b>	$\frac{5}{8}'' \times 8\frac{3}{4}''$ Open End Wrench	<b>896</b>	$5\frac{1}{6}'' \times 9\frac{9}{32}''$ Ignition Wrench
<b>P731B</b>	$13\frac{1}{16}'' \times 7\frac{7}{8}''$ Open End Wrench	<b>897</b>	$1\frac{1}{32}'' \times 8\frac{3}{8}''$ Ignition Wrench
		<b>3411</b>	Ignition Plier
<b>3703</b>	<b>Screwdrivers</b>	<b>166</b>	<b>Miscellaneous Tools</b>
<b>3714</b>	$\frac{1}{8}'' \times 3''$ Square Blade	<b>196</b>	Thickness Gauge
<b>3716</b>	$\frac{3}{16}'' \times 4''$ Square Blade	<b>3403</b>	10 Pc. Set Screw Wrench Set
<b>3721</b>	$\frac{3}{16}'' \times 6''$ Square Blade	<b>3436</b>	Water Pump Plier
	$\frac{1}{4}'' \times 1\frac{1}{4}''$ Stubby		6" Slip Joint Plier
<b>4682</b>	Phillips No. 2 Point		
<b>1844</b>	<b>Punches and Chisels</b>	<b>2808</b>	<b>1/4" Square Drive</b>
<b>1851</b>	$\frac{3}{16}'' \times 6''$ Pin Punch	<b>2809</b>	$\frac{1}{4}''$ 6 Point Socket
<b>1861</b>	$\frac{1}{8}'' \times 4\frac{3}{4}''$ Taper Punch	<b>2810</b>	$\frac{9}{32}''$ 6 Point Socket
<b>1871</b>	$\frac{1}{2}'' \times 6''$ Cold Chisel	<b>2811</b>	$\frac{5}{16}''$ 6 Point Socket
	$5''$ Center Punch		$1\frac{1}{32}''$ 6 Point Socket

NO. 7818 100 PC. TOOL SET IN METAL CHEST STD. PKG. 1 PKG. WT. 42 1/2 LBS.

NO. 9958 CHEST, ONLY 20" x 9 1/2" x 8 5/8" STD. PKG. 1 PKG. WT. 20 LBS.

No.	Description
<b>2812</b>	$\frac{3}{8}''$ 6 Point Socket
<b>2814</b>	$\frac{7}{16}''$ 6 Point Socket
<b>28085</b>	$\frac{1}{4}''$ 8 Point Socket
<b>28105</b>	$\frac{5}{16}''$ 8 Point Socket
<b>28125</b>	$\frac{3}{8}''$ 8 Point Socket
<b>2850</b>	6" Swing Head Handle
<b>2855</b>	4" Cross Bar
<b>2712</b>	$\frac{3}{8}''$ Square Drive
<b>2714</b>	$\frac{7}{16}''$ 6 Point Socket
<b>2716</b>	$\frac{1}{2}''$ 12 Point Socket
<b>2718</b>	$\frac{9}{16}''$ 12 Point Socket
<b>2720</b>	$\frac{5}{8}''$ 12 Point Socket
<b>2722</b>	$1\frac{1}{16}''$ 12 Point Socket
<b>2724</b>	$\frac{3}{4}''$ 12 Point Socket
<b>2742</b>	$\frac{7}{16}''$ 12 Point Deep Socket
<b>2743</b>	$\frac{1}{2}''$ 12 Point Deep Socket
<b>2744</b>	$\frac{9}{16}''$ 12 Point Deep Socket
<b>492</b>	$\frac{1}{2}''$ Female, $\frac{3}{8}''$ Male Adpt'r.
<b>2763</b>	8" Slide T Handle
<b>2730</b>	3" Extension
<b>2733</b>	6" Extension
<b>1214</b>	$\frac{1}{2}''$ Square Drive
<b>1216</b>	$7\frac{1}{16}''$ 12 Point Socket
<b>1218</b>	$\frac{9}{16}''$ 12 Point Socket
<b>1219</b>	$19\frac{3}{32}''$ 12 Point Socket
<b>1220</b>	$\frac{5}{8}''$ 12 Point Socket
<b>1221</b>	$21\frac{31}{32}''$ 12 Point Socket
<b>1222</b>	$11\frac{1}{16}''$ 12 Point Socket
<b>1224</b>	$\frac{3}{4}''$ 12 Point Socket
<b>1225</b>	$25\frac{31}{32}''$ 12 Point Socket
<b>1226</b>	$13\frac{19}{32}''$ 12 Point Socket
<b>1228</b>	$\frac{7}{8}''$ 12 Point Socket
<b>1230</b>	$15\frac{1}{16}''$ 12 Point Socket
<b>1232</b>	1" 12 Point Socket
<b>1234</b>	$1\frac{1}{16}''$ 12 Point Socket
<b>1236</b>	$1\frac{1}{8}''$ 12 Point Socket
<b>1240</b>	$1\frac{1}{4}''$ 12 Point Socket
<b>3020</b>	$\frac{5}{8}''$ 12 Point Deep Socket
<b>3022</b>	$11\frac{15}{16}''$ 12 Point Deep Socket
<b>3024</b>	$\frac{3}{4}''$ 12 Point Deep Socket
<b>3026</b>	$13\frac{1}{16}''$ 12 Point Deep Socket
<b>3216</b>	$5\frac{1}{2}''$ Extension
<b>3208</b>	$17\frac{5}{8}''$ Speeder
<b>3224</b>	15" Swing Head Handle
<b>646</b>	L-T Handle
<b>3239</b>	Reversible Ratchet
<b>911</b>	<b>Long 45° Box End Wrenches</b>
<b>912</b>	$\frac{3}{8}'' \times 7\frac{1}{16}''$ Box Wrench
<b>913</b>	$\frac{1}{2}'' \times 9\frac{9}{16}''$ Box Wrench
<b>914</b>	$\frac{5}{8}'' \times 11\frac{3}{16}''$ Box Wrench
<b>914</b>	$\frac{3}{4}'' \times 25\frac{31}{32}''$ Box Wrench
<b>915</b>	$13\frac{1}{16}'' \times 7\frac{7}{8}''$ Box Wrench



## CHROME ALLOY STEEL

NEW



## 62 AND 51 PIECE SOCKET SET



A master socket set universally accepted by professional mechanics as the highest standard in tool value.

The user will save minutes to hours on every repair job as each tool is scientifically selected to fulfill the most exacting requirements. Provides a wealth of working arrangements that enriches a mechanic's skill.

The efficient quality tools sparkling with their chrome plated finish are orderly arranged in superbly designed metal box that is sturdy, durable and with an abundant capacity for many other tools. You will enjoy the "easy access to the bottom" that this cantilever action box provides.

## CONTENTS

No.	Description	No.	Description	No.	Description
2808	1/4" Square Drive	2726	13/16" 12 Pt. Socket	1240	1 1/4" 12 Pt. Socket
2809	1/4" 6 Pt. Socket	2728	7/8" 12 Pt. Socket	1216S	1/2" 8 Pt. Sq. Socket
2810	9/32" 6 Pt. Socket	2730	3" Extension	1218S	9/16" 8 Pt. Sq. Socket
2811	5/16" 6 Pt. Socket	2733	6" Extension	1220S	5/8" 8 Pt. Sq. Socket
	11/32" 6 Pt. Socket	2781	9" Sw. Hd. Hdle.		
2812	5/8" 6 Pt. Socket	2785	16" Speeder	3216	5 1/2" Extension
2814	7/16" 6 Pt. Socket	2775	Reversible Ratchet	3211	10" Extension
2808S	1/4" 8 Pt. Sq. Socket	1214	1/2" Square Drive	3217	Universal Joint
2810S	5/16" 8 Pt. Sq. Socket	1216	7/16" 12 Pt. Socket	3223H	18" Sw. Hd. Hdle.
2812S	3/8" 8 Pt. Sq. Socket	1218	1/2" 12 Pt. Socket		
		1219	19/32" 12 Pt. Socket	3208	17 5/8" Speeder
2850	6" Sw. Hd. Hdle.	1220	5/8" 12 Pt. Socket	3275	Reversible Ratchet
2855	4" Cross Bar	1222	11/16" 12 Pt. Socket		
2832	3" Extension	1224	3/4" 12 Pt. Socket	2234	3/4" Square Drive
2833	6" Extension	1225	25/32" 12 Pt. Socket	2236	1 1/16" 12 Pt. Socket
				2240	1 1/8" 12 Pt. Socket
2712	3/8" Square Drive	1226	13/16" 12 Pt. Socket	2242	1 1/4" 12 Pt. Socket
2714	3/8" 6 Pt. Socket	1228	7/8" 12 Pt. Socket	2244	1 3/8" 12 Pt. Socket
2716	7/16" 12 Pt. Socket	1230	15/16" 12 Pt. Socket	2246	1 7/16" 12 Pt. Socket
2718	1/2" 12 Pt. Socket	1232	1" 12 Pt. Socket	2248	1 1/2" 12 Pt. Socket
	9/16" 12 Pt. Socket			2252	1 5/8" 12 Pt. Socket
2720	5/8" 12 Pt. Socket	1234	11/16" 12 Pt. Socket	2256	1 3/4" 12 Pt. Socket
2722	11/16" 12 Pt. Socket	1236	1 1/8" 12 Pt. Socket	2364	8" Extension
2724	3/4" 12 Pt. Socket			2363	18" Slide T Hdle.

NO. C7905 62 PC. SOCKET SET IN METAL BOX

NO. C7904 51 PC. SOCKET SET (LESS 3/4" SQUARE DRIVE) IN METAL BOX  
BOX, ONLY—19" x 7 1/2" x 7"

NO. 9967

STD. PKG. 1. PKG. WT. 35 5/8 LBS.

STD. PKG. 1. PKG. WT. 22 1/4 LBS.

STD. PKG. 1. PKG. WT. 7 5/8 LBS.



1/4"-3/8"-1/2"-3/4" SQ. DR. TOOL SET

## CHROME ALLOY STEEL

A complete super deluxe tool set. Contains a wide range of sockets and fittings in  $1/4"$ ,  $3/8"$ ,  $1/2"$ ,  $3/4"$  square drive. Only the most popular open end wrenches, box end wrenches, and screwdrivers are presented, plus an excellent selection of punches, chisels, ignition tools and certain miscellaneous tools.

### CONTENTS

No.	Description	No.	Description
	<b>1/4" Square Drive</b>		
<b>2808</b>	$1/4"$ 6 Pt. Socket	<b>3022</b>	$11/16"$ 12 Pt. Dp. Skt.
<b>2809</b>	$9/32"$ 6 Pt. Socket	<b>3026</b>	$13/16"$ 12 Pt. Dp. Skt.
<b>2810</b>	$5/16"$ 6 Pt. Socket	<b>3028</b>	$7/8"$ 12 Pt. Dp. Skt.
<b>2811</b>	$11/32"$ 6 Pt. Socket	<b>3032</b>	$1"$ 12 Pt. Dp. Skt.
<b>2812</b>	$3/8"$ 6 Pt. Socket	<b>3216</b>	$5\frac{1}{2}"$ Extension
<b>2814</b>	$7/16"$ 6 Pt. Socket	<b>3211</b>	$10"$ Extension
<b>2808S</b>	$1/4"$ 8 Pt. Socket	<b>3217</b>	Universal Joint
<b>2810S</b>	$5/16"$ 8 Pt. Socket	<b>3223H</b>	$18"$ Sw. Hd. Hdle.
<b>2812S</b>	$3/8"$ 8 Pt. Socket	<b>3208</b>	$17\frac{5}{8}"$ Speeder
<b>2832</b>	3" Extension	<b>3275</b>	Reversible Ratchet
<b>2850</b>	6" Sw. Hd. Hdle.		
<b>2855</b>	4" Cross Bar		<b>3/4" Square Drive</b>
		<b>2234</b>	$1\frac{1}{16}"$ 12 Pt. Socket
		<b>2236</b>	$1\frac{1}{8}"$ 12 Pt. Socket
		<b>2240</b>	$1\frac{1}{4}"$ 12 Pt. Socket
		<b>2242</b>	$1\frac{5}{16}"$ 12 Pt. Socket
		<b>2244</b>	$1\frac{3}{8}"$ 12 Pt. Socket
		<b>2246</b>	$17/16"$ 12 Pt. Socket
		<b>2248</b>	$1\frac{1}{2}"$ 12 Pt. Socket
		<b>2252</b>	$1\frac{5}{8}"$ 12 Pt. Socket
		<b>2256</b>	$1\frac{3}{4}"$ 12 Pt. Socket
		<b>2260</b>	$1\frac{7}{8}"$ 12 Pt. Socket
		<b>2363</b>	$18"$ Slide T Hdle.
		<b>2364</b>	8" Extension
			<b>Open End Wrenches</b>
		<b>1721</b>	$5/16" \times 3/8"$
		<b>1725</b>	$7/16" \times 1\frac{1}{2}"$
		<b>1727</b>	$9/16" \times \frac{5}{8}"$
		<b>1029C</b>	$11/16" \times 1\frac{3}{16}"$
		<b>1731A</b>	$3/4" \times \frac{7}{8}"$
		<b>1033C</b>	$15/16" \times 1"$
			<b>Long 45°</b>
		<b>730A</b>	$7/16" \times \frac{1}{2}"$
		<b>731A</b>	$9/16" \times \frac{5}{8}"$
		<b>732C</b>	$11/16" \times \frac{13}{16}"$
		<b>733A</b>	$3/4" \times \frac{7}{8}"$
		<b>735</b>	$15/16" \times 1"$
			<b>Screw Drivers</b>
		<b>3703</b>	$1/8" \times 3"$ Sq. Blade
		<b>3714</b>	$3/16" \times 4"$ Sq. Blade
		<b>3726</b>	$1/4" \times 6"$ Sq. Blade
		<b>3748</b>	$3/8" \times 8"$ Sq. Blade
		<b>3721</b>	$1\frac{1}{4}" \times 1\frac{1}{4}"$ Stubby
		<b>4681</b>	Phillips No. 1 Point
		<b>4682</b>	Phillips No. 2 Point
			<b>Punches and Chisels</b>
		<b>1902</b>	$5/8" \times 6"$ Cold Chisel
		<b>1903</b>	$3/4" \times 7"$ Cold Chisel
		<b>1941</b>	$1/8"$ Pin Punch
		<b>1951</b>	$1/8"$ Taper Punch
		<b>1970</b>	4" Center Punch
			<b>Miscellaneous Tools</b>
		<b>980-16</b>	Ball Pein Hammer
		<b>3400</b>	Water Pump Plier
		<b>3416</b>	Battery Plier

The  $1/4"$  square drive sockets and fittings and ignition set are individually boxed.

Built for lifetime service, the master chest is of heavy gauge steel-chrome plated hardware-baked enamel finish. Drawers operating on compound slides can be removed when desired, but cannot be spilled.



No.	Description
<b>136</b>	<b>Ignition Set in Metal Box</b>
<b>168</b>	$1/8" \times 1\frac{1}{8}"$ Midget Screwdriver
<b>174</b>	6 Blade Feeler Gauge
<b>892</b>	Ignition Files
<b>894</b>	$13/64" \times 15/64"$ Ignition Wrench
<b>896</b>	$7/32" \times 1\frac{1}{4}"$ Ignition Wrench
<b>897</b>	$5/32" \times 9/32"$ Ignition Wrench
<b>3411</b>	$11/32" \times \frac{3}{8}"$ Ignition Wrench
	Ignition Plier

#### NO. 7911A 109 PC. TOOL SET IN METAL CHEST

STD. PKG. 1 PKG. WT. 89 LBS.

#### NO. 7912A 97 PC. TOOL SET (LESS $3/4"$ SQUARE DRIVE)

STD. PKG. 1 PKG. WT. 73 LBS.

#### NO. 9908 CHEST ONLY— $21\frac{3}{4}" \times 12" \times 12"$

STD. PKG. 1 PKG. WT. 44 LBS.



## CHROME ALLOY STEEL

The superior features of Indestro 3/4" square drive sockets and fittings is the reason that experienced mechanics will not accept substitutes. They know that the distinctive modern design enables them to handle all the tough jobs with less effort and energy. The giant size nuts and bolts on busses, trucks, tractors, road equipment and industrial heavy machinery require the extra strength and superb utility provided in Indestro sockets and fittings. Many are the reasons Indestro sockets and fittings are always the first choice of professional mechanics.

Sockets are extra strong—precision made to exact size from quality chrome alloy steel and scientifically heat treated for long, heavy usage. A retaining groove in each of the four walls at the drive end of the sockets locks them to handles with speed and convenience.

The complete choice of fittings are of supreme strength to move even the most heavily rusted nuts and bolts. Neat, streamlined design provides maximum utility and eliminates excessive weight. Indestro sockets and fittings sparkle with their bright polish and deep rich chrome finish.



This powerfully built heavy duty ratchet was designed to withstand the severest usage. Individually forged, it is balanced to lessen handling fatigue. Ratcheting head construction provides finger tip reversing action and quick and easy maintenance. Length 17 1/2".


**NO. 2339 17 1/2" HEAVY DUTY REVERSIBLE RATCHET**  
STD. PKG. 1. PKG. WT. 3 1/2 LBS.



*Federal Spec: GGG-W-641b*

The handiest tool for breaking loose stubborn or rusted nuts and bolts. 19" long for good leverage. Forged for extra strength. Ball and spring hold swing head at any selected angle. Cross drilled for use as T handle.

**NO. 2366 19" SWING HEAD HANDLE**  
STD. PKG. 1. PKG. WT. 3 3/8 LBS.



*Federal Spec: GGG-W-641b*

Used principally with extensions to spin nuts either on or off. Ball and spring holds sliding head at any desired position. 18" long for good leverage.

**NO. 2363 18" SLIDE "T" HANDLE**  
STD. PKG. 1. PKG. WT. 3 1/4 LBS.



*Federal Spec: GGG-W-641b*

Required for use around obstructions. Friction spring holds drive at any desired position. Extra strong and smooth operating. 31 1/16" long.

**NO. 2396 UNIVERSAL JOINT**  
STD. PKG. 1. PKG. WT. 1 1/8 LBS.



*Federal Spec: GGG-W-641b*

To interchange all 1/2" square drive sockets with any 3/4" square drive fitting. 2" long.

**NO. 493 3/4" FEMALE, 1/2" MALE ADAPTOR**  
STD. PKG. 4. PKG. WT. 1 1/4 LBS.



*Federal Spec: GGG-W-641b*

Available in all popular lengths, these extensions are forged in one piece for extra strength and durability.

**NO. 2362 4" EXTENSION** STD. PKG. 2. PKG. WT. 1 1/8 LBS.  
**NO. 2364 8" EXTENSION** STD. PKG. 2. PKG. WT. 2 3/8 LBS.  
**NO. 2365 16" EXTENSION** STD. PKG. 2. PKG. WT. 4 1/2 LBS.



Torque indicating wrench has range of 300 foot pounds graduated in 5 ft. lb. units. For heavy duty machines. Sturdy construction, direct reading, with no "mechanism" to get out of order.

**NO. 8099 3/4" SQ. DR. TORQUE WRENCH**  
STD. PKG. 1. PKG. WT. 5 1/2 LBS.



*Federal Spec:  
GGG-W-641b*

## 12 POINT SOCKETS

No.	Size	Length	Std. Pkg.	Pkg. Wt.
<b>2228</b>	7/8"	11 13/16"	2	3 1/4 lb.
<b>2230</b>	1 5/16"	1 13/16"	2	3 1/4 lb.
<b>2232</b>	1"	1 13/16"	2	1 lb.
<b>2234</b>	1 1/16"	1 13/16"	2	1 1/8 lbs.
<b>2236</b>	1 1/8"	2"	2	1 1/4 lbs.
<b>2238</b>	1 3/16"	2"	2	1 1/4 lbs.
<b>2240</b>	1 1/4"	2 1/16"	2	1 1/2 lbs.
<b>2242</b>	1 5/16"	2 1/8"	2	1 3/4 lbs.
<b>2244</b>	1 3/8"	2 3/16"	2	2 lbs.
<b>2246</b>	1 7/16"	2 1/4"	2	2 1/4 lbs.
<b>2248</b>	1 1/2"	2 5/16"	2	2 1/2 lbs.
<b>2252</b>	1 9/16"	2 7/16"	2	3 1/2 lbs.
<b>2254</b>	1 11/16"	2 1/2"	2	3 1/2 lbs.
<b>2256</b>	1 3/4"	2 9/16"	2	3 7/8 lbs.
<b>2258</b>	1 13/16"	2 5/8"	2	4 1/4 lbs.
<b>2260</b>	1 7/8"	2 13/16"	2	4 3/4 lbs.
<b>2264</b>	2"	2 13/16"	2	6 1/4 lbs.
<b>2268</b>	2 1/8"	2 15/16"	2	6 1/2 lbs.
<b>2270</b>	2 9/16"	3"	2	7 1/4 lbs.

## CHROME ALLOY STEEL



You can always depend on Indestro socket sets for utility . . . safety . . . beauty . . . dependability. They are made right, priced right and are as good as they look. Each set a treasure of quality tools, shop tested by professional mechanics for the most needed tools. Made of chrome alloy steel and scientifically heat treated.

For those really tough jobs requiring the use of heavy duty tools, this set insures easier and faster work. Thin nose sockets are hot broached for extra strength.



## 11 PIECE SET

Indestro tools are built for dependable service and long life. The heavy chrome plated finish sparkles with a deep rich luster.

The sets illustrated below are standard equipment with experienced mechanics for work on bus, tractor, truck, farm, road and all heavy machinery.

## 11 PIECE SET

Metal box is partitioned to hold sockets. Finished in Chinese red baked enamel.

## CONTENTS

No.	Description
2234	1 1/16" 12 Pt. Socket
2236	1 1/8" 12 Pt. Socket
2240	1 1/4" 12 Pt. Socket
2242	1 5/16" 12 Pt. Socket
2244	1 3/8" 12 Pt. Socket
2246	1 7/16" 12 Pt. Socket
2248	1 1/2" 12 Pt. Socket
2252	1 5/8" 12 Pt. Socket
2364	8" Extension
2365	16" Extension
2363	18" Slide T Handle
NO. 7908	11 PC. SOCKET SET IN METAL BOX STD. PKG. 1. PKG. WT. 17 LBS.
NO. 9952	BOX ONLY—18 1/16" x 4 3/4" x 2 1/16" STD. PKG. 1. PKG. WT. 3 3/8 LBS.

## 24 PIECE SET

A complete heavy duty socket set that has all the sockets and fittings necessary to handle speedily and conveniently the difficult applications around trucks, busses, tractors and all other heavy duty units and machinery.



The thin nose sockets and trim fittings provide all the utility required to work in tight corners. Metal box is furnished in durable Chinese red and of heavy gauge steel, partitioned for sockets.

## CONTENTS

No.	Description
2228	7/8" 12 Pt. Socket
2230	15/16" 12 Pt. Socket
2232	1" 12 Pt. Socket
2234	11/16" 12 Pt. Socket
2236	1 1/8" 12 Pt. Socket
2240	1 1/4" 12 Pt. Socket
2242	1 5/16" 12 Pt. Socket
2244	1 3/8" 12 Pt. Socket
2246	1 7/16" 12 Pt. Socket
2248	1 1/2" 12 Pt. Socket
2252	1 5/8" 12 Pt. Socket
2254	1 11/16" 12 Pt. Socket
2256	1 3/4" 12 Pt. Socket
2258	1 13/16" 12 Pt. Socket
2260	1 7/8" 12 Pt. Socket
2264	2" 12 Pt. Socket
2268	2 1/8" 12 Pt. Socket
2270	2 3/16" 12 Pt. Socket
2362	4" Extension
2364	8" Extension
2365	16" Extension
2366	19" Swing Head Handle
2396	Universal Joint
2339	17 1/2" Reversible Ratchet

NO. 7910A 24 PC. SOCKET SET IN METAL BOX  
STD. PKG. 1. PKG. WT. 49 1/2 LBS.  
NO. 9932L BOX, ONLY—22 1/2" x 6 1/4" x 3 1/2"  
STD. PKG. 1. PKG. WT. 11 1/4 LBS.





THE "STEP-SAVER" TOOL SET




"STEP-SAVER"  
6 Drawer Chest



CLOSED  
VIEW

"STEP-SAVER"  
Tool Rollaway





## CHROME ALLOY STEEL

## INDESTRO SUPER OPEN END WRENCHES



Federal Spec: GGG-W-636a Type IV

You will like the "feel" and balance of these streamline wrenches. Accurately broached openings fit nuts perfectly and are set for maximum clearance at a 15° angle to the head, permitting turning of nuts with a swing of only 30°. Forged from the finest alloy steel, heat treated, with mirror polished heads and satin finish handles. Completely chrome plated.

No.	Size	Length	Head Thick.	Std. Pkg.	Pkg. Wt.
1020	1/4" x 5/16"	3 7/8"	5/32"	6	1/4 lb.
1720	5/16" x 11/32"				
1721	5/16" x 3/8"	4 13/16"	3/16"	6	1/4 lb.
1021	5/16" x 13/32"				
1021A	11/32" x 13/32"	5"	3/16"	6	1/2 lb.
1723	3/8" x 7/16"				
1023	13/32" x 1/2"	5 5/8"	13/64"	6	3/4 lb.
1725	7/16" x 1/2"	5 15/16"	15/64"	6	3/4 lb.
1725B	1/2" x 9/16"	6 1/4"	15/64"	6	7/8 lb.
1025	1/2" x 19/32"				
1727	9/16" x 5/8"	6 3/4"	1/4"	6	1 1/4 lbs.
1027C	9/16" x 11/16"				
1027	19/32" x 11/16"	7"	19/64"	6	1 1/2 lbs.
1028	19/32" x 25/32"	8"	19/64"	6	1 3/4 lbs.
1729	5/8" x 3/4"				
1029	11/16" x 25/32"				
1029C	11/16" x 13/16"	8 1/2"	21/64"	6	2 lbs.
1028X	25/32" x 13/16"				
1731	3/4" x 13/16"				
1731A	3/4" x 7/8"	9 3/16"	11/32"	6	3 lbs.
1731B	13/16" x 7/8"				
1033A	7/8" x 15/16"				
1733	7/8" x 1"	10 5/8"	25/64"	6	4 lbs.
1033C	15/16" x 1"				
1735	1" x 1 1/8"				
1036B	11/16" x 1 1/8"	12 1/2"	29/64"	3	3 1/4 lbs.
1037	11/16" x 1 1/4"				

See Page 30 for additional open end wrenches.

## "KLIP-TITE" OPEN END WRENCH SETS



Popular Klip-Tite set—no duplication of sizes.

## CONTENTS

No.	Size	No.	Size
1721	5/16" x 3/8"	1029C	11/16" x 13/16"
1725	7/16" x 1/2"	1731A	3/4" x 7/8"
1727	9/16" x 5/8"		

NO. 10001 5 PC. WRENCH SET—RANGE 5/16" to 7/8"

STD. PKG. 1 PKG. WT. 1 3/8 LBS.

NO. 10002 6 PC. WRENCH SET—RANGE 5/16" to 1"

STD. PKG. 1 PKG. WT. 2 LBS.

## CHROME ALLOY STEEL

For those who desire professional quality wrench sets packaged in attractive plastic kits, Indestro provides a popular selection. Wrench sizes in  $1/16$ " steps without duplication.



No.	Size	No.	Size
1721	5/16" x 3/8"	1721	5/16" x 3/8"
1725	7/16" x 1/2"	1725	7/16" x 1/2"
1727	9/16" x 5/8"	1727	9/16" x 5/8"
1029C	11/16" x 13/16"	1029C	11/16" x 13/16"
1731A	3/4" x 7/8"	1731A	3/4" x 7/8"

NO. 10003A 5 PC. SET


STD. PKG. 1 PKG. WT. 1 3/8 LBS.

NO. K130 KIT ONLY

NO. 10004A 6 PC. SET

STD. PKG. 1 PKG. WT. 2 1/8 LBS.

NO. 131 KIT ONLY



## CONTENTS

No.	Size	No.	Size
1020	1/4" x 5/16"	1029C	11/16" x 13/16"
1723	3/8" x 7/16"	1033A	7/8" x 15/16"
1725B	1/2" x 9/16"	1735	1" x 1 1/8"
1729	5/8" x 3/4"	1037	11/16" x 1 1/4"

NO. 10005A 8 PC. SET

STD. PKG. 1 PKG. WT. 4 1/8 LBS.

NO. K132 KIT ONLY



## CONTENTS

No.	Size	No.	Size
1721	5/16" x 3/8"	1029C	11/16" x 13/16"
1725	7/16" x 1/2"	1731A	3/4" x 7/8"
1727	9/16" x 5/8"	1033C	15/16" x 1"

NO. 10006PK 6 PC. OPEN END WRENCH SET

STD. PKG. 1 PKG. WT. 2 LBS.

NO. K119 POUCH ONLY



## CHROME ALLOY STEEL

### TAPPET WRENCHES



Federal Spec: GGG-W-636a, Type X, Class I

Thin pattern heads are accurately broached to size for perfect fit with openings at 15°. Handles are rounded and finished in satin chrome for a secure and comfortable grip. Forged from chrome alloy steel. Mirror polished heads. Fully chrome plated.

No.	Size	Length	Head Thick.	Std. Pkg.	Pkg. Wt.
T1	7/16" x 17/32"	7 1/4"	5/32"	6	3/4 lb.
T1A	7/16" x 1/2"	7 1/4"	5/32"	6	3/4 lb.
T2	1/2" x 9/16"	7 7/8"	11/64"	6	7/8 lb.
T2A	9/16" x 5/8"	7 7/8"	11/64"	6	7/8 lb.
T3	5/8" x 11/16"	8 3/8"	3/16"	6	1 1/2 lbs.
T4	3/4" x 7/8"	8 3/4"	7/32"	6	1 3/4 lbs.
T4A	3/4" x 13/16"	8 3/4"	7/32"	6	1 3/4 lbs.

### OBSTRUCTION END WRENCHES



Especially designed for use around obstructions, this wrench features one head at a 45° angle and the other at 90°—same size openings at both ends. Forged chrome alloy steel with satin finished handles and highly polished heads. Completely chrome plated.

No.	Size	Length	Head Thick.	Std. Pkg.	Pkg. Wt.
1821	3/8" x 3/8"	5 1/2"	11/64"	6	1/2 lb.
1823	7/16" x 7/16"	5 1/2"	11/64"	6	1/2 lb.
1825	1/2" x 1/2"	6 1/2"	13/64"	6	1 lb.
1827	9/16" x 9/16"	6 1/2"	13/64"	6	1 lb.
1829	5/8" x 5/8"	7 1/2"	15/64"	6	1 1/4 lbs.
1830	11/16" x 11/16"	7 1/2"	1/4"	6	1 1/4 lbs.
1831	3/4" x 3/4"	7 1/2"	1/4"	6	1 3/4 lbs.

NO. 1807F 7 PC. SET IN CARTON  
STD. PKG. 1. PKG. WT. 1 1/4 LBS.

### DROP FORGED IGNITION TYPE WRENCHES 15° AND 60° OPENINGS



Federal Spec: GGG-W-636a, Type VI, Style A

Excellent for use on small size nuts in close quarters. A necessity when working on ignition and electrical systems, radio and TV, carburetors and other small devices. Brightly chrome plated with polished heads.

No.	Openings		Length	Std. Pkg.	Pkg. Wt.
	15°	60°			
891	13/64"	15/64"	3"	6	1/8 lb.
892	15/64"	17/64"	3"	6	1/8 lb.
892A	1/4"	3/16"	3"	6	1/8 lb.
893	5/32"	1/4"	3"	6	1/8 lb.
894	1/4"	7/32"	3"	6	1/8 lb.
895	9/32"	5/16"	3 1/2"	6	1/4 lb.
896	5/16"	9/32"	3 1/2"	6	1/4 lb.
897	11/32"	3/8"	4"	6	1/4 lb.
898	3/8"	11/32"	4"	6	1/4 lb.
899	7/16"	1/2"	4 1/2"	6	1/2 lb.

See Pages 63 and 64 for additional ignition tools and sets.



4 PC.

TAPPET

WRENCH

SET

This four piece set, in its handy plastic pouch, will service practically all makes of cars.

### CONTENTS

Quan.	No.	Size
2	T2	1/2" x 9/16"
2	T3	5/8" x 11/16"

NO. TS9 4 PC. TAPPET WRENCH SET

STD. PKG. 1. PKG. WT. 7/8 LB.

NO. K123 KIT ONLY

### 4 PIECE TAPPET WRENCH SET



A 4 piece set in Klip-Tite holder. Extremely popular as it contains the most used sizes.

### CONTENTS

Quan.	No.	Size
2	T2	1/2" x 9/16"
2	T3	5/8" x 11/16"

NO. TS5 4 PC. TAPPET WRENCH SET

STD. PKG. 1. PKG. WT. 7/8 LB.

NO. 1806PK

### OBSTRUCTION

### WRENCH

SET



This unusually handy set of wrenches is desired by every mechanic. Wrench heads are offset at 45° and 90° for close quarter work. Forged chrome alloy steel. Chrome plated with polished heads.

### CONTENTS

No.	Size	No.	Size
1821	3/8" x 3/8"	1827	9/16" x 9/16"
1823	7/16" x 7/16"	1829	5/8" x 5/8"
1825	1/2" x 1/2"	1830	11/16" x 11/16"

NO. 1806PK 6 PC. OBSTRUCTION WRENCH SET

STD. PKG. 1. PKG. WT. 1 1/8 LBS.

NO. K122 KIT ONLY

# BOX END WRENCHES



## LONG 45° TYPE DEEP DOUBLE OFFSET STYLE



Indestro box wrenches are designed to offer the user greater utility—notice the angle at which the handle joins the head. The deep offset enables use on recessed nuts and in obstructed places ordinarily requiring the use of a socket. Openings are accurately broached with bevel for easy engagement. All openings 12 point, except No. 730 which is 6 point.

Forged from chrome alloy steel and heat treated for extra strength. Heads and panel are highly polished. Completely chrome plated.

No.	Size	Length	Std. Pkg.	Pkg. Wt.
730*	$\frac{3}{8}''$ x $\frac{7}{16}''$	$7\frac{7}{8}''$	6	1 lb.
730A	$\frac{7}{16}''$ x $\frac{1}{2}''$	$8\frac{3}{16}''$	6	$1\frac{1}{2}$ lbs.
731	$\frac{1}{2}''$ x $\frac{9}{16}''$	$8\frac{13}{16}''$	6	$1\frac{1}{2}$ lbs.
731A	$\frac{9}{16}''$ x $\frac{5}{8}''$	$9\frac{3}{8}''$	6	$1\frac{1}{2}$ lbs.
732	$\frac{5}{8}''$ x $\frac{11}{16}''$	10"	6	$2\frac{1}{4}$ lbs.
732B	$\frac{5}{8}''$ x $\frac{3}{4}''$	$10\frac{1}{16}''$	6	$2\frac{1}{4}$ lbs.
732C	$\frac{11}{16}''$ x $\frac{13}{16}''$	$10\frac{1}{2}''$	6	$2\frac{1}{4}$ lbs.
733	$\frac{3}{4}''$ x $\frac{25}{32}''$	$11\frac{3}{8}''$	6	3 lbs.
733A	$\frac{3}{4}''$ x $\frac{7}{8}''$	$11\frac{5}{16}''$	6	$3\frac{1}{4}$ lbs.
734	$\frac{13}{16}''$ x $\frac{7}{8}''$	$12\frac{1}{16}''$	6	4 lbs.
735	$\frac{15}{16}''$ x 1"	$14\frac{5}{16}''$	6	$5\frac{3}{4}$ lbs.

\*INDICATES 6 POINT

## EXTRA LONG PATTERN

757	$\frac{11}{16}''$ x $1\frac{1}{8}''$	$16\frac{1}{4}''$	3	$3\frac{1}{2}$ lbs.
758C	$\frac{11}{16}''$ x $1\frac{1}{4}''$	$17\frac{7}{8}''$	3	$4\frac{3}{4}$ lbs.
758B	$\frac{11}{16}''$ x $1\frac{1}{4}''$	$17\frac{7}{8}''$	3	$5\frac{1}{2}$ lbs.
758A	$\frac{13}{16}''$ x $1\frac{1}{4}''$	$18\frac{1}{4}''$	3	$5\frac{1}{4}$ lbs.
759A	$\frac{15}{16}''$ x $1\frac{3}{8}''$	$20\frac{3}{16}''$	3	$6\frac{1}{2}$ lbs.
759B	$\frac{17}{16}''$ x $1\frac{1}{2}''$	$22\frac{3}{4}''$	3	9 lbs.

NO. 740-5F 5 PC. SET IN CARTON— $\frac{7}{16}''$  to 1" inclusive, ten sizes on five wrenches—Nos. 730A, 731A, 732C, 733A, 735. STD. PKG. 1. PKG. WT.  $2\frac{1}{2}$  LBS.

## 6 PC. BOX WRENCH SET

A popular series of long 45° type chrome alloy steel box wrenches packed in an attractive three color plastic pouch. Range  $\frac{3}{8}''$  to 1".



### Contents

No.	Size
730	$\frac{3}{8}''$ x $\frac{7}{16}''$
731	$\frac{1}{2}''$ x $\frac{9}{16}''$
731A	$\frac{9}{16}''$ x $\frac{5}{8}''$
732C	$\frac{11}{16}''$ x $\frac{13}{16}''$
733A	$\frac{3}{4}''$ x $\frac{7}{8}''$
735	$\frac{15}{16}''$ x 1"

NO. 740-6PK 6 PC. SET  
STD. PKG. 1. WT. 3 LBS.

NO. K121 POUCH ONLY

## CHROME ALLOY STEEL

### SHORT 45° TYPE DEEP DOUBLE OFFSET STYLE



Short pattern wrenches are necessary in areas of limited clearance. Accurately broached openings are beveled for quick positioning on nut or bolt. Openings are 12 point except No. 741 which is 6 point.

Heat treated and forged from chrome alloy steel. Handles have satin finish. Highly polished heads and panel. Fully chrome plated.

No.	Size	Length	Std. Pkg.	Pkg. Wt.
741*	$\frac{3}{8}''$ x $\frac{7}{16}''$	$4\frac{3}{4}''$	6	$\frac{1}{2}$ lb.
742	$\frac{1}{2}''$ x $\frac{9}{16}''$	$5\frac{1}{2}''$	6	1 lb.
743	$\frac{5}{8}''$ x $\frac{11}{16}''$	$6\frac{3}{8}''$	6	$1\frac{1}{2}$ lbs.

\*INDICATES 6 POINT

## LONG 15° BOX WRENCHES



Federal Spec: GGG-W-636a, Type I, Class 1, Style A

Long 15° pattern wrenches are so designed to allow for maximum hand clearance. Beveled, accurately broached openings insure easy, positive positioning. Openings are 12 point with the exception of No. 711 which is 6 point for better engagement of these smaller sizes.

Forged from chrome alloy steel and heat treated. Highly polished panels and heads with contrasting satin finish handles. Fully chrome plated.

No.	Size	Length	Std. Pkg.	Pkg. Wt.
711*	$\frac{3}{8}''$ x $\frac{7}{16}''$	$6\frac{3}{4}''$	6	$\frac{7}{8}$ lb.
711A	$\frac{7}{16}''$ x $\frac{1}{2}''$	$7\frac{5}{8}''$	6	1 lb.
712	$\frac{1}{2}''$ x $\frac{9}{16}''$	$8\frac{5}{8}''$	6	$1\frac{1}{4}$ lbs.
713	$\frac{9}{16}''$ x $\frac{5}{8}''$	$9\frac{9}{16}''$	6	$1\frac{3}{4}$ lbs.
713A	$\frac{5}{8}''$ x $\frac{11}{16}''$	$10\frac{5}{8}''$	6	2 lbs.
713B	$\frac{5}{8}''$ x $\frac{3}{4}''$	$10\frac{5}{8}''$	6	2 lbs.
714	$\frac{11}{16}''$ x $\frac{25}{32}''$	12"	6	$3\frac{1}{4}$ lbs.
714B	$\frac{11}{16}''$ x $\frac{13}{16}''$	$11\frac{7}{8}''$	6	$3\frac{3}{4}$ lbs.
715	$\frac{3}{4}''$ x $\frac{7}{8}''$	$13\frac{1}{4}''$	6	$3\frac{1}{2}$ lbs.
716	$\frac{15}{16}''$ x 1"	$16\frac{1}{8}''$	6	$5\frac{1}{2}$ lbs.

\*INDICATES 6 POINT

## EXTRA LONG PATTERN

717	$\frac{11}{16}''$ x $1\frac{1}{8}''$	$17\frac{3}{4}''$	3	4 lbs.
717A	$\frac{11}{16}''$ x $1\frac{1}{4}''$	$17\frac{3}{4}''$	3	4 lbs.
718E	$1\frac{1}{4}''$ x $1\frac{3}{8}''$	$18\frac{1}{4}''$	3	$4\frac{3}{4}$ lbs.

## SHORT 15° BOX WRENCHES



Federal Spec: GGG-W-636a, Type I, Class 1, Style B

The best choice for fast efficient work where there is little working room. Broached accurately and perfectly centered for exact size. Forged chrome alloy steel, scientifically heat treated. Heads and panels polished to a mirrorlike reflection and plated in a rich deep chrome. Popular 12 point opening except No. 751 which is 6 point.

No.	Size	Length	Std. Pkg.	Pkg. Wt.
751*	$\frac{3}{8}''$ x $\frac{7}{16}''$	$4\frac{1}{8}''$	6	$\frac{1}{2}$ lb.
752	$\frac{1}{2}''$ x $\frac{9}{16}''$	$4\frac{3}{4}''$	6	$\frac{1}{2}$ lb.
753	$\frac{5}{8}''$ x $\frac{11}{16}''$	$5\frac{1}{8}''$	6	1 lb.

\*INDICATES 6 POINT



## CHROME ALLOY STEEL

Combination wrenches combine the best features of the open end and box end types. Both ends of the wrench have identical sizes. The box end fits hexagonal nuts and bolts, and the open end fits both hexagonal and squares. The box end is offset 10° for ample hand clearance—the open end is at a 15° angle for positive nut turning in a restricted space.

### SHORT HANDLE SERIES



Federal Spec.: GGG-W-636a, Type III

No.	Size	Length	Open end Head Thick.	Std. Pkg.	Pkg. Wt.
767S*	1/4"	3 3/4"	5/32"	6	1/4 lb.
768S*	5/16"	4 1/4"	11/64"	6	3/8 lb.
771S*	3/8"	4 3/4"	13/64"	6	1/2 lb.
772S	7/16"	5 3/16"	7/32"	6	3/4 lb.
773S	1/2"	5 3/4"	15/64"	6	7/8 lb.
774S	9/16"	6 3/8"	1/4"	6	1 1/8 lbs.
775S	5/8"	7 1/16"	9/32"	6	1 1/2 lbs.
776S	11/16"	7 11/16"	19/64"	6	1 7/8 lbs.
777S	3/4"	8 1/4"	5/16"	6	2 1/8 lbs.

\*INDICATES 6 POINT.

### LONG HANDLE SERIES

No.	Size	Length	Open End Head Thick.	Std. Pkg.	Pkg. Wt.
771*	3/8"	7"	3/16"	6	5/8 lb.
772	7/16"	7 3/16"	13/64"	6	7/8 lb.
773	1/2"	7 11/16"	7/32"	6	1 1/8 lbs.
774	9/16"	8 1/4"	15/64"	6	1 1/2 lbs.
775	5/8"	8 7/8"	1/4"	6	1 3/4 lbs.
776	11/16"	9 3/8"	9/32"	6	1 7/8 lbs.
777	3/4"	10 1/8"	19/64"	6	2 1/2 lbs.
777B	13/16"	10 1/2"	11/32"	6	2 3/4 lbs.
778	7/8"	11 3/8"	23/64"	6	3 3/8 lbs.
779	15/16"	12 5/16"	3/8"	6	3 3/4 lbs.
780	1"	13 5/16"	25/64"	6	5 7/8 lbs.
781	1 1/16"	14 1/4"	13/32"	3	3 lbs.
782	1 1/8"	15 1/4"	7/16"	3	4 lbs.
783	1 1/4"	16 1/4"	29/64"	3	4 1/2 lbs.

\*INDICATES 6 POINT.

NO. 770-6F 6 PC. SET IN CARTON—3/8" TO 1 1/16" inclusive.  
STD. PKG. 1. PKG. WT. 2 LBS.

### 6 PC. COMBINATION WRENCH SET

#### LONG HANDLE TYPE

Featuring a most popular range of chrome alloy steel wrenches. This set is packed in a durable plastic pouch.



NO. 770-6PK 6 PC. COMBINATION WRENCH SET  
KIT ONLY STD. PKG. 1. PKG. WT. 1 3/4 LBS.

#### Contents

No.	Size
772	7/16"
773	1/2"
774	9/16"
775	5/8"
776	11/16"
777	3/4"


Combination wrenches are available in the short handle type for close quarter work; also, in a long handle pattern for extra leverage.

Forged from chrome alloy steel with highly polished heads and satin finished handles. Completely chrome plated. All box ends are 12 point except Nos. 767S, 768S, and 771S which are 6 point.

### 6 PIECE SET

#### Contents

No.	Size
772S	7/16"
773S	1/2"
774S	9/16"
775S	5/8"
776S	11/16"
777S	3/4"



A highly popular set. Packaged in attractive two color plastic tool roll.

NO. 770-6 6 PC. SET—RANGE 7/16" TO 3/4" INCLUSIVE  
STD. PKG. 1. PKG. WT. 1 3/4 LBS.

NO. K133 KIT ONLY

### 5 PIECE SET

A popular intermediate range set packaged in colorful plastic tool roll. Each wrench in individual pocket. Wrench lengths graduated from short to long handle type. Set contains following sizes—1/4", 5/16", 3/8", 7/16", and 1/2".

NO. 770-5 5 PC. SET—RANGE 1/4" TO 1/2" INCLUSIVE  
STD. PKG. 1. PKG. WT. 5/8 LB.

NO. K134 KIT ONLY

### 11 PIECE SET

No.	Size
771S	3/8"
772S	7/16"
773S	1/2"
774S	9/16"
775S	5/8"
776S	11/16"
777S	3/4"
777B	13/16"
778	7/8"
779	15/16"
780	1"
781	1 1/16"
782	1 1/8"
783	1 1/4"

### 11 PIECE SET

A general utility set covering wide range of the most used sizes.

NO. 770-11 11 PC. SET—RANGE 3/8" TO 1" INCLUSIVE  
STD. PKG. 1. PKG. WT. 4 1/4 LBS.

NO. K135 KIT ONLY

### 14 PIECE SET



A complete master set. Range 3/8" to 1 1/4" inclusive.

NO. 770-A14 14 PC. COMBINATION SET  
STD. PKG. 1. PKG. WT. 8 1/4 LBS.

NO. K136 KIT ONLY

#### ALSO AVAILABLE

NO. 770-B14 14 PC. SET—RANGE 1/4" TO 1 1/4" INCLUSIVE  
STD. PKG. 1. PKG. WT. 5 1/2 LBS.

NO. K137 KIT ONLY



## ADJUSTABLE WRENCHES

## CHROME ALLOY STEEL



Federal Spec: GGG-W-631a, Type I

Right down the line Indestro quality adjustable wrenches is the brand most mechanics, car owners, home owners and craftsmen always ask for.

Each is a masterpiece of quality and workmanship and anyone can do a better job faster with them.

Latest modern design balanced for convenient easy working, and built to withstand the rigors of constant usage. Tapered

## CHROME PLATED

thin jaws that work freely and fit into limited spaces.

The supreme strength and light weight is accomplished by forging from chrome alloy steel and controlled scientific heat treatment.

Plated in a rich deep chrome, Indestro adjustable wrenches sparkle with fine quality.

**NO. 3585 4" ADJUSTABLE WRENCH—MAX. OPENING  $\frac{1}{2}$ "**  
STD. PKG. 1. PKG. WT.  $\frac{1}{8}$  LB.

**NO. 3586 6" ADJUSTABLE WRENCH—MAX. OPENING  $\frac{3}{4}$ "**  
STD. PKG. 1. PKG. WT.  $\frac{1}{4}$  LB.

**NO. 3587 8" ADJUSTABLE WRENCH—MAX. OPENING  $\frac{15}{16}$ "**  
STD. PKG. 1. PKG. WT.  $\frac{1}{2}$  LB.

**NO. 3588 10" ADJUSTABLE WRENCH—MAX. OPENING  $1\frac{1}{8}$ "**  
STD. PKG. 1. PKG. WT. 1 LB.

**NO. 3589 12" ADJUSTABLE WRENCH—MAX. OPENING  $1\frac{1}{4}$ "**  
STD. PKG. 1. PKG. WT.  $2\frac{1}{8}$  LBS.

**NO. 3590 15" ADJUSTABLE WRENCH—MAX. OPENING  $1\frac{3}{4}$ "**  
STD. PKG. 1. PKG. WT.  $3\frac{1}{2}$  LBS.

## REPLACEMENT PARTS

For No.	Jaw	Screw	Worm	Spring
3585	3585-2	3585-3	3585-4	3585-5
3586	3586-2	3586-3	3586-4	3586-5
3587	3587-2	3587-3	3587-4	3587-5
3588	3588-2	3588-3	3588-4	3588-5
3589	3589-2	3589-3	3589-4	3589-5
3590	3590-2	3590-3	3590-4	3590-5

## PIPE WRENCHES

## NORMAL DUTY



Federal Spec: GGG-W-651b, Type I, Class A

The popular pattern of these normal duty all steel wrenches meet all requirements for use on the farm, in the home, and light industrial applications.

Handles and heads are of special analysis steel, heat treated. Drop forged handles have the I beam, or recessed panel design for greater strength and less weight.

Jaw teeth are deep milled, uniformly spaced, and induction hardened locally—an exclusive feature. Head has attractive machine ground finish.

## STILLSON PATTERN

NO.	SIZE	PIPE CAPACITY	STD. PKG.	PKG. WT.
<b>3508</b>	<b>8"</b>	<b><math>\frac{1}{8}</math>" to <math>\frac{3}{4}</math>"</b>	<b>6</b>	<b><math>4\frac{1}{4}</math> Lbs.</b>
<b>3510</b>	<b>10"</b>	<b><math>\frac{1}{8}</math>" to 1"</b>	<b>6</b>	<b>8 Lbs.</b>
<b>3514</b>	<b>14"</b>	<b><math>\frac{1}{4}</math>" to <math>1\frac{1}{2}</math>"</b>	<b>6</b>	<b><math>16\frac{1}{4}</math> Lbs.</b>
<b>3518</b>	<b>18"</b>	<b><math>\frac{1}{4}</math>" to 2"</b>	<b>6</b>	<b><math>26\frac{1}{2}</math> Lbs.</b>
<b>3524</b>	<b>24"</b>	<b><math>\frac{1}{4}</math>" to <math>2\frac{1}{2}</math>"</b>	<b>1</b>	<b><math>7\frac{3}{4}</math> Lbs.</b>

## CHROME ALLOY STEEL



Manufacturers of cars and other mechanical equipment have determined by experience that better performance and longer life can be obtained from machines by tightening certain bolts or groups of bolts to a uniform degree of tightness. Even an experienced mechanic cannot tighten a group of bolts, such as cylinder head bolts, evenly; but with an Indestro Super Torque Indicating Wrench, an unskilled apprentice can quickly and accurately tighten bolts uniformly to manufacturers' recommendation.

Torque is twist and is usually measured in foot pounds. For example: Imagine yourself pulling with a force of ten pounds at right angle to the handle of a wrench and at a distance of  $1\frac{1}{2}$  feet from a bolt being tightened. The torque or twist exerted would be ten pounds multiplied by  $1\frac{1}{2}$  feet or 15 foot pounds. Changing the distance of grip on the wrench, or changing the strength of pull, or changing the angle of pull, will change the torque applied.

The Indestro Super Torque Indicating Wrench instantly makes all of the calculations for you. Its simplified rugged construction uses a centerless ground alloy steel beam which accurately indicates on a clearly marked scale without any fragile or complicated mechanisms. The slide marker over the scale can be set to the proper point and after that it is only necessary to watch the pointer and the marker which can easily be done from practically any position.

Every wrench is tested for accuracy before it can be shipped.

#### NO. 8099 $\frac{1}{4}$ $\frac{1}{4}$ " SQUARE DRIVE TORQUE WRENCH

This wrench has a range of 120 inch pounds (10 foot pounds) and is especially desirable for small delicate work such as measuring the preload drag on bearings, etc.

#### NO. 8099 $\frac{3}{8}$ $\frac{3}{8}$ " SQUARE DRIVE TORQUE WRENCH

This wrench has a maximum range of 50 foot pounds, which covers many of the tensions recommended for lighter cars as well as various appliances, and for airplane applications. Also necessary for adjusting automatic transmissions.

#### NO. 8099 $\frac{1}{2}$ $\frac{1}{2}$ " SQUARE DRIVE TORQUE WRENCH

Has range of 100 foot pounds which is ample for recommended tightening of spark plugs, cylinder head bolts, connecting rod bolts and most passenger car main bearing bolts.

#### NO. 8099 $\frac{1}{2}$ H $\frac{1}{2}$ " SQUARE DRIVE TORQUE WRENCH

For all around purpose this  $\frac{1}{2}$ " square drive Torque Wrench, with maximum range of 150 foot pounds will be found most desirable. Manufacturers' recommendations for Spark Plugs, Cylinder Head bolts, Connecting Rod and Main Bearing bolts, and other parts on nearly every car, come within the range of this Wrench. Similar recommendations for popular trucks are also within the range of this Wrench.

#### NO. 8099 $\frac{3}{4}$ $\frac{3}{4}$ " SQUARE DRIVE TORQUE WRENCH

This Wrench, with a maximum range of 300 foot pounds, is designed for heavy duty work such as Diesel Engines, Tractors, Trucks, Road Machinery and other heavy machines, and should be used where Torque between 150 foot pounds and 300 foot pounds is to be gauged.

**Full Instructions and Charts are packed with each Wrench**

Number	Size Drive	Max. Range	Graduation	Length	Std. Pkg.	Pkg. Wt.
8099 $\frac{1}{4}$	$\frac{1}{4}$ " Square	120 In. Lbs.	5 In. Lb. Units	9"	1	$\frac{1}{2}$ lb.
8099 $\frac{3}{8}$	$\frac{3}{8}$ " Square	50 Ft. Lbs.	2 $\frac{1}{2}$ Ft. Lb. Units	13"	1	$\frac{3}{4}$ lb.
8099 $\frac{1}{2}$	$\frac{1}{2}$ " Square	100 Ft. Lbs.	2 $\frac{1}{2}$ Ft. Lb. Units	18"	1	$1\frac{3}{4}$ lbs.
8099 $\frac{1}{2}$ H	$\frac{1}{2}$ " Square	150 Ft. Lbs.	2 $\frac{1}{2}$ Ft. Lb. Units	18"	1	2 lbs.
8099 $\frac{3}{4}$	$\frac{3}{4}$ " Square	300 Ft. Lbs.	5 Ft. Lb. Units	30"	1	$5\frac{1}{2}$ lbs.

See pages 2, 4, 8, 18 for proper drive attachments.



## CHROME ALLOY STEEL

### HEXAGON TYPE

Indispensable wherever hollow head screws are used. A very necessary tool around an automobile, lawnmower, oil burner, refrigerator, appliances, machinery, etc. Made of chrome alloy steel and scientifically hardened for satisfactory service and long life. Accurately made for perfect fit. Brightly plated—easy to find on the job or in a tool box.

#### REGULAR LENGTH

\*ORDERING REFERENCE IN BOXES OF 24

No.	Wrench Size	Std. Pkg.	Pkg. Wt.
0202A-24	$\frac{1}{16}$ "—Box of 24	1	1 oz.
0202-24	$\frac{5}{64}$ "—Box of 24	1	2 oz.
0203-24	$\frac{3}{32}$ "—Box of 24	1	2 oz.
0204-24	$\frac{1}{8}$ "—Box of 24	1	4 oz.
0205-24	$\frac{5}{32}$ "—Box of 24	1	8 oz.
0206-24	$\frac{3}{16}$ "—Box of 24	1	12 oz.
0207-24	$\frac{7}{32}$ "—Box of 24	1	1 lb. 2 oz.
0208-24	$\frac{1}{4}$ "—Box of 24	1	1 $\frac{3}{4}$ lbs.
0210-12	$\frac{5}{16}$ "—Box of 12	1	3 lbs.
0212-12	$\frac{3}{8}$ "—Box of 12	1	4 $\frac{3}{4}$ lbs.

\*Ordering Reference Explanation: When ordering 1 No. 0202A-24, you receive one box of 24 set screw wrenches, size  $\frac{1}{16}$ ".

#### LONG TYPE

ORDERING REFERENCE IN BOXES OF 24

No.	Wrench Size	Std. Pkg.	Pkg. Wt.
0202L-24	$\frac{5}{64}$ "—Box of 24	1	2 oz.
0203L-24	$\frac{3}{32}$ "—Box of 24	1	3 oz.
0204L-24	$\frac{1}{8}$ "—Box of 24	1	6 oz.
0205L-24	$\frac{5}{32}$ "—Box of 24	1	12 oz.
0206L-24	$\frac{3}{16}$ "—Box of 24	1	1 lb. 2 oz.
0207L-24	$\frac{7}{32}$ "—Box of 24	1	1 $\frac{3}{4}$ lbs.
0208L-24	$\frac{1}{4}$ "—Box of 24	1	2 $\frac{1}{2}$ lbs.
0210L-12	$\frac{5}{16}$ "—Box of 12	1	4 $\frac{1}{4}$ lbs.
0212L-12	$\frac{3}{8}$ "—Box of 12	1	6 $\frac{3}{4}$ lbs.

\*Ordering Reference Explanation: When ordering 1 No. 0202L-24, you receive one box of 24 set screw wrenches, size  $\frac{5}{64}$ ".

### FOR ECONOMY—BUY IN BOXES OF 100 PIECES

†ORDERING REFERENCE IN BOXES OF 100

No.	Wrench Size	Std. Pkg.	Pkg. Wt.
0202A-100	$\frac{1}{16}$ "—Box of 100	1	4 oz.
0202-100	$\frac{5}{64}$ "—Box of 100	1	5 oz.
0203-100	$\frac{3}{32}$ "—Box of 100	1	8 oz.
0204-100	$\frac{1}{8}$ "—Box of 100	1	1 lb. 2 oz.
0205-100	$\frac{5}{32}$ "—Box of 100	1	2 lbs. 2 oz.
0206-100	$\frac{3}{16}$ "—Box of 100	1	3 lbs. 2 oz.
0207-100	$\frac{7}{32}$ "—Box of 100	1	5 lbs.
0208-100	$\frac{1}{4}$ "—Box of 100	1	7 lbs.
0210-100	$\frac{5}{16}$ "—Box of 100	1	12 $\frac{1}{2}$ lbs.
0212-100	$\frac{3}{8}$ "—Box of 100	1	22 lbs.

†Ordering Reference Explanation: When ordering 1 No. 0202A-100, you receive one box of 100 set screw wrenches, size  $\frac{1}{16}$ ".

ORDERING REFERENCE IN BOXES OF 100

No.	Wrench Size	Std. Pkg.	Pkg. Wt.
0202L-100	$\frac{5}{64}$ "—Box of 100	1	10 oz.
0203L-100	$\frac{3}{32}$ "—Box of 100	1	14 oz.
0204L-100	$\frac{1}{8}$ "—Box of 100	1	1 $\frac{3}{4}$ lbs.
0205L-100	$\frac{5}{32}$ "—Box of 100	1	3 lbs.
0206L-100	$\frac{3}{16}$ "—Box of 100	1	5 lbs.
0207L-100	$\frac{7}{32}$ "—Box of 100	1	6 $\frac{1}{4}$ lbs.
0208L-100	$\frac{1}{4}$ "—Box of 100	1	10 lbs.
0210L-100	$\frac{5}{16}$ "—Box of 100	1	17 $\frac{3}{4}$ lbs.
0212L-100	$\frac{3}{8}$ "—Box of 100	1	28 $\frac{1}{2}$ lbs.

†Ordering Reference Explanation: When ordering 1 No. 0202L-100, you receive one box of 100 set screw wrenches, size  $\frac{5}{64}$ ".

### DISPLAY MERCHANDISER



An attractive multi-colored merchandiser for displaying and storing all regular length hollow head set screw wrenches, sizes  $\frac{1}{16}$ " thru  $\frac{3}{8}$ ". Ideal for hardware, variety, chain stores, etc.

### CONTENTS

Quan.	No.	Size	Quan.	No.	Size
12	0202A	$\frac{1}{16}$ "	12	206	$\frac{3}{16}$ "
12	0202	$\frac{5}{64}$ "	12	207	$\frac{7}{32}$ "
12	0203	$\frac{3}{32}$ "	12	208	$\frac{1}{4}$ "
12	0204	$\frac{1}{8}$ "	6	210	$\frac{5}{16}$ "
12	0205	$\frac{5}{32}$ "	6	212	$\frac{3}{8}$ "

### NO. 200DM DISPLAY MERCHANDISER

STD. PKG. 1 PKG. WT. 4 $\frac{1}{2}$  LBS.



## CHROME ALLOY STEEL

The increasing popularity of hollow head set screws makes it desirable and necessary that every mechanic has a selection of these wrenches. Listed below are several selections arranged to satisfy the demand for popular sizes. Wrenches are made of chrome alloy steel, scientifically hardened and brightly plated.

### REGULAR LENGTH



7  
PIECE  
SET

Contains seven popular sizes— $\frac{5}{64}$ ",  $\frac{3}{32}$ ",  $\frac{1}{8}$ ",  $\frac{5}{32}$ ",  $\frac{3}{16}$ ",  $\frac{7}{32}$ ",  $\frac{1}{4}$ ". Each wrench has individual pocket in this durable plastic kit.

**NO. 199 7 PIECE SET**

STD. PKG. 6 PKG. WT.  $1\frac{1}{4}$  LBS.

**NO. K143 KIT ONLY**



COUNTER-WALL MERCHANDISER



10  
PIECE  
SET

The complete range of wrenches is offered in this plastic envelope type container. Sizes are:  $\frac{1}{16}$ ",  $\frac{5}{64}$ ",  $\frac{3}{32}$ ",  $\frac{1}{8}$ ",  $\frac{5}{32}$ ",  $\frac{3}{16}$ ",  $\frac{7}{32}$ ",  $\frac{1}{4}$ ",  $\frac{5}{16}$ ",  $\frac{3}{8}$ ".

**NO. 196 10 PIECE SET**

STD. PKG. 6 PKG. WT.  $3\frac{1}{2}$  LBS.

**NO. K80 ENVELOPE ONLY**



8  
PIECE  
SET

The most frequently used wrenches are in this set. Contained in kit for convenience in use. Sizes are:  $\frac{1}{16}$ ",  $\frac{5}{64}$ ",  $\frac{3}{32}$ ",  $\frac{1}{8}$ ",  $\frac{5}{32}$ ",  $\frac{3}{16}$ ",  $\frac{7}{32}$ ",  $\frac{1}{4}$ ".

**NO. D200 8 PIECE SET**

STD. PKG. 6 PKG. WT.  $1\frac{1}{4}$  LBS.

**NO. K51 KIT ONLY**



10  
PIECE  
SET

The complete range of wrenches for greatest utility is offered in this handy plastic kit. Individual pockets for each of the sizes. Sizes are:  $\frac{1}{16}$ ",  $\frac{5}{64}$ ",  $\frac{3}{32}$ ",  $\frac{1}{8}$ ",  $\frac{5}{32}$ ",  $\frac{3}{16}$ ",  $\frac{7}{32}$ ",  $\frac{1}{4}$ ",  $\frac{5}{16}$ ",  $\frac{3}{8}$ ".


**NO. 197 10 PIECE SET**

STD. PKG. 6 PKG. WT.  $3\frac{1}{4}$  LBS.

**NO. K77 KIT ONLY**

### LONG TYPE

**7 PIECE SET**



The most frequently used long type wrenches are offered in this popular priced, plastic envelope set. Sizes are:  $\frac{5}{64}$ ",  $\frac{3}{32}$ ",  $\frac{1}{8}$ ",  $\frac{5}{32}$ ",  $\frac{3}{16}$ ",  $\frac{7}{32}$ ",  $\frac{1}{4}$ ".

**NO. 191 7 PIECE SET—LONG TYPE**

STD. PKG. 6 PKG. WT. 2 LBS.

**NO. K74 ENVELOPE ONLY**



**9 PIECE SET**

This plastic envelope type container includes the complete range of long type wrenches. Sizes are:  $\frac{5}{64}$ ",  $\frac{3}{32}$ ",  $\frac{1}{8}$ ",  $\frac{5}{32}$ ",  $\frac{3}{16}$ ",  $\frac{7}{32}$ ",  $\frac{1}{4}$ ",  $\frac{5}{16}$ ",  $\frac{3}{8}$ ".

**NO. 193 9 PIECE SET—LONG TYPE**

STD. PKG. 6 PKG. WT.  $4\frac{1}{2}$  LBS.

**NO. K75 ENVELOPE ONLY**



**7 PIECE SET**

The seven most frequently used sizes are individually contained in the pockets of this sturdy, plastic kit. Sizes are:  $\frac{5}{64}$ ",  $\frac{3}{32}$ ",  $\frac{1}{8}$ ",  $\frac{5}{32}$ ",  $\frac{3}{16}$ ",  $\frac{7}{32}$ ",  $\frac{1}{4}$ ".

**NO. 192 7 PIECE SET—LONG TYPE**

STD. PKG. 6 PKG. WT. 2 LBS.

**NO. K76 KIT ONLY**



**9 PIECE SET**

For full coverage and complete service we offer this 9 piece set in the plastic kit. Individual pockets are provided for each wrench. Sizes are:  $\frac{5}{64}$ ",  $\frac{3}{32}$ ",  $\frac{1}{8}$ ",  $\frac{5}{32}$ ",  $\frac{3}{16}$ ",  $\frac{7}{32}$ ",  $\frac{1}{4}$ ",  $\frac{5}{16}$ ",  $\frac{3}{8}$ ".

**NO. 194 9 PIECE SET—LONG TYPE**

STD. PKG. 6 PKG. WT. 5 LBS.

**NO. K78 KIT ONLY**



## ENGINEER'S OPEN END WRENCHES

## POLISHED HEADS



## CHROME PLATED

Here are today's fastest selling wrenches, offered in a complete range of sizes for every requirement. Sturdy, streamlined design for maximum utility. Clean, accurate broaching of sizes with openings at 15° angle to body assures good fit on nuts or bolts and easy, fast work. Drop forged and scien-

tifically heat treated for extra strength. Heads polished to a glistening finish and fully chrome plated. A series of fine wrenches that will be appreciated for their excellent workmanship and outstanding value.

No.	Size	Length	Head Thickness	Std. Pkg.	Pkg. Wt.
<b>P20</b>	$\frac{1}{4}'' \times \frac{5}{16}''$	$3\frac{1}{8}''$	$\frac{1}{8}''$	6	$\frac{1}{4}$ lb.
<b>P720</b>	$\frac{5}{16}'' \times \frac{11}{32}''$				
<b>P721</b>	$\frac{5}{16}'' \times \frac{3}{8}''$				
<b>P21</b>	$\frac{5}{16}'' \times \frac{13}{32}''$	$3\frac{3}{4}''$	$\frac{5}{32}''$	6	$\frac{1}{4}$ lb.
<b>P21A</b>	$\frac{11}{32}'' \times \frac{13}{32}''$				
<b>P723</b>	$\frac{3}{8}'' \times \frac{7}{16}''$				
<b>P23</b>	$\frac{13}{32}'' \times \frac{1}{2}''$	$4\frac{1}{2}''$	$\frac{3}{16}''$	6	$\frac{1}{2}$ lb.
<b>P725</b>	$\frac{7}{16}'' \times \frac{1}{2}''$				
<b>P725B</b>	$\frac{1}{2}'' \times \frac{9}{16}''$				
<b>P25</b>	$\frac{1}{2}'' \times \frac{19}{32}''$	$5\frac{7}{16}''$	$\frac{15}{64}''$	6	1 lb.
<b>P727</b>	$\frac{9}{16}'' \times \frac{5}{8}''$				
<b>P27</b>	$\frac{19}{32}'' \times \frac{11}{16}''$				
<b>P27A</b>	$\frac{5}{8}'' \times \frac{11}{16}''$	$6\frac{7}{16}''$	$\frac{15}{64}''$	6	$1\frac{1}{2}$ lbs.
<b>P729</b>	$\frac{5}{8}'' \times \frac{3}{4}''$				
<b>P29</b>	$\frac{11}{16}'' \times \frac{25}{32}''$				
<b>P29C</b>	$\frac{11}{16}'' \times \frac{13}{16}''$	$7\frac{5}{16}''$	$\frac{9}{32}''$	6	2 lbs.

No.	Size	Length	Head Thickness	Std. Pkg.	Pkg. Wt.
<b>P731</b>	$\frac{3}{4}'' \times \frac{13}{16}''$				
<b>P731A</b>	$\frac{3}{4}'' \times \frac{7}{8}''$				
<b>P31</b>	$\frac{25}{32}'' \times \frac{7}{8}''$				
<b>P731B</b>	$\frac{13}{16}'' \times \frac{7}{8}''$				
<b>P33B</b>	$\frac{13}{16}'' \times \frac{15}{16}''$				
<b>P33A</b>	$\frac{7}{8}'' \times \frac{15}{16}''$				
<b>P733</b>	$\frac{7}{8}'' \times 1''$				
<b>P33C</b>	$\frac{15}{16}'' \times 1''$				
<b>P735</b>	$1'' \times \frac{11}{16}''$	$10''$	$\frac{7}{16}''$	2	$2\frac{1}{8}$ lbs.
<b>P36B</b>	$1\frac{1}{16}'' \times 1\frac{1}{8}''$				
<b>P37</b>	$\frac{11}{16}'' \times \frac{11}{16}''$				
<b>P737</b>	$\frac{11}{16}'' \times 1\frac{1}{4}''$	$11\frac{7}{8}''$	$\frac{1}{2}''$	2	$3\frac{1}{8}$ lbs.
<b>P37A</b>	$\frac{11}{16}'' \times 1\frac{5}{16}''$				
<b>P39A</b>	$\frac{15}{16}'' \times 1\frac{1}{2}''$	$13\frac{3}{8}''$	$\frac{5}{8}''$	2	$4\frac{5}{8}$ lbs.
<b>P739B</b>	$\frac{13}{8}'' \times 1\frac{1}{2}''$				
<b>P41</b>	$1\frac{7}{16}'' \times 1\frac{5}{8}''$	$15\frac{1}{2}''$	$\frac{3}{4}''$	2	$7\frac{1}{4}$ lbs.

## "KLIP-TITE" END WRENCH SETS

## POLISHED HEADS



## CHROME PLATED

"Klip-Tite" sets are outstandingly popular sellers in chain, variety and hardware stores. Packaged in conventional metal klip, or exclusive new wall bracket hanger.

## 5 PIECE SET

Range  $\frac{5}{16}''$  to  $\frac{3}{4}''$ 

## CONTENTS

No.	Size	No.	Size
<b>P720</b>	$\frac{5}{16}'' \times \frac{11}{32}''$	<b>P27</b>	$\frac{19}{32}'' \times \frac{11}{16}''$
<b>P723</b>	$\frac{3}{8}'' \times \frac{7}{16}''$	<b>P729</b>	$\frac{5}{8}'' \times \frac{3}{4}''$
<b>P725B</b>	$\frac{1}{2}'' \times \frac{9}{16}''$		

**NO. 930-5P 5 PIECE OPEN END WRENCH SET**  
STD. PKG. 6. PKG. WT.  $5\frac{3}{4}$  LBS.

Same as above, except heads unpolished.

**NO. 0930-5P 5 PIECE OPEN END WRENCH SET**  
STD. PKG. 6 PKG. WT. 6 LBS.

## 6 PIECE SET

Range  $\frac{5}{16}''$  to  $\frac{7}{8}''$ 

## CONTENTS

No.	Size	No.	Size
<b>P720</b>	$\frac{5}{16}'' \times \frac{11}{32}''$	<b>P27</b>	$\frac{19}{32}'' \times \frac{11}{16}''$
<b>P723</b>	$\frac{3}{8}'' \times \frac{7}{16}''$	<b>P729</b>	$\frac{5}{8}'' \times \frac{3}{4}''$
<b>P725B</b>	$\frac{1}{2}'' \times \frac{9}{16}''$	<b>P731B</b>	$\frac{13}{16}'' \times \frac{7}{8}''$

**NO. 930-6P 6 PIECE OPEN END WRENCH SET**  
STD. PKG. 6. PKG. WT.  $8\frac{5}{8}$  LBS.

Same as above, except heads unpolished.

**NO. 0930-6P 6 PIECE OPEN END WRENCH SET**  
STD. PKG. 6 PKG. WT.  $9\frac{3}{4}$  LBS.

## 5 PIECE SET

Range  $\frac{3}{8}''$  to  $\frac{7}{8}''$ 

## CONTENTS

No.	Size	No.	Size
<b>P723</b>	$\frac{3}{8}'' \times \frac{7}{16}''$	<b>P729</b>	$\frac{5}{8}'' \times \frac{3}{4}''$
<b>P725B</b>	$\frac{1}{2}'' \times \frac{9}{16}''$	<b>P731B</b>	$\frac{13}{16}'' \times \frac{7}{8}''$
<b>P27</b>	$\frac{19}{32}'' \times \frac{11}{16}''$		

**NO. 940-5P 5 PIECE OPEN END WRENCH SET**  
STD. PKG. 6. PKG. WT.  $7\frac{3}{4}$  LBS.

## 6 PIECE SET

Range  $\frac{3}{8}''$  to  $\frac{15}{16}''$ 

## CONTENTS


No.	Size	No.	Size
<b>P723</b>	$\frac{3}{8}'' \times \frac{7}{16}''$	<b>P729</b>	$\frac{5}{8}'' \times \frac{3}{4}''$
<b>P725B</b>	$\frac{1}{2}'' \times \frac{9}{16}''$	<b>P31</b>	$\frac{25}{32}'' \times \frac{7}{8}''$
<b>P27</b>	$\frac{19}{32}'' \times \frac{11}{16}''$	<b>P33B</b>	$\frac{13}{16}'' \times \frac{15}{16}''$

**NO. 940-6P 6 PIECE OPEN END WRENCH SET**  
STD. PKG. 6. PKG. WT.  $12\frac{1}{4}$  LBS.



## SELECT STEEL

## POLISHED HEADS



## 6 PIECE SET

Range  $\frac{3}{8}$ " to 1"

## CONTENTS

No.	Size	No.	Size
P723	$\frac{3}{8}$ " x $\frac{7}{16}$ "	P729	$\frac{5}{8}$ " x $\frac{3}{4}$ "
P725B	$\frac{1}{2}$ " x $\frac{9}{16}$ "	P731B	$\frac{13}{16}$ " x $\frac{7}{8}$ "
P27	$\frac{19}{32}$ " x $1\frac{1}{16}$ "	P33C	$\frac{15}{16}$ " x 1"

## NO. 939-6P 6 PIECE OPEN END WRENCH SET

STD. PKG. 6. PKG. WT. 12 $\frac{1}{2}$  LBS.

Same as above, except heads unpolished.

## NO. 0930-06P 6 PIECE OPEN END WRENCH SET

STD. PKG. 6. PKG. WT. 13 $\frac{3}{8}$  LBS.

## WALL BRACKET SETS

## CONTENTS

No.	Size	No.	Size
P720	$\frac{5}{16}$ " x $1\frac{1}{32}$ "	P27	$1\frac{9}{32}$ " x $1\frac{1}{16}$ "
P723	$\frac{3}{8}$ " x $\frac{7}{16}$ "	P729	$\frac{5}{8}$ " x $\frac{3}{4}$ "
P725B	$\frac{1}{2}$ " x $\frac{9}{16}$ "		

## NO. 930-5W 5 PC. OPEN END WRENCH SET

STD. PKG. 6. PKG. WT. 5 $\frac{1}{2}$  LBS.

Same as above, except heads unpolished.

## NO. 0930-5W 5 PC. OPEN END WRENCH SET

STD. PKG. 6. PKG. WT. 5 $\frac{1}{8}$  LBS.

## 9 PIECE SET

Range  $\frac{5}{16}$ " to  $1\frac{1}{4}$ "

## CONTENTS

No.	Size	No.	Size
P721	$\frac{5}{16}$ " x $\frac{3}{8}$ "	P731A	$\frac{3}{4}$ " x $\frac{7}{8}$ "
P725	$\frac{7}{16}$ " x $1\frac{1}{2}$ "	P33B	$\frac{13}{16}$ " x $1\frac{5}{16}$ "
P725B	$\frac{1}{2}$ " x $\frac{9}{16}$ "	P735	$1"$ x $1\frac{1}{8}$ "
P727	$\frac{9}{16}$ " x $\frac{5}{8}$ "	P37	$1\frac{1}{16}$ " x $1\frac{1}{4}$ "
P29	$1\frac{1}{16}$ " x $2\frac{5}{32}$ "		


## NO. 940-9 9 PIECE OPEN END WRENCH SET

STD. PKG. 1. PKG. WT. 5 LBS.

## NO. K54 KIT ONLY

## "KLIP-TITE" END WRENCH SETS

## CHROME PLATED



## 7 PIECE SET

Range  $\frac{3}{8}$ " to  $1\frac{1}{8}$ "

## CONTENTS

No.	Size	No.	Size
P723	$\frac{3}{8}$ " x $\frac{7}{16}$ "	P731B	$\frac{13}{16}$ " x $\frac{7}{8}$ "
P725B	$\frac{1}{2}$ " x $\frac{9}{16}$ "	P33C	$\frac{15}{16}$ " x $1\frac{1}{8}$ "
P729	$\frac{5}{8}$ " x $\frac{3}{4}$ "	P36B	$1\frac{1}{16}$ " x $1\frac{1}{8}$ "
P29	$1\frac{1}{16}$ " x $2\frac{5}{32}$ "		

## NO. 940-07P 7 PIECE OPEN END WRENCH SET

STD. PKG. 1. PKG. WT. 4 LBS.

Same as above, except heads unpolished.

## NO. 0940-07P 7 PIECE OPEN END WRENCH SET

STD. PKG. 1. PKG. WT. 4 $\frac{1}{4}$  LBS.

## WALL BRACKET SETS



## NEW UTILITY

The wall bracket is designed so that the wrenches can be hung or removed speedily without fuss or bother. Two holes are provided in the wall bracket for easy and convenient attachment to wall.

## CONTENTS

No.	Size	No.	Size
P720	$\frac{5}{16}$ " x $1\frac{1}{32}$ "	P27	$1\frac{9}{32}$ " x $1\frac{1}{16}$ "
P723	$\frac{3}{8}$ " x $\frac{7}{16}$ "	P729	$\frac{5}{8}$ " x $\frac{3}{4}$ "
P725B	$\frac{1}{2}$ " x $\frac{9}{16}$ "	P731B	$1\frac{13}{16}$ " x $\frac{7}{8}$ "

## NO. 930-6W 6 PC. OPEN END WRENCH SET

STD. PKG. 6. PKG. WT. 8 $\frac{1}{4}$  LBS.

Same as above, except heads unpolished.

## NO. 0930-6W 6 PC. OPEN END WRENCH SET

STD. PKG. 6. PKG. WT. 8 $\frac{1}{4}$  LBS.

## WRENCH SETS IN ROLLS

For convenience in carrying in a car, truck, tractor or tool box these two sets of popular size wrenches are offered in tool rolls. The plastic rolls are durable and easy to keep clean. Design and color are attractive and are ideal for counter or showcase display. Each wrench brightly plated with head polished to a mirror-like finish. Scientifically heat treated.

## 12 PIECE SET

Range  $\frac{5}{16}$ " to  $1\frac{1}{8}$ "

## CONTENTS

No.	Size	No.	Size
P721	$\frac{5}{16}$ " x $\frac{3}{8}$ "	P731A	$\frac{3}{4}$ " x $\frac{7}{8}$ "
P723	$\frac{3}{8}$ " x $\frac{7}{16}$ "	P33B	$\frac{13}{16}$ " x $\frac{9}{16}$ "
P725B	$\frac{1}{2}$ " x $\frac{9}{16}$ "	P735	$1"$ x $1\frac{1}{8}$ "
P727	$\frac{9}{16}$ " x $\frac{5}{8}$ "	P37	$1\frac{1}{16}$ " x $1\frac{1}{4}$ "
P25	$1\frac{1}{16}$ " x $2\frac{5}{32}$ "	P39A	$1\frac{5}{16}$ " x $1\frac{1}{2}$ "
P29		P41	$1\frac{7}{16}$ " x $1\frac{5}{8}$ "

## NO. 940-12 12 PIECE OPEN END WRENCH SET

STD. PKG. 1. PKG. WT. 11 $\frac{1}{4}$  LBS.

## NO. K53 KIT ONLY



## SELECT STEEL

## POLISHED HEADS

## SHORT 45° TYPE



Short 45° type box end wrenches are unsurpassed for use in close quarters and over obstructions. Drop forged and scientifically heat treated for extra strength. Precision broached in 12 point except sizes  $\frac{1}{4}''$  x  $\frac{5}{16}''$  and  $\frac{3}{8}''$  x  $\frac{7}{16}''$  which are 6 point.

No.	Size	Length	Std. Pkg.	Pkg. Wt.	No.	Size	Length	Std. Pkg.	Pkg. Wt.
929*	$\frac{1}{4}''$ x $\frac{5}{16}''$	$4\frac{1}{8}''$	6	$\frac{1}{2}$ lb.	933	$\frac{5}{8}''$ x $1\frac{1}{16}''$	$6\frac{1}{8}''$	6	$1\frac{1}{4}$ lbs.
931*	$\frac{3}{8}''$ x $\frac{7}{16}''$	$4\frac{5}{8}''$	6	$\frac{5}{8}$ lb.	934	$\frac{3}{4}''$ x $2\frac{5}{32}''$	$7\frac{1}{8}''$	6	$1\frac{3}{4}$ lbs.
932	$\frac{1}{2}''$ x $\frac{9}{16}''$	$5\frac{1}{4}''$	6	$\frac{7}{8}$ lb.					

\*INDICATES 6 POINT

## 3 PIECE SET

Range  $\frac{3}{8}''$  to  $1\frac{1}{16}''$



## CONTENTS


No.	Size
931	$\frac{3}{8}''$ x $\frac{7}{16}''$
932	$\frac{1}{2}''$ x $\frac{9}{16}''$
933	$\frac{5}{8}''$ x $1\frac{1}{16}''$

## NO. 935-3K 3 PIECE BOX END WRENCH SET

STD. PKG. 6. PKG. WT.  $3\frac{1}{4}$  LBS.

## 4 PIECE SET

Range  $\frac{3}{8}''$  to  $2\frac{5}{32}''$



## CONTENTS

No.	Size
931	$\frac{3}{8}''$ x $\frac{7}{16}''$
932	$\frac{1}{2}''$ x $\frac{9}{16}''$
933	$\frac{5}{8}''$ x $1\frac{1}{16}''$
934	$\frac{3}{4}''$ x $2\frac{5}{32}''$

## NO. 935-4K 4 PIECE BOX END WRENCH SET

STD. PKG. 6. PKG. WT. 5 LBS.

## 5 PIECE SET

Range  $\frac{1}{4}''$  to  $2\frac{5}{32}''$



## CONTENTS

No.	Size
929	$\frac{1}{4}''$ x $\frac{5}{16}''$
931	$\frac{3}{8}''$ x $\frac{7}{16}''$
932	$\frac{1}{2}''$ x $\frac{9}{16}''$
933	$\frac{5}{8}''$ x $1\frac{1}{16}''$
934	$\frac{3}{4}''$ x $2\frac{5}{32}''$

## NO. 935-5K 5 PIECE BOX END WRENCH SET

STD. PKG. 6. PKG. WT.  $5\frac{1}{2}$  LBS

## POLISHED HEADS

## MEDIUM 15° TYPE



A companion line of wrenches to both the 45° long and 45° short box wrenches. Excellent for use in close quarters and to clear obstructions. A wide range of popular sizes and a choice of Klip-Tite sets to meet every requirement for the

mechanic, motorist, farm maintenance and serviceman, etc. Drop forged and scientifically heat treated for extra strength and long service. Precision broached in 12 point except sizes  $\frac{1}{4}''$  x  $\frac{5}{16}''$  and  $\frac{3}{8}''$  x  $\frac{7}{16}''$  which are 6 point.

No.	Size	Length	Std. Pkg.	Pkg. Wt.	No.	Size	Length	Std. Pkg.	Pkg. Wt.
919*	$\frac{1}{4}''$ x $\frac{5}{16}''$	$3\frac{5}{8}''$	6	$\frac{1}{4}$ lb.	923	$\frac{5}{8}''$ x $1\frac{1}{16}''$	$6\frac{1}{4}''$	6	$1\frac{1}{4}$ lbs.
921*	$\frac{3}{8}''$ x $\frac{7}{16}''$	$4\frac{1}{2}''$	6	$\frac{1}{2}$ lb.	924	$\frac{3}{4}''$ x $2\frac{5}{32}''$	$7\frac{1}{4}''$	6	$1\frac{3}{4}$ lbs.
922	$\frac{1}{2}''$ x $\frac{9}{16}''$	$5\frac{1}{4}''$	6	$\frac{3}{4}$ lb.	925	$1\frac{1}{16}''$ x $\frac{7}{8}''$	$8\frac{1}{2}''$	6	2 lbs.

\*INDICATES 6 POINT

## 3 PIECE SET

Range  $\frac{3}{8}''$  to  $1\frac{1}{16}''$



## CONTENTS

No.	Size
921	$\frac{3}{8}''$ x $\frac{7}{16}''$
922	$\frac{1}{2}''$ x $\frac{9}{16}''$
923	$\frac{5}{8}''$ x $1\frac{1}{16}''$

## NO. 920-3K 3 PIECE BOX END WRENCH SET

STD. PKG. 6. PKG. WT.  $2\frac{1}{4}$  LBS.

Same as above, except heads unpolished.

## NO. 0920-3K 3 PIECE BOX END WRENCH SET

STD. PKG. 6. PKG. WT.  $2\frac{1}{4}$  LBS.

## 4 PIECE SET

Range  $\frac{3}{8}''$  to  $2\frac{5}{32}''$



## CONTENTS

No.	Size
921	$\frac{3}{8}''$ x $\frac{7}{16}''$
922	$\frac{1}{2}''$ x $\frac{9}{16}''$
923	$\frac{5}{8}''$ x $1\frac{1}{16}''$
924	$\frac{3}{4}''$ x $2\frac{5}{32}''$

## NO. 920-4K 4 PIECE BOX END WRENCH SET

STD. PKG. 6. PKG. WT.  $4\frac{1}{4}$  LBS.


Same as above, except heads unpolished.

## NO. 0920-4K 4 PIECE BOX END WRENCH SET

STD. PKG. 6. PKG. WT.  $4\frac{1}{2}$  LBS.

## 5 PIECE SET

Range  $\frac{3}{8}''$  to  $\frac{7}{8}''$



## CONTENTS

No.	Size
921	$\frac{3}{8}''$ x $\frac{7}{16}''$
922	$\frac{1}{2}''$ x $\frac{9}{16}''$
923	$\frac{5}{8}''$ x $1\frac{1}{16}''$
924	$\frac{3}{4}''$ x $2\frac{5}{32}''$
925	$1\frac{1}{16}''$ x $\frac{7}{8}''$

## NO. 920-5K 5 PIECE BOX END WRENCH SET

STD. PKG. 6. PKG. WT.  $6\frac{1}{2}$  LBS.

Same as above, except heads unpolished.

## NO. 0920-5K 5 PIECE BOX END WRENCH SET

STD. PKG. 6. PKG. WT.  $6\frac{1}{4}$  LBS.



## SELECT STEEL

POLISHED HEADS

CHROME PLATED

LONG 45° TYPE



## DEEP DOUBLE OFFSET STYLE

A complete range of sizes is offered in today's fastest selling box wrenches. Smartly designed to attract customer attention, yet economically priced for heavy volume sales. Highly polished heads and chrome plated. Precision broached in

12 point except  $\frac{3}{8}'' \times \frac{7}{16}''$  which is 6 point. Extra strong thin walls for working in restricted spaces. Drop forged and scientifically heat treated for extra strength and long service.

No.	Size	Length	Std. Pkg.	Pkg. Wt.	No.	Size	Length	Std. Pkg.	Pkg. Wt.
911*	$\frac{3}{8}'' \times \frac{7}{16}''$	$7\frac{5}{8}''$	6	1 lb.	915	$\frac{13}{16}'' \times \frac{7}{8}''$	$12\frac{1}{2}''$	6	$3\frac{3}{4}$ lbs.
912	$\frac{1}{2}'' \times \frac{9}{16}''$	$8\frac{5}{8}''$	6	$1\frac{1}{2}$ lbs.	916	$\frac{15}{16}'' \times 1''$	$14\frac{1}{4}''$	6	5 lbs.
913	$\frac{5}{8}'' \times 1\frac{1}{16}''$	$9\frac{3}{4}''$	6	2 lbs.	917	$1\frac{1}{16}'' \times 1\frac{1}{8}''$	$16''$	3	$3\frac{1}{2}$ lbs.
914	$\frac{3}{4}'' \times 2\frac{25}{32}''$	$11\frac{1}{8}''$	6	$2\frac{3}{4}$ lbs.					

\*INDICATES 6 POINT

## "KLIP-TITE" SETS

Indestro "Klip-Tite" sets are proven high volume sellers. Five separate range combinations are available. All sets, with one exception, are offered with either polished or unpolished heads—No. 0910-03K available with unpolished heads only.


## 3 PIECE SET

Range  $\frac{3}{8}''$  to  $1\frac{11}{16}''$ 


## 4 PIECE SET

Range  $\frac{3}{8}''$  to  $2\frac{25}{32}''$ 


## 5 PIECE SET

Range  $\frac{3}{8}''$  to  $\frac{7}{8}''$ 

## 6 PIECE SET

Range  $\frac{3}{8}''$  to  $1''$ 

## 7 PIECE SET

Range  $\frac{3}{8}''$  to  $1\frac{1}{8}''$ 

This 3 Piece Set available with unpolished heads only.

## SIZES

$\frac{3}{8}'' \times \frac{7}{16}''$        $\frac{1}{2}'' \times \frac{9}{16}''$        $\frac{5}{8}'' \times 1\frac{11}{16}''$

NO. 0910-03K 3 PC. BOX END WRENCH SET  
STD. PKG. 6 PKG. WT.  $5\frac{1}{2}$  LBS.

CONTENTS

911	$\frac{3}{8}'' \times \frac{7}{16}''$	913	$\frac{5}{8}'' \times 1\frac{11}{16}''$
912	$\frac{1}{2}'' \times \frac{9}{16}''$	914	$\frac{3}{4}'' \times 2\frac{25}{32}''$

NO. 910-4K 4 PC. BOX END WRENCH SET  
STD. PKG. 6 PKG. WT.  $8\frac{1}{2}$  LBS.

Same as above, except heads unpolished.

NO. 0910-4K 4 PC. BOX END WRENCH SET  
STD. PKG. 6 PKG. WT.  $8\frac{3}{4}$  LBS.

CONTENTS

911	$\frac{3}{8}'' \times \frac{7}{16}''$	913	$\frac{5}{8}'' \times 1\frac{11}{16}''$	915	$\frac{13}{16}'' \times \frac{7}{8}''$
912	$\frac{1}{2}'' \times \frac{9}{16}''$	914	$\frac{3}{4}'' \times 2\frac{25}{32}''$	916	$\frac{15}{16}'' \times 1''$

NO. 910-5K 5 PC. BOX END WRENCH SET  
STD. PKG. 6 PKG. WT. 13 LBS.

Same as above, except heads unpolished.

NO. 0910-5K 5 PC. BOX END WRENCH SET  
STD. PKG. 6 PKG. WT.  $13\frac{1}{8}$  LBS.

CONTENTS

911	$\frac{3}{8}'' \times \frac{7}{16}''$	913	$\frac{5}{8}'' \times 1\frac{11}{16}''$	915	$\frac{13}{16}'' \times \frac{7}{8}''$
912	$\frac{1}{2}'' \times \frac{9}{16}''$	914	$\frac{3}{4}'' \times 2\frac{25}{32}''$	916	$\frac{15}{16}'' \times 1''$

NO. 910-6K 6 PC. BOX END WRENCH SET  
STD. PKG. 6 PKG. WT.  $17\frac{3}{4}$  LBS.

Same as above, except heads unpolished.

NO. 0910-6K 6 PC. BOX END WRENCH SET  
STD. PKG. 6 PKG. WT. 18 LBS.

CONTENTS

911	$\frac{3}{8}'' \times \frac{7}{16}''$	914	$\frac{3}{4}'' \times 2\frac{25}{32}''$	917	$1\frac{1}{16}'' \times 1\frac{1}{8}''$
912	$\frac{1}{2}'' \times \frac{9}{16}''$	915	$\frac{13}{16}'' \times \frac{7}{8}''$	916	$\frac{15}{16}'' \times 1''$
913	$\frac{5}{8}'' \times 1\frac{11}{16}''$	917	$1\frac{1}{16}'' \times 1\frac{1}{8}''$		

NO. 910-7K 7 PC. BOX END WRENCH SET  
STD. PKG. 6 PKG. WT. 24 LBS.

Same as above, except heads unpolished.

NO. 0910-7K 7 PC. BOX END WRENCH SET  
STD. PKG. 6 PKG. WT.  $24\frac{1}{2}$  LBS.


# BOX END WRENCH SETS



## POLISHED HEADS



**5 PIECE SET**—Range  $\frac{3}{8}''$  to  $\frac{7}{8}''$



### CONTENTS

911	$\frac{3}{8}''$ x $\frac{7}{16}''$	913	$\frac{5}{8}''$ x $\frac{11}{16}''$	915	$\frac{13}{16}''$ x $\frac{7}{8}''$
912	$\frac{1}{2}''$ x $\frac{9}{16}''$	914	$\frac{3}{4}''$ x $\frac{25}{32}''$		

**NO. 910-5W 5 PC. BOX END WRENCH SET**  
STD. PKG. 6. PKG. WT.  $13\frac{1}{4}$  LBS.

Same as above, except heads unpolished.

**NO. 0910-5W 5 PC. BOX END WRENCH SET**  
STD. PKG. 6. PKG. WT.  $13\frac{1}{2}$  LBS.

## RATCHETING BOX WRENCHES



An ideal tool—the utility of a box wrench with the PLUS features of a ratchet—for speedy work where space is extremely limited. Available in seven popular sizes. The three smallest sizes are especially designed with 6 point openings for a more positive grip where bolts and nuts are undersized or distorted. Brightly plated.

No.	Size	Length	Head Thickness	Std. Pkg.	Wt.
★ 701*	$\frac{1}{4}''$ x $\frac{5}{16}''$	$4\frac{5}{16}''$	$\frac{3}{8}''$	6	$\frac{3}{4}$ lb.
★ 702*	$\frac{3}{8}''$ x $\frac{7}{16}''$	$5\frac{1}{2}''$	$\frac{3}{8}''$	6	$1\frac{1}{8}$ lbs.
★ 703*	$\frac{1}{2}''$ x $\frac{9}{16}''$	$6\frac{13}{16}''$	$\frac{1}{2}''$	6	$2\frac{3}{4}$ lbs.
★ 704	$\frac{5}{8}''$ x $1\frac{11}{16}''$	8"	$\frac{1}{2}''$	6	$3\frac{3}{4}$ lbs.
★ 705	$\frac{5}{8}''$ x $\frac{3}{4}''$	$8\frac{1}{16}''$	$\frac{1}{2}''$	6	$3\frac{7}{8}$ lbs.
★ 706	$1\frac{1}{16}''$ x $\frac{13}{16}''$	$9\frac{1}{4}''$	$\frac{1}{2}''$	6	$4\frac{5}{8}$ lbs.
★ 707	$\frac{3}{4}''$ x $\frac{7}{8}''$	$9\frac{1}{4}''$	$\frac{1}{2}''$	6	$4\frac{5}{8}$ lbs.


\*INDICATES 6 POINT

★Because of their nature, these items are not guaranteed.

## SELECT STEEL

### WALL BRACKET SETS

### CHROME PLATED




### LONG 45° TYPE

Featured in these sets is the new Klip-Tite Double Duty wall bracket. Designed especially to attract the biggest tool sales field, the "Do It Yourself" market.

### NEW UTILITY

The wall bracket is designed so that the wrenches can be hung or removed speedily without fuss or bother. Two holes are provided in the wall bracket for easy and convenient attachment to wall.

**6 PIECE SET**—Range  $\frac{3}{8}''$  to  $1''$



### CONTENTS

911	$\frac{3}{8}''$ x $\frac{7}{16}''$	913	$\frac{5}{8}''$ x $\frac{11}{16}''$	915	$\frac{13}{16}''$ x $\frac{7}{8}''$
912	$\frac{1}{2}''$ x $\frac{9}{16}''$	914	$\frac{3}{4}''$ x $\frac{25}{32}''$	916	$\frac{15}{16}''$ x $1''$

**NO. 910-6W 6 PC. BOX END WRENCH SET**  
STD. PKG. 6. PKG. WT.  $18\frac{1}{2}$  LBS.

Same as above, except heads unpolished.

**NO. 0910-6W 6 PC. BOX END WRENCH SET**  
STD. PKG. 6. PKG. WT.  $18\frac{1}{2}$  LBS.

### 5 PIECE SET



Range  $\frac{1}{4}''$  to  $\frac{13}{16}''$ . This 5 piece set covers the ten most popular sizes without duplication. Beautifully packaged in a 2 color, reinforced, Vinyl plastic kit. Each wrench partition is wrench sized for your convenience.

### CONTENTS

No.	Size
701	$\frac{1}{4}''$ x $\frac{5}{16}''$
702	$\frac{3}{8}''$ x $\frac{7}{16}''$
703	$\frac{1}{2}''$ x $\frac{9}{16}''$
705	$\frac{5}{8}''$ x $\frac{3}{4}''$
706	$1\frac{1}{16}''$ x $\frac{13}{16}''$

**NO. 700 5 PC. RATCHET BOX WRENCH SET**

STD. PKG. 1. PKG. WT.  $2\frac{1}{4}$  LBS.

**NO. K114 KIT ONLY**



# COMBINATION WRENCHES

## SELECT STEEL

### POLISHED HEADS



These forged wrenches combine best features of open end and box end wrenches. Both ends of each wrench have identical size openings. The box end is offset 15° for greater clearance, while the open end has a 15° angle opening for work in tight places. Box end fits hexagon nuts or bolts while the open end will take care of both hexagon and squares.

Each wrench is chrome plated with polished heads and has a satin finished handle for firm gripping.

Use the box end for tight nuts—the open end for speed. Popular with the car owner, industrial and professional mechanics and for farm machinery maintenance. Box ends of Nos. 1069, 1070, and 1071 are 6 point. All other numbers are 12 point.


No.	Size	Length	Open Head Thickness	Std. Pkg.	Pkg. Wt.
1069*	1/4"	31 1/16"	11 5/64"	6	1/4 lb.
1070*	5/16"	4 1/16"	13 5/64"	6	1/4 lb.
1071*	3/8"	4 5/16"	7 5/32"	6	1 1/2 lb.
1072	7/16"	5 1/8"	15 5/64"	6	3/4 lb.
1073	1/2"	5 3/16"	1 1/4"	6	7/8 lb.
1074	9/16"	6 1/2"	17 5/32"	6	1 1/4 lbs.
1075	5/8"	7 5/16"	9 5/32"	6	1 1/2 lbs.
1076	11/16"	8 3/16"	19 5/64"	6	2 lbs.
1077	3/4"	9 1/16"	21 5/64"	6	2 1/2 lbs.
1078	13/16"	10 9/16"	11 5/32"	6	3 lbs.
1079	7/8"	11 5/16"	23 5/64"	6	4 1/4 lbs.
1080	15/16"	11 1/8"	3 5/8"	6	4 1/2 lbs.
1081	1"	12 1/2"	25 5/64"	6	5 lbs.
1082	1 1/16"	13 1/8"	18 5/32"	3	3 1/4 lbs.
1083	1 1/8"	13 13/16"	7 5/16"	3	3 3/4 lbs.
1084	1 1/4"	15 1/2"	29 5/64"	3	4 1/2 lbs.
1085	1 5/16"	18"	33 5/64"	3	6 lbs.
1086	1 3/8"	19"	17 5/32"	3	7 1/2 lbs.
1087	1 7/16"	20"	37 5/64"	3	9 lbs.
1088	1 1/2"	21"	5 5/8"	3	12 lbs.
1089	1 5/8"	22 1/8"	45 5/64"	3	12 1/2 lbs.

\*INDICATES 6 POINT.

### "KLIP-TITE"

### COMBINATION WRENCH SETS

#### 3 PIECE SET



#### 3 Piece Set—Range 7/16" to 9/16"


The three most commonly used sizes—7/16", 1/2" and 9/16" make up this plated but unpolished set.

**NO. 01070-3K 3 PC. SET**  
STD. PKG. 6. PKG. WT. 3 1/4 LBS.

### COMBINATION WRENCHES

### CHROME PLATED

#### 5 PIECE SETS



#### 5 Piece Set—Range 1/4" to 1/2"

#### CONTENTS

1069	1/4"	1071	3/8"	1073	1/2"
1070	5/16"	1072	7/16"		

**NO. 1070-5K 5 PC. SET—Range 1/4" to 1/2"**  
STD. PKG. 6. PKG. WT. 3 LBS.

Same as above, except heads unpolished.

**NO. 01070-5K 5 PC. SET—Range 1/4" to 1/2"**  
STD. PKG. 6. PKG. WT. 3 1/8 LBS.

#### 5 Piece Set—Range 7/16" to 1 1/16"

#### CONTENTS


1072	7/16"	1074	9/16"	1076	1 1/16"
1073	1/2"	1075	5/8"		

**NO. 1070-05K 5 PC. SET—Range 7/16" to 1 1/16"**  
STD. PKG. 6. PKG. WT. 7 LBS.

Same as above, except heads unpolished.

**NO. 01070-05K 5 PC. SET—Range 7/16" to 1 1/16"**  
STD. PKG. 6. PKG. WT. 7 1/4 LBS.

#### 6 PIECE SETS



#### 6 Piece Set—Range 3/8" to 1 1/16"

#### CONTENTS

1071	3/8"	1073	1/2"	1075	5/8"
1072	7/16"	1074	9/16"	1076	1 1/16"

**NO. 1070-06K 6 PC. SET—Range 3/8" to 1 1/16"**  
STD. PKG. 6. PKG. WT. 7 1/2 LBS.

Same as above, except heads unpolished.

**NO. 01070-06K 6 PC. SET—Range 3/8" to 1 1/16"**  
STD. PKG. 6. PKG. WT. 7 3/4 LBS.

#### 6 Piece Set—Range 7/16" to 3/4"

#### CONTENTS

1072	7/16"	1074	9/16"	1076	11/16"
1073	1/2"	1075	5/8"	1077	3/4"

**NO. 1070-6K 6 PC. SET—Range 7/16" to 3/4"**  
STD. PKG. 6. PKG. WT. 10 1/4 LBS.

Same as above, except heads unpolished.

**NO. 01070-6K 6 PC. SET—Range 7/16" to 3/4"**  
STD. PKG. 6. PKG. WT. 10 1/2 LBS.



## SELECT STEEL

CHROME PLATED

POLISHED HEADS



## WALL BRACKET SETS

## 5 PIECE SETS



Featured in these sets is a striking new and exclusive Indestro innovation in the merchandising of wrenches—the New Double Duty Wall Bracket.

## NEW UTILITY

The wall bracket is designed so that the wrenches can be hung or removed speedily without fuss or bother. Two holes are provided in the wall bracket for easy and convenient attachment to wall.



5 PIECE SET—Range  $\frac{7}{16}$ " to  $1\frac{1}{16}$ "  
CONTENTS

1072	$\frac{7}{16}$ "	1074	$\frac{9}{16}$ "	1076	$1\frac{1}{16}$ "
1073	$\frac{1}{2}$ "	1075	$\frac{5}{8}$ "		

NO. 1070-05W 5 PC. SET—Range  $\frac{7}{16}$ " to  $1\frac{1}{16}$ "  
STD. PKG. 6. PKG. WT.  $7\frac{1}{2}$  LBS.

Same as above, except heads unpolished.

NO. 01070-05W 5 PC. SET—Range  $\frac{7}{16}$ " to  $1\frac{1}{16}$ "  
STD. PKG. 6. PKG. WT.  $7\frac{5}{8}$  LBS.



## 6 PIECE SETS

6 PIECE SET—Range  $\frac{3}{8}$ " to  $1\frac{1}{16}$ "  
CONTENTS

1071	$\frac{3}{8}$ "	1073	$\frac{1}{2}$ "	1075	$\frac{5}{8}$ "
1072	$\frac{7}{16}$ "	1074	$\frac{9}{16}$ "	1076	$1\frac{1}{16}$ "

NO. 1070-06W 6 PC. SET—Range  $\frac{3}{8}$ " to  $1\frac{1}{16}$ "  
STD. PKG. 6. PKG. WT.  $8\frac{1}{8}$  LBS.

Same as above, except heads unpolished.

NO. 01070-06W 6 PC. SET—Range  $\frac{3}{8}$ " to  $1\frac{1}{16}$ "  
STD. PKG. 6. PKG. WT.  $8\frac{1}{4}$  LBS.

6 PIECE SET—Range  $\frac{7}{16}$ " to  $\frac{3}{4}$ "  
CONTENTS

1072	$\frac{7}{16}$ "	1074	$\frac{9}{16}$ "	1076	$1\frac{1}{16}$ "
1073	$\frac{1}{2}$ "	1075	$\frac{5}{8}$ "	1077	$\frac{3}{4}$ "


NO. 1070-6W 6 PC. SET—Range  $\frac{7}{16}$ " to  $\frac{3}{4}$ "  
STD. PKG. 6. PKG. WT.  $10\frac{1}{2}$  LBS.

Same as above, except heads unpolished.

NO. 01070-6W 6 PC. SET—Range  $\frac{7}{16}$ " to  $\frac{3}{4}$ "  
STD. PKG. 6. PKG. WT.  $10\frac{1}{4}$  LBS.

## Combination Wrench Sets in Rolls

Attractively packaged in reinforced vinyl plastic tool rolls with clear plastic pockets, these sets are proven top sellers. Each pocket is wrench sized for added convenience.



## 7 PIECE SET

Range  $\frac{3}{8}$ " to  $\frac{3}{4}$ "

A most popular set containing the following sizes— $\frac{3}{8}$ ",  $\frac{7}{16}$ ",  $\frac{1}{2}$ ",  $\frac{9}{16}$ ",  $\frac{5}{8}$ ",  $1\frac{1}{16}$ ",  $\frac{3}{4}$ ".

NO. 1064

## 7 PIECE SET

STD. PKG. 1. PKG. WT.  $1\frac{1}{8}$  LBS.

NO. K64 KIT ONLY



## 8 PIECE SET

Range  $\frac{3}{8}$ " to  $\frac{3}{4}$ " and  $\frac{7}{8}$ "

An intermediate range set containing the following sizes— $\frac{3}{8}$ ",  $\frac{7}{16}$ ",  $\frac{1}{2}$ ",  $\frac{9}{16}$ ",  $\frac{5}{8}$ ",  $1\frac{1}{16}$ ",  $\frac{3}{4}$ ",  $\frac{7}{8}$ ".

NO. 1065

## 8 PIECE SET

STD. PKG. 1. PKG. WT.  $2\frac{5}{8}$  LBS.

NO. K15A KIT ONLY



## 11 PIECE SET

Range  $\frac{1}{4}$ " to  $\frac{7}{8}$ "

A general utility set containing the following sizes— $\frac{1}{4}$ ",  $\frac{5}{16}$ ",  $\frac{3}{8}$ ",  $\frac{7}{16}$ ",  $\frac{1}{2}$ ",  $\frac{9}{16}$ ",  $\frac{5}{8}$ ",  $1\frac{1}{16}$ ",  $\frac{3}{4}$ ",  $\frac{13}{16}$ ",  $\frac{7}{8}$ ".

NO. 1060

## 11 PIECE SET

STD. PKG. 1. PKG. WT.  $3\frac{1}{4}$  LBS.

NO. K60 KIT ONLY

## SELECT STEEL



## POLISHED HEADS

## CHROME PLATED

## 14 PIECE COMBINATION WRENCH SETS



Master sets are available with either polished or unpolished heads. Both types completely chrome plated.

## NO. 1067

Set contains the following sizes— $\frac{3}{8}$ ",  $\frac{7}{16}$ ",  $\frac{1}{2}$ ",  $\frac{9}{16}$ ",  $\frac{5}{8}$ ",  $\frac{11}{16}$ ",  $\frac{3}{4}$ ",  $\frac{13}{16}$ ",  $\frac{7}{8}$ ",  $\frac{15}{16}$ ",  $1"$ ,  $1\frac{1}{16}$ ",  $1\frac{1}{8}$ ",  $1\frac{1}{4}$ ".

## NO. 1067 14 PIECE SET

STD. PKG. 1. PKG. WT. 8 $\frac{3}{4}$  LBS.

## NO. K87A Kit Only

Same as above, except heads unpolished.

## NO. 01067 14 PIECE SET

STD. PKG. 1. PKG. WT. 9 LBS.

## NO. K87C Kit Only

Set contains the following sizes— $\frac{1}{4}$ ",  $\frac{5}{16}$ ",  $\frac{3}{8}$ ",  $\frac{7}{16}$ ",  $\frac{1}{2}$ ",  $\frac{9}{16}$ ",  $\frac{5}{8}$ ",  $\frac{11}{16}$ ",  $\frac{3}{4}$ ",  $\frac{13}{16}$ ",  $\frac{7}{8}$ ",  $\frac{15}{16}$ ",  $1"$ ,  $1\frac{1}{16}$ ".

## NO. 1068 14 PIECE SET

STD. PKG. 1. PKG. WT. 6 $\frac{1}{4}$  LBS.

## NO. K87B Kit Only

Same as above, except heads unpolished.

## NO. 01068 14 PIECE SET

STD. PKG. 1. PKG. WT. 6 $\frac{3}{4}$  LBS.

## NO. K87D Kit Only

## DROP FORGED OPEN-BOX END WRENCH SETS

## POLISHED HEADS



## CHROME PLATED

## 4 PIECE SET

Range  $\frac{1}{4}$ " to  $\frac{1}{2}$ "

Size		Length
Box End	Open End	
$\frac{1}{4}$ " 8 Pt.	$\frac{5}{16}$ "	$3\frac{5}{8}$ "
$\frac{5}{16}$ " 12 Pt.	$\frac{3}{8}$ "	$3\frac{5}{32}$ "
$\frac{3}{8}$ " 12 Pt.	$\frac{7}{16}$ "	$4\frac{3}{32}$ "
$\frac{7}{16}$ " 12 Pt.	$\frac{1}{2}$ "	$4\frac{1}{2}$ "

## NO. 900-4C 4 PC. SET

STD. PKG. 6. PKG. WT. 1 $\frac{5}{8}$  LBS.


Same as above, except heads unpolished.

## NO. 0900-4C 4 PC. SET

STD. PKG. 6. PKG. WT. 1 $\frac{5}{8}$  LBS.


## 5 PIECE SET

Range  $\frac{3}{8}$ " to  $\frac{3}{4}$ "



## 6 PIECE SET

Range  $\frac{3}{8}$ " to  $\frac{1}{2}$ "



## 4 PIECE SET

Range  $\frac{5}{16}$ " to  $\frac{9}{16}$ "

Size		Length
Box End	Open End	
$\frac{5}{16}$ " 12 Pt.	$\frac{3}{8}$ "	$3\frac{5}{32}$ "
$\frac{3}{8}$ " 12 Pt.	$\frac{7}{16}$ "	$4\frac{3}{32}$ "
$\frac{7}{16}$ " 12 Pt.	$\frac{1}{2}$ "	$4\frac{1}{2}$ "
$\frac{1}{2}$ " 12 Pt.	$\frac{9}{16}$ "	$5\frac{3}{32}$ "
$\frac{9}{16}$ " 12 Pt.	$\frac{5}{8}$ "	$5\frac{1}{4}$ "
$\frac{5}{8}$ " 12 Pt.	$\frac{3}{4}$ "	$6\frac{9}{16}$ "

## NO. 900-4B 4 PC. SET

STD. PKG. 6. PKG. WT. 2 $\frac{1}{8}$  LBS.

Same as above, except heads unpolished.

## NO. 0900-4B 4 PC. SET

STD. PKG. 6. PKG. WT. 2 $\frac{1}{8}$  LBS.

Size		Length
Box End	Open End	
$\frac{3}{8}$ " 12 Pt.	$\frac{7}{16}$ "	$4\frac{3}{32}$ "
$\frac{7}{16}$ " 12 Pt.	$\frac{1}{2}$ "	$4\frac{1}{2}$ "
$\frac{1}{2}$ " 12 Pt.	$\frac{9}{16}$ "	$5\frac{3}{32}$ "
$\frac{9}{16}$ " 12 Pt.	$\frac{5}{8}$ "	$5\frac{1}{4}$ "
$\frac{5}{8}$ " 12 Pt.	$\frac{3}{4}$ "	$6\frac{9}{16}$ "

## NO. 900-5A 5 PC. SET

STD. PKG. 6. PKG. WT. 4 $\frac{5}{8}$  LBS.

Same as above, except heads unpolished.

## NO. 0900-5A 5 PC. SET

STD. PKG. 6. PKG. WT. 4 $\frac{5}{8}$  LBS.

Size		Length
Box End	Open End	
$\frac{3}{8}$ " 12 Pt.	$\frac{7}{16}$ "	$4\frac{3}{32}$ "
$\frac{7}{16}$ " 12 Pt.	$\frac{1}{2}$ "	$4\frac{1}{2}$ "
$\frac{1}{2}$ " 12 Pt.	$\frac{9}{16}$ "	$5\frac{3}{32}$ "
$\frac{9}{16}$ " 12 Pt.	$\frac{5}{8}$ "	$5\frac{1}{4}$ "
$\frac{5}{8}$ " 12 Pt.	$\frac{3}{4}$ "	$6\frac{9}{16}$ "
$\frac{3}{4}$ " 12 Pt.	$\frac{7}{8}$ "	$7\frac{5}{16}$ "

## NO. 900-6A 6 PC. SET

STD. PKG. 6. PKG. WT. 6 $\frac{3}{4}$  LBS.

Same as above, except heads unpolished.

## NO. 0900-6A 6 PC. SET

STD. PKG. 6. PKG. WT. 6 $\frac{3}{4}$  LBS.



## SELECT STEEL

Socket sets in  $\frac{1}{4}$ ",  $\frac{3}{8}$ ", and  $\frac{1}{2}$ " hexagon drive shown on this and the adjoining page are outstanding values and at prices everyone can afford. Every household has use for one of these sets. Every motorist will want to carry a set in his car. Sold in volume by hardware, variety and automotive stores.

Made of special analysis select steel and scientifically hardened. All parts heavily plated with an attractive bright finish. Patented metal boxes are finished in attractive baked enamel.

### $\frac{1}{4}$ " HEXAGON DRIVE

#### 8 Piece Vest Pocket Socket Set



NO. 350 8 PIECE SET

A "vest pocket set" only  $4\frac{1}{2}$ " long overall. Handy for radio, television and small electrical and mechanical devices.

#### CONTENTS

$\frac{1}{4}$ " Hex. Socket	$\frac{3}{8}$ " Hex. Socket	$\frac{5}{16}$ " Square Socket.
$\frac{5}{16}$ " Hex. Socket	$\frac{7}{16}$ " Hex. Socket	$\frac{4}{5}$ " L Handle
$1\frac{1}{32}$ " Hex. Socket	$\frac{1}{4}$ " Square Socket	

STD. PKG. 24. PKG. WT.  $7\frac{1}{2}$  LBS.  
CASE LOT 96. CASE LOT WT. 30 LBS.

#### 6 Piece "Slip-On" Set



NO. 360 6 PIECE SET

This set is a favorite with electricians in particular. The combination extension and screw driver blade is held in the plastic handle by spring loaded friction ball. Sockets are conveniently held on extension when not in use. Comfortable plastic handle, sockets brightly plated. 7" Length.

#### CONTENTS

$\frac{1}{4}$ ", $\frac{5}{16}$ ", $1\frac{1}{32}$ ", $\frac{3}{8}$ ", and $\frac{7}{16}$ " hex. sockets
7" Combination Spinner Handle and Screw Driver

STD. PKG. 12. PKG. WT. 3 LBS.  
CASE LOT 96. CASE LOT WT. 25 LBS.

#### 11 Piece Ignition and Radio Socket Set



NO. 367 11 PIECE IGNITION AND RADIO SOCKET SET

Eleven pieces,  $\frac{1}{4}$ " hexagon drive, put up in a convenient colorful plastic case. A favorite with home owners, radio and television repairmen, etc., as it contains the most popular of the small size sockets with fittings and at a low cost.

#### CONTENTS

$\frac{1}{4}$ " Hex. Socket	$\frac{7}{16}$ " Hex. Socket	$\frac{1}{4}$ " Square Socket
$\frac{5}{16}$ " Hex. Socket	$\frac{1}{2}$ " Hex. Socket	$\frac{5}{16}$ " Square Socket
$1\frac{1}{32}$ " Hex. Socket	4" L Handle	$3\frac{3}{4}$ " Extension
$\frac{3}{8}$ " Hex. Socket	$6\frac{1}{2}$ " Screw Driver Handle	

STD. PKG. 1. PKG. WT.  $\frac{3}{4}$  LB.  
CASE LOT 48. CASE LOT WT. 41 LBS.

### $\frac{3}{8}$ " HEXAGON DRIVE

#### 10 Piece Set



NO. 2104 10 PIECE SET


An economy priced set having socket range from  $\frac{9}{32}$ " to  $\frac{5}{8}$ ". L Handle locks sockets in orderly manner ready for instant use. Sockets and handle brightly plated, box finished in attractive baked enamel.

#### CONTENTS

$\frac{9}{32}$ " Hex. Socket	$\frac{3}{8}$ " Hex. Socket	$\frac{1}{2}$ " Hex. Socket
$\frac{5}{16}$ " Hex. Socket	$\frac{7}{16}$ " Hex. Socket	$\frac{9}{16}$ " Hex. Socket
$1\frac{1}{32}$ " Hex. Socket	$1\frac{1}{32}$ " Hex. Socket	$\frac{5}{8}$ " Hex. Socket

STD. PKG. 12. PKG. WT. 10 LBS.  
CASE LOT 48. CASE LOT WT. 40 LBS.

#### 7 Piece "Slip-On" Set



NO. 2137 7 PIECE SET

"Slip-on" Set with sockets held on handle by spring loaded friction ball. All parts brightly plated.

#### CONTENTS

$\frac{3}{8}$ " Hex. Socket	$1\frac{1}{32}$ " Hex. Socket	$\frac{9}{16}$ " Hex. Socket
$\frac{5}{16}$ " Hex. Socket	$\frac{7}{16}$ " Hex. Socket	$\frac{5}{8}$ " Hex. Socket
$6$ " L Handle		

STD. PKG. 6. PKG. WT.  $3\frac{1}{2}$  LBS.  
CASE LOT 48. CASE LOT WT. 28 LBS.



## SELECT STEEL

## 1/2" HEXAGON DRIVE


Seven popular size sockets conveniently held on an L handle. Brightly plated for eye appeal.

## CONTENTS

1/16" 12 Point Socket  
1/8" 12 Point Socket  
5/16" 12 Point Socket  
5/8" 12 Point Socket  
NO. 1349 8 PIECE SET


11/16" 12 Point Socket  
3/4" 12 Point Socket  
7/8" 12 Point Socket  
6 1/2" L Handle

## 8 Piece "Slip-On" Set



STD. PKG. 6. PKG. WT. 6 1/4 LBS.  
CASE LOT 48. CASE LOT WT. 53 LBS.

## 7 PIECE SET




STD. PKG. 3. PKG. WT. 3 3/4 LBS.  
CASE LOT 48. CASE LOT WT. 60 LBS.

## 11 PIECE SET



STD. PKG. 3. PKG. WT. 6 1/4 LBS.  
CASE LOT 48. CASE LOT WT. 108 LBS.

## 19 PIECE SET



STD. PKG. 3. PKG. WT. 8 LBS.  
CASE LOT 48. CASE LOT WT. 128 LBS.

A practical set for the man who uses tools occasionally on his car, boat, etc. Convenient metal case holds sockets securely.

## CONTENTS

1/2" 12 Point Socket  
5/16" 12 Point Socket  
5/8" 12 Point Socket  
6 1/2" L Handle  
NO. 1351 7 PIECE SET

11/16" 12 Point Socket  
3/4" 12 Point Socket  
7/8" 12 Point Socket

A more complete set featuring a ratchet and an L handle which can be used as a 7" extension. Short socket adaptor also serves as a screw driver. Sockets and fittings brightly plated. Box finished in attractive baked enamel.

## CONTENTS

1/16" 12 Point Socket  
1/8" 12 Point Socket  
5/16" 12 Point Socket  
5/8" 12 Point Socket  
11/16" 12 Point Socket  
Screw Driver Adaptor  
NO. 1451 11 PIECE SET

3/4" 12 Point Socket  
7/8" 12 Point Socket  
15/16" 12 Point Socket  
6 3/4" Ratchet  
7 1/2" L Handle

This set combines the features of the 1/4" and 1/2" hexagon drive sets in one very compact and convenient case. A "natural" for every home owner, motorist, or handyman.

## CONTENTS

## 1/2" HEXAGON DRIVE

1/16" 12 Point Socket  
1/8" 12 Point Socket  
5/16" 12 Point Socket  
5/8" 12 Point Socket  
11/16" 12 Point Socket  
Screw Driver Adaptor

3/4" 12 Point Socket  
7/8" 12 Point Socket  
15/16" 12 Point Socket  
6 3/4" Ratchet  
7 1/2" L Handle

## 1/4" HEXAGON DRIVE

1/4" Hexagon Socket  
1/4" Square Socket  
5/16" Hexagon Socket  
5/16" Square Socket  
NO. 1452 19 PIECE SET

1 1/32" Hexagon Socket  
3/8" Hexagon Socket  
7/16" Hexagon Socket  
4" L Handle

**SELECT STEEL****Low Price—Top Value—Volume Sellers**

in

**Vinyl Plastic Kits**

The ever popular  $\frac{1}{4}$ ",  $\frac{3}{8}$ " and  $\frac{1}{2}$ " hexagon drive socket sets illustrated on this and the adjoining page are now available in completely new packaging.

Colorful, Vinyl plastic kits—self sellers—especially designed for the modern merchandiser who desires inviting, attention attracting tool displays. Four “eye appealing” colors—red, green, blue and yellow—each set in its own distinctive kit.

Easy to carry, these sets will be desired by every car owner, farmer, home mechanic and hobbyist. A “must” stock item for hardware, variety and chain stores.

The special analysis select steel used was chosen for its high tensile strength. The sockets are accurately broached and hardened under automatically controlled temperatures. Heavy plating provides protection against corrosion and assures a sparkling finish.

 **$\frac{1}{4}$ " HEXAGON DRIVE****8 PIECE VEST POCKET SOCKET SET**

A “vest pocket set” only  $4\frac{1}{2}$ " long overall. Handy for radio, television and small electrical and mechanical devices. In royal blue vinyl plastic kit.

**CONTENTS**

- $\frac{1}{4}$ " Hexagon Socket
- $\frac{5}{16}$ " Hexagon Socket
- $\frac{11}{32}$ " Hexagon Socket
- $\frac{3}{8}$ " Hexagon Socket
- $\frac{7}{16}$ " Hexagon Socket
- $\frac{1}{4}$ " Square Socket
- $\frac{5}{16}$ " Square Socket
- 4" L Handle

**NO. 350K 8 PIECE SOCKET SET**

STD. PKG. 24. PKG. WT. 6 $\frac{3}{8}$  LBS.  
CASE LOT 96. CASE LOT WT. 25 LBS.

 **$\frac{3}{8}$ " HEXAGON DRIVE****10 PIECE SET**

An economy priced set having a socket range from  $\frac{9}{32}$ " to  $\frac{5}{8}$ ", with L handle. Especially designed for working in restricted places. In attractive yellow vinyl plastic kit.

**CONTENTS**

- $\frac{9}{32}$ " Hexagon Socket
- $\frac{5}{16}$ " Hexagon Socket
- $\frac{11}{32}$ " Hexagon Socket
- $\frac{3}{8}$ " Hexagon Socket
- $\frac{7}{16}$ " Hexagon Socket
- $\frac{15}{32}$ " Hexagon Socket
- $\frac{1}{2}$ " Hexagon Socket
- $\frac{9}{16}$ " Hexagon Socket
- $\frac{5}{8}$ " Hexagon Socket
- 6" L Handle

**NO. 2104K 10 PIECE SOCKET SET**

STD. PKG. 12. PKG. WT. 9 $\frac{1}{4}$  LBS.  
CASE LOT 48. CASE LOT WT. 37 $\frac{1}{2}$  LBS.



HANDY SOCKET SETS

## SELECT STEEL

### 1/2" HEXAGON DRIVE

A compact practical set, complete with L handle, for the man who occasionally finds it necessary to make minor repairs around the house or on his car, boat, etc. Packaged in a red vinyl plastic kit.

#### CONTENTS

1/2" 12 Point Socket	11/16" 12 Point Socket
5/16" 12 Point Socket	3/4" 12 Point Socket
5/8" 12 Point Socket	7/8" 12 Point Socket
6 1/2" L Handle	

#### NO. 1351K 7 PIECE SOCKET SET

STD. PKG. 3. PKG. WT. 3 1/4 LBS.  
CASE LOT 48. CASE LOT WT. 49 1/2 LBS.




A more complete set featuring a ratchet and L handle which can be used as a 7" extension. Short socket adaptor also serves as a screw driver. Sockets and fittings brightly plated. Furnished in a green vinyl plastic kit.

#### CONTENTS

1/4" 12 Point Socket	3/4" 12 Point Socket
1/2" 12 Point Socket	7/8" 12 Point Socket
9/16" 12 Point Socket	15/16" 12 Point Socket
5/8" 12 Point Socket	6 3/4" Ratchet
11/16" 12 Point Socket	7 1/2" L Handle
Screw Driver Adaptor	

#### NO. 1451K 11 PIECE SOCKET SET

STD. PKG. 3. PKG. WT. 5 1/4 LBS.  
CASE LOT 48. CASE LOT WT. 93 1/4 LBS.



A top seller—this set combines the features of the 1/4" and 1/2" hexagon drive sets in one convenient master kit. Provision is made for quick easy location of tools with the 1/4" drive set in its own individual kit. This inexpensive set provides the handyman, home owner, or motorist with complete coverage of the popular sizes. In royal blue vinyl plastic kit.

#### CONTENTS

##### 1/2" HEXAGON DRIVE


1/2" 12 Point Socket	3/4" 12 Point Socket
1/2" 12 Point Socket	7/8" 12 Point Socket
9/16" 12 Point Socket	15/16" 12 Point Socket
5/8" 12 Point Socket	6 3/4" Ratchet
11/16" 12 Point Socket	7 1/2" L Handle
Screw Driver Adaptor	

##### 1/4" HEXAGON DRIVE

1/4" Hexagon Socket	11/16" Hexagon Socket
5/16" Hexagon Socket	1/4" Square Socket
11/32" Hexagon Socket	5/16" Square Socket
3/8" Hexagon Socket	4" L Handle

#### NO. 1452K 19 PIECE SOCKET SET

STD. PKG. 3. PKG. WT. 6 1/4 LBS.  
CASE LOT 48. CASE LOT WT. 108 1/4 LBS.






## SELECT STEEL



11 PIECE SET



## CONTENTS

## 1/2" HEXAGON DRIVE

7/16" 12 Point Socket	3/4" 12 Point Socket
1/2" 12 Point Socket	7/8" 12 Point Socket
9/16" 12 Point Socket	15/16" 12 Point Socket
5/8" 12 Point Socket	6 3/4" Ratchet
11/16" 12 Point Socket	9 1/16" L Handle
Screw Driver Adaptor	

## NO. 1453 11 PIECE SET

STD. PKG. 2 PKG. WT. 5 LBS.  
CASE LOT 48 CASE LOT WT. 120 LBS.

## HOME OWNER'S KIT



A special Spark Plug Holding Socket with oil resistant insert to protect and securely hold 14 mm. spark plugs.

(See Page 5 for details)

An expertly selected group of tools to satisfy the needs of the homeowner, sportsman and hobbyist. Will handle repairs and adjustments on automobiles, outboard motors, lawn mowers, bicycles, furnaces, radio, television, air conditioning and household appliances.


NO. 1480 HOME OWNER'S KIT  
NO. K142 KIT ONLY

## WALL KLIP SOCKET SETS

The Wall Klip is designed to keep the tools firmly and orderly in place, yet each tool can be easily removed as needed. Two key-slots are provided in the Wall Klip for fast convenient attachment to the wall. Construction is one piece for compactness and strength.

The two sets illustrated here contain the most used sizes of sockets and handles. Tools are hexagon drive and are brightly plated in a rust resistant finish. Made accurately of select steel.

## 19 PIECE SET



## CONTENTS

## 1/2" HEXAGON DRIVE

7/16" 12 Point Socket	3/4" 12 Point Socket
1/2" 12 Point Socket	7/8" 12 Point Socket
9/16" 12 Point Socket	15/16" 12 Point Socket
5/8" 12 Point Socket	6 3/4" Ratchet
11/16" 12 Point Socket	9 1/16" L Handle
Screw Driver Adaptor	

## 1/4" HEXAGON DRIVE

1/4" Hexagon Socket	3/8" Hexagon Socket
1/4" Square Socket	5/16" Square Socket
5/16" Hexagon Socket	7/16" Hexagon Socket
11/32" Hexagon Socket	4" L Handle

## NO. 1454 19 PIECE SET

STD. PKG. 2 PKG. WT. 5 1/2 LBS.  
CASE LOT 48 CASE LOT WT. 132 LBS.

## CONTENTS

No.	Description
2748HS	3/8" Sq. Dr. 13/16" Deep Socket, Plug Holding Type
166	Feeler Gauge
174	Point File
4682	No. 2 Phillips Screwdriver
360	6 Pc. Socket and Screwdriver Set
3436	6" Utility Plier
199	7 Pc. Set Screw Wrench Set

## OPEN END WRENCHES

5/16" x 11/32"

3/8" x 7/16"  
1/2" x 9/16"  
19/32" x 11/16"  
5/8" x 3/4"

13/16" x 7/8"

STD. PKG. 1 PKG. WT. 3 1/4 LBS.



## CHROME ALLOY STEEL

### SUPER QUALITY SCREW DRIVERS



Indestro Super Quality Screw Drivers are precision built to professional standards.

Blades are individually forged from chrome alloy steel and scientifically controlled heat treated for supreme strength. Smoothly polished and finished in a rich deep chrome.

#### BREAKPROOF-SHOCKPROOF

The tough Tenite II plastic handles are designed for hand comfort and will turn the toughest screws as they are ribbed for positive grip.

#### SQUARE BLADE TYPE

No.	Blade Demensions			Overall Length	Std. Pkg.	Pkg. Wt.
	Stock	Length	Tip Width			
3702	1/8"	2 1/16"	1/8"	4 1/8"	6	1/4 lb.
3703	1/8"	3 1/16"	1/8"	5 1/8"	6	1/4 lb.
3711 1/2	5/16"	1 9/16"	5/16"	4 9/16"	6	1/2 lb.
3713	5/16"	3"	5/16"	6 5/8"	6	3/4 lb.
3714	3/16"	4"	3/16"	7 1/2"	6	3/4 lb.
3716	3/16"	6"	3/16"	9 1/2"	6	1 lb.
*3721	1/4"	1 1/4"	19/64"	3 1/16"	6	1/2 lb.
3722	1/4"	2"	19/64"	5 3/4"	6	1 lb.
3724	1/4"	4"	19/64"	7 3/4"	6	1 1/4 lbs.
3726	1/4"	6"	19/64"	9 3/4"	6	1 1/2 lbs.
3728	1/4"	8"	19/64"	11 1/4"	6	1 3/4 lbs.
*3731	5/16"	1 1/4"	3/8"	3 1/16"	6	1/2 lb.
3736	5/16"	6"	3/8"	10"	4	1 3/8 lbs.
3738	5/16"	8"	3/8"	12"	4	1 5/8 lbs.
3746	3/8"	6"	7/16"	10 3/8"	2	1 1/8 lbs.
3748	3/8"	8"	7/16"	12 3/8"	2	1 1/4 lbs.
3749	3/8"	10"	7/16"	14 3/8"	2	1 3/8 lbs.

#### ROUND BLADE TYPE

† 136	1/8"	2"	9/64"	4 1/16"	12	3/8 lb.
138	3/32"	1 3/8"	5/64"	2 3/4"	24	1/8 lb.
139	7/64"	1 11/16"	7/64"	3 3/8"	24	3/8 lb.
3603	1/8"	3 1/16"	1/8"	5 1/8"	6	1/4 lb.
3606	1/8"	6 1/16"	1/8"	8 1/8"	6	1/4 lb.
3614	3/16"	4 1/16"	3/16"	7 1/16"	6	1/2 lb.
3616	3/16"	6 1/16"	3/16"	9 9/16"	6	3/4 lb.

\*Stubby Handle Type

†With Pocket Clip

#### STUBBY TYPE SCREW DRIVERS



Invaluable for use in limited spaces, break-proof and shock-proof amber plastic handles are designed for firm comfortable grip. Forged chrome alloy steel blade polished and chrome plated.

NO. 3721 STUBBY SCREW DRIVER, 1/4" x 1 1/4" BLADE  
STD. PKG. 6. PKG. WT. 1/2 LB.

NO. 3731 STUBBY SCREW DRIVER, 5/16" x 1 1/4" BLADE  
STD. PKG. 6. PKG. WT. 1/2 LB.




### OFFSET SCREW DRIVERS



A necessity for close quarter work where regular type screw drivers cannot be used. Forged from square stock chrome alloy steel. Satin finish for sure grip.

No.	Stock Size	Length	Tip Width	Std. Pkg.	Pkg. Wt.
4771A	1/8"	3 3/16"	9/64"	6	1/8 lb.
4771	3/16"	3 1/8"	13/64"	6	1/4 lb.
4772	1/4"	4 3/4"	19/64"	6	1/2 lb.
4773	5/16"	5 5/8"	31/64"	6	1 1/2 lbs.
4774	3/8"	6 5/8"	7/16"	6	1 5/8 lbs.

#### 5 PIECE SET



A set of 5 Indestro Super double end offset screw drivers to service screws in hard-to-reach or limited places. Assembled in the popular Klip-Tite holder.

#### CONTENTS

No.	Stock Size
4771A	1/8"
4771	3/16"
4772	1/4"
4773	5/16"
4774	3/8"

#### NO. 4770-5K 5 PC. SET OFFSET SCREW DRIVERS

STD. PKG. 1. PKG. WT. 3/4 LB.

#### SPARK TESTING SCREW DRIVERS



Mechanics, and car owners, double duty screw drivers especially designed for testing spark plugs as well as for use as a conventional screw driver. Also used by technicians and servicemen for testing high voltage circuits in X-ray, radio, television and similar work. The transparent amber handle magnifies a neon tube inside which flashes when screw driver blade is applied to spark plug, secondary ignition circuit or high tension wiring. The brilliancy and frequency of the flash indicates the condition of parts being tested. Blades are forged from chrome alloy steel, scientifically heat treated, fully polished and chrome plated.

NO. 4692 SPARK TESTING SCREW DRIVER, BLADE 3/16" x 4".  
OVERALL LENGTH 7 3/4".

STD. PKG. 6. PKG. WT. 3/4 LB.

NO. 4691 SPARK TESTING SCREW DRIVER (POCKET SIZE WITH CLIP) BLADE 1/8" x 2 1/4". OVERALL LENGTH 5".

STD. PKG. 6. PKG. WT. 1/4 LB.



CHROME ALLOY STEEL

PHILLIPS TYPE SCREW DRIVERS



Point Size	Fits Phillips Screw Size
1	2 to 5 inclusive
2	5 to 10 inclusive
3	10 to 16 inclusive
4	18 and larger

Phillips screws are used widely on cars, trucks, buses, furniture, fixtures, storm windows, doors, office and industrial equipment and a great many other places.

Indestro-Super Phillips type screw drivers are built to a high standard of quality at especially attractive prices.

The blades are precision milled for a perfect screw fit and are fully polished and chrome plated.

Indestro-Super Phillips type screw drivers are offered in either amber plastic handles that are break-proof and shock-proof or hard wood handles with brightly plated extra strong ferrules.

PLASTIC HANDLES



No.	Point Size	Blade Length	Overall Length	Std. Pkg.	Pkg. Wt.
4681	1	3"	6"	6	1/2 lb.
4682	2	4"	7 3/4"	6	1 lb.
4683	3	6"	10"	4	1 1/2 lbs.
4684	4	8"	12 3/8"	2	1 1/8 lbs.

STUBBY TYPE

4688	1	1 1/4"	3"	6	1/2 lb.
4689	2	1 1/2"	3 5/16"	6	5/8 lb.

WOOD HANDLES



No.	Point Size	Blade Length	Overall Length	Std. Pkg.	Pkg. Wt.
4661	1	3"	6 7/8"	6	5/8 lb.
4662	2	4"	9 1/4"	6	1 1/4 lbs.
4663	3	6"	12"	4	1 1/2 lbs.
4664	4	8"	14 1/2"	2	1 1/8 lbs.

STUBBY TYPE


4668	1	1 1/4"	3 5/8"	6	1/2 lb.
4669	2	1 1/2"	3 7/8"	6	5/8 lb.

DOUBLE OFFSET TYPE



No.	Point Size	Length	Std. Pkg.	Pkg. Wt.
4656-12	1 and 2	4 3/4"	6	1/2 lb.
4656-23	2 and 3	5 3/8"	6	5/8 lb.
4656-34	3 and 4	6 1/4"	4	1 lb.

CLUTCH HEAD SCREW DRIVERS



Clutch head screws are now widely used on automobiles, trucks, refrigerators, radios and a variety of other products. In addition to being self centering and non-marring, this design is most popular for service work, driving both old and new style clutch head screws. Blade of Chrome alloy steel for extra strength, Chrome plated and polished.

PLASTIC HANDLES



No.	Size	Blade Length	Overall Length	Std. Pkg.	Pkg. Wt.
4640	5/32"	4"	7"	6	1/2 lb.
4641	3/16"	4"	7 1/2"	6	5/8 lb.
4642	1/4"	6"	10"	6	2 lbs.
4643	5/16"	6"	10 3/8"	2	1 lb.
4644	3/8"	6"	10 3/8"	2	1 1/8 lbs.

STUBBY TYPE

4649	5/32"	1 1/2"	3 1/4"	6	1/2 lb.
------	-------	--------	--------	---	---------

WOOD HANDLES



No.	Size	Blade Length	Overall Length	Std. Pkg.	Pkg. Wt.
4630	5/32"	4"	7 13/16"	6	1 lb.
4631	3/16"	4"	8 5/8"	6	1 lb.
4632	1/4"	6"	11 1/16"	6	1 3/4 lbs.
4633	5/16"	6"	12"	2	5/8 lb.
4634	3/8"	6"	12 5/8"	2	1 lb.

STUBBY TYPE


4639	5/32"	1 1/2"	3 7/8"	6	3/4 lb.
------	-------	--------	--------	---	---------



## CHROME ALLOY STEEL

The MIDGET Small and MIDGET Medium screw-drivers are real tools constructed to the same rigid specifications as the larger Indestro Super screw drivers. Handles are of tough Tenite II. Alloy steel blades are scientifically hardened and plated.

## MIDGET Small SCREW DRIVERS




OVERALL LENGTH  
2 3/4"  
BLADE LENGTH  
1 1/8"  
TIP WIDTH  
5/64"

NO. 138DM MERCHANTISER WITH 48 NO. 138 SCREWDRIVERS  
STD. PKG. 1. PKG. WT. 1/2 LB.

NO. 138 SCREWDRIVER—INDIVIDUAL  
STD. PKG. 24. PKG. WT. 1/8 LB.

## MIDGET Medium SCREW DRIVERS



OVERALL LENGTH  
3 1/8"  
BLADE LENGTH  
1 11/16"  
TIP WIDTH  
7/64"

NO. 139DM MERCHANTISER WITH 48 NO. 139 SCREWDRIVERS  
STD. PKG. 1. PKG. WT. 3/4 LB.

NO. 139 SCREWDRIVER—INDIVIDUAL (With Pocket Clip)  
STD. PKG. 24. PKG. WT. 3/8 LB.

## Treasure Kit

## 3 SIZES OF MIDGET SCREW DRIVERS



SIZE  
4 1/2" x 1 1/2"

OPEN  
VIEW



The Indestro Treasure Kit contains 3 sizes of midget screwdrivers. The screwdrivers are quality built with comfortable Tenite II handles. Blades are extra strong, scientifically hardened and fully plated.

The Treasure Kit is of durable plastic with individual pockets for each screwdriver.

The screwdrivers are graduated in sizes small—medium—regular for use on eye glasses, fishing tackle, lighters, cameras, sewing machines, clocks, radios, television, and instruments. Merchandiser card size 17 5/8" x 12 1/8".

NO. 135DM TREASURE KIT MERCHANTISER WITH 20 NO.

135TK SETS.

STD. PKG. 1. PKG. WT. 1 1/2 LBS.

NO. 135TK TREASURE KIT OF 3 SCREWDRIVERS


STD. PKG. 6. PKG. WT. 1/2 LB.

See Pages 76 and 82 for additional screwdriver displays.

## POCKET SCREW DRIVERS



OVERALL LENGTH 4 1/16"  
BLADE LENGTH 2"  
TIP WIDTH 9/64"



This colorful merchandiser contains 12 pocket clip screw drivers. In the workshop, household, or car there is hardly a tool that compares in popularity with the pocket size screw driver. Millions are sold annually. Tenite II plastic handle is both shock proof and break proof, complete with clip. Blade is alloy steel completely plated.

No other screw driver will substitute for those small screws around ignition systems, radios, television, lamp sockets, sewing machines, etc.

NO. 136-C12 POCKET SCREW DRIVER MERCHANTISER

STD. PKG. 1. PKG. WT. 1/2 LB.

NO. 136 POCKET SCREW DRIVER

STD. PKG. 12. PKG. WT. 3/8 LB.



## CHROME ALLOY STEEL

All the things mechanics look for are embodied in the complete line of Indestro Super punches and chisels.

**DURABILITY**—Forged of hexagon shaped alloy steel and scientific heat treatment imparts the right amount of hardness and toughness. Tips and cutting edges are hard enough to retain their shape or cutting edge. The body and head are softer to withstand hammer blows without chipping.

### Flat Cold Chisels



INDESTRO SUPER

Correctly beveled edges for fast cutting and long life.

No.	Width Bit	Length	Size Stock	Std. Pkg.	Pkg. Wt.
1900	$\frac{3}{8}''$	5"	$\frac{5}{16}''$	6	$\frac{1}{2}$ lb.
1901	$\frac{1}{2}''$	$5\frac{1}{4}''$	$\frac{3}{8}''$	6	1 lb.
1902	$\frac{5}{8}''$	6"	$\frac{1}{2}''$	6	$2\frac{1}{8}$ lbs.
1903	$\frac{3}{4}''$	7"	$\frac{5}{8}''$	6	$3\frac{1}{4}$ lbs.
1904	$\frac{7}{8}''$	8"	$\frac{3}{4}''$	6	$5\frac{3}{4}$ lbs.
1905	1"	9"	$\frac{7}{8}''$	6	$8\frac{3}{8}$ lbs.

### Cape Chisels



INDESTRO SUPER

Shank is narrower than cutting edge for use in keyways.

1910	$\frac{7}{32}''$	5"	$\frac{5}{16}''$	6	$\frac{1}{2}$ lb.
1911	$\frac{5}{16}''$	6"	$\frac{3}{8}''$	6	1 lb.
1912	$\frac{3}{8}''$	6"	$\frac{1}{2}''$	6	$1\frac{1}{8}$ lbs.

### Gouge Chisels



INDESTRO SUPER

For grooving and filleting work.

1920	$\frac{7}{32}''$	5"	$\frac{5}{16}''$	6	$\frac{1}{2}$ lb.
1921	$\frac{1}{4}''$	6"	$\frac{3}{8}''$	6	1 lb.

### Diamond Point Chisels



INDESTRO SUPER

For cutting sharp V grooves or square corners.

1930	$\frac{5}{64}''$	5"	$\frac{5}{16}''$	6	$\frac{1}{2}$ lb.
1931	$\frac{1}{8}''$	6"	$\frac{3}{8}''$	6	1 lb.

### Pin Punches



INDESTRO SUPER

Made with straight shank to finish driving pin or rivet out of a hole.

1940	$\frac{3}{32}''$	$4\frac{1}{2}''$	$\frac{5}{16}''$	6	$\frac{1}{2}$ lb.
1941	$\frac{1}{2}''$	$4\frac{1}{2}''$	$\frac{5}{16}''$	6	$\frac{1}{2}$ lb.
1942	$\frac{5}{32}''$	$4\frac{1}{2}''$	$\frac{5}{16}''$	6	$\frac{1}{2}$ lb.
1943	$\frac{7}{32}''$	6"	$\frac{5}{16}''$	6	$\frac{3}{4}$ lb.
1944	$\frac{3}{16}''$	$6\frac{1}{2}''$	$\frac{3}{8}''$	6	1 lb.
1945	$\frac{7}{32}''$	$6\frac{7}{8}''$	$\frac{3}{8}''$	6	1 lb.
1946	$\frac{1}{4}''$	$7\frac{1}{4}''$	$\frac{3}{8}''$	6	$1\frac{1}{8}$ lbs.
1947	$\frac{5}{16}''$	$7\frac{5}{8}''$	$\frac{1}{2}''$	6	$2\frac{1}{8}$ lbs.

### Solid or Long Taper Punches



INDESTRO SUPER

Always use this type of punch to start driving a pin or rivet out of a hole.

No.	Width Bit	Length	Size Stock	Std. Pkg.	Pkg. Wt.
1950	$\frac{3}{32}''$	$4\frac{1}{2}''$	$\frac{5}{16}''$	6	$\frac{1}{2}$ lb.
1951	$\frac{1}{2}''$	$6\frac{1}{2}''$	$\frac{5}{16}''$	6	$\frac{3}{4}$ lb.
1952	$\frac{5}{32}''$	7"	$\frac{3}{8}''$	6	1 lb.
1953	$\frac{7}{32}''$	$7\frac{1}{2}''$	$\frac{1}{2}''$	6	$1\frac{3}{4}$ lbs.
1954	$\frac{1}{4}''$	8"	$\frac{5}{8}''$	6	$3\frac{1}{4}$ lbs.
1955	$\frac{9}{32}''$	11"	$\frac{5}{8}''$	6	$5\frac{1}{4}$ lbs.

### Center Punches



INDESTRO SUPER

Used to locate hole for drilling. Makes a small 60° punch mark.

1970	.....	4"	$\frac{5}{16}''$	6	$\frac{1}{2}$ lb.
1971	.....	5"	$\frac{3}{8}''$	6	$\frac{3}{4}$ lb.

### Long Drift Punches



INDESTRO SUPER

Used to line up two or more pieces before applying bolt, key or rivet.

1990	$\frac{1}{4}''$	16"	$\frac{5}{8}''$	6	$7\frac{3}{4}$ lbs.
1991	$\frac{7}{32}''$	14"	$\frac{1}{2}''$	6	$4\frac{3}{8}$ lbs.
1992	$\frac{3}{16}''$	12"	$\frac{3}{8}''$	6	$2\frac{1}{4}$ lbs.

### Jimmy Pry Bars



INDESTRO SUPER

One end has aligning point, the other a curved chisel face.

1980	$1\frac{1}{16}''$	12"	$\frac{1}{2}''$	6	$3\frac{1}{2}$ lbs.
1981	$1\frac{1}{8}''$	16"	$\frac{5}{8}''$	6	$7\frac{1}{4}$ lbs.
1982	$1\frac{1}{8}''$	20"	$\frac{3}{4}''$	6	$13\frac{1}{4}$ lbs.

### Close Quarter Pry Bar



INDESTRO SUPER

Will give needed prying action on gears, bushings, bearing seals, etc. in close quarters.


1988	$\frac{5}{8}''$	15"	$\frac{1}{2}''$	6	5 lbs.
------	-----------------	-----	-----------------	---	--------




## CHROME ALLOY STEEL

A most complete set of punches and chisels for the professional mechanic. Contains the most used sizes of each style of punch and chisel.

### 15 Piece Set



### 5 Piece Set



A primary punch set with a popular size cold chisel in durable plastic kit.

### CONTENTS

No. 1900	3/8" Cold Chisel
No. 1940	5/32" Pin Punch
No. 1941	1/2" Pin Punch
No. 1950	3/32" Taper Punch
No. 1970	5/16" Center Punch

NO. 19002 5 PC. PUNCH AND CHISEL SET  
STD. PKG. 1. PKG. WT. 3/4 LB.

NO. K26 KIT ONLY

### SCREW EXTRACTORS



Forged chrome alloy steel screw extractors, scientifically heat treated and brightly chrome plated. To remove broken threaded studs or screws, drill a hole in the part to be extracted in accordance with table below. Insert proper size extractor and remove broken part by turning counter-clockwise.

Part No.	Point Size	Shank Size	For Bolt Size	Use Drill Size	Std. Pkg.	Std. Wt.
1391	1/8"	1/4"	7/32"- 1/4"	5/32"	6	1/4 lb.
1392	3/16"	5/16"	5/16"- 3/8"	7/32"	6	3/8 lb.
1393	1/4"	3/8"	7/16"- 9/16"	9/32"	6	5/8 lb.
1394	3/8"	1/2"	5/8"- 7/8"	13/32"	6	1 1/8 lbs.
1395	7/16"	1/2"	7/8"- 1 1/8"	15/32"	6	1 1/4 lbs.
1396	1/2"	1/2"	1 1/8"- 1 3/8"	17/32"	6	1 1/4 lbs.

### CONTENTS

#### COLD CHISELS

No. 1900 3/8"

No. 1901 1/2"

No. 1902 5/8"

#### GOUGE CHISEL

No. 1921 1/4"

#### CAPE CHISELS

No. 1910 7/32"

No. 1912 3/8"

#### DIAMOND PT. CHISEL

No. 1931 1/8"

#### TAPER PUNCHES

No. 1950 3/32"

No. 1952 3/16"

No. 1953 7/32"

#### PIN PUNCHES

No. 1943 5/32"

No. 1944 3/16"

No. 1945 7/32"

No. 1946 1/4"

#### CENTER PUNCH


No. 1971 3/8"

### NO. 19001 15 PIECE PUNCH AND CHISEL SET

STD. PKG. 1. PKG. WT. 3 LBS.

### NO. K28 KIT ONLY

### 5 Piece Set



Five sizes of chisels are offered in this set. Have the right size for every job. In heavy gauge plastic kit.

### CONTENTS

No. 1901 1/2" Cold Chisel

No. 1902 5/8" Cold Chisel

No. 1903 3/4" Cold Chisel

No. 1904 7/8" Cold Chisel


No. 1905 1" Cold Chisel

### NO. 19005 5 PC. CHISEL SET

STD. PKG. 1. PKG. WT. 3 1/2 LBS.

### NO. K27 KIT ONLY

### 4 AND 6 PIECE SETS



Four and six piece screw extractor sets in durable, eye appealing plastic rolls with individual pockets. Screw extractors are forged of chrome alloy steel, heat treated and finished in a bright chrome plate.

NO. 1398 SET OF 4 EXTRACTORS (1391 to 1394) IN PLASTIC ROLL STD. PKG. 1. PKG. WT. 1/2 LB.

NO. K29 KIT ONLY

NO. 1399 SET OF 6 EXTRACTORS (1391 to 1396) IN PLASTIC ROLL STD. PKG. 1. PKG. WT. 1 LB.

NO. K30 KIT ONLY



## SELECT STEEL

## SQUARE STOCK

Indestro Super square stock punches and chisels are designed to meet the increasing popular demand for a top line from the Hardware, Variety and Chain store fields.

**QUALITY**—Forged from special analysis square stock steel. Controlled heat treating imparts exact degree of hardness desired for cutting edges—leaves body and head softer to avoid chipping.

**DESIGN**—Meets professional standards for length, size and balance.

**APPEARANCE**—Body in satin finish—tips and blades fully polished—completely chrome plated for lasting protection and beauty.

### COLD CHISELS



Correctly beveled edges for fast cutting and long life.

No.	Bit Width	Length	Stock Size	Std. Pkg.	Std. Wt.
1861	$\frac{1}{2}''$	6"	$\frac{3}{8}''$	6	$1\frac{1}{8}$ lbs.
1861A	$\frac{9}{16}''$	$5\frac{1}{2}''$	$\frac{3}{8}''$	6	$1\frac{1}{8}$ lbs.
1862	$\frac{5}{8}''$	$6\frac{1}{2}''$	$\frac{1}{2}''$	6	$2\frac{3}{8}$ lbs.
1863	$\frac{3}{4}''$	7"	$19\frac{1}{32}''$	6	$3\frac{1}{2}$ lbs.

### PIN PUNCHES



Has straight shank to finish driving pin or rivet out of a hole.

No.	Bit Width	Length	Stock Size	Std. Pkg.	Pkg. Wt.
1841	$\frac{1}{8}''$	$5\frac{1}{2}''$	$\frac{3}{8}''$	6	$\frac{3}{4}$ lb.
1842	$\frac{5}{32}''$	$5\frac{3}{4}''$	$\frac{3}{8}''$	6	1 lb.
1844	$\frac{3}{16}''$	6"	$\frac{3}{8}''$	6	1 lb.
1846	$\frac{1}{4}''$	$6\frac{3}{4}''$	$\frac{1}{2}''$	6	2 lbs.

### SOLID OR LONG TAPER PUNCH



Use this type of punch to start driving a pin or rivet out of a hole.

No.	Bit Width	Length	Stock Size	Std. Pkg.	Pkg. Wt.
1850	$\frac{3}{32}''$	$4\frac{1}{2}''$	$\frac{3}{8}''$	6	$\frac{3}{4}$ lb.
1851	$\frac{1}{8}''$	$4\frac{3}{4}''$	$\frac{3}{8}''$	6	$\frac{3}{4}$ lb.
1852A	$\frac{9}{32}''$	$5\frac{5}{16}''$	$\frac{3}{8}''$	6	1 lb.
1852	$\frac{3}{16}''$	$5\frac{1}{2}''$	$\frac{3}{8}''$	6	1 lb.
1853	$\frac{7}{32}''$	$4\frac{3}{4}''$	$\frac{3}{8}''$	6	$\frac{7}{8}$ lb.
1854	$\frac{1}{4}''$	6"	$\frac{1}{2}''$	6	$1\frac{1}{8}$ lbs.
1880	$\frac{3}{16}''$	$8\frac{7}{8}''$	$\frac{1}{2}''$	6	$2\frac{1}{2}$ lbs.
1882	$\frac{1}{4}''$	$12\frac{1}{16}''$	$19\frac{1}{32}''$	6	$5\frac{1}{4}$ lbs.

### CENTER PUNCH



Used to locate hole for drilling. Makes small 90° punch mark.

No.	Bit Width	Length	Stock Size	Std. Pkg.	Pkg. Wt.
1871	—	5"	$\frac{3}{8}''$	6	$\frac{7}{8}$ lb.
1872	—	6"	$\frac{1}{2}''$	6	$1\frac{1}{8}$ lbs.


### PUNCH AND CHISEL SETS

#### 4 PIECE LARGE SET

##### Polished Blades

##### Chrome Plated

##### Vinyl Plastic Kits



Every Hardware, Chain and Variety store should stock these companion sellers to the "Klip-Tite" punch and chisel sets. The attractive and colorful Vinyl plastic containers—red and blue—fulfill modern merchandising demands for tool displays to "sell themselves". Each set is imprinted with Self-Selling information.

### CONTENTS

No. 1862	$\frac{5}{8}''$ Cold Chisel
No. 1844	$\frac{3}{16}''$ Pin Punch
No. 1871	$\frac{3}{8}''$ Center Punch
No. 1851	$\frac{1}{4}''$ Taper Punch

### NO. 18025 PUNCH AND CHISEL SET

STD. PKG. 6. PKG. WT.  $5\frac{3}{8}$  LBS.

#### 4 PIECE SMALL SET



### CONTENTS

No. 1861	$\frac{1}{2}''$ Cold Chisel
No. 1844	$\frac{3}{16}''$ Pin Punch
No. 1871	$\frac{3}{8}''$ Center Punch
No. 1851	$\frac{1}{4}''$ Taper Punch

### NO. 18035 PUNCH AND CHISEL SET

STD. PKG. 6. PKG. WT.  $4\frac{1}{8}$  LBS.

## SELECT STEEL




## SQUARE STOCK

## "KLIP-TITE" SETS

Colorful in their unique "Klips", these sets are designed for modern merchandising methods. Each set is a "demand" seller for the Hardware, Chain and Variety Store. Careful proportioning and balancing assures only the most popular numbers in correct related sizes.

Indestro Super quality insures scientific heat treating for perfect hardness in the cutting edge—ideal striking end hardness to avoid chipping. Tips and blades fully polished. Body in satin finish. Completely chrome plated.



## 5 PIECE LARGE SET

## CONTENTS

No. 1851	1/8" Taper Punch
No. 1854	1/4" Taper Punch
No. 1861	1/2" Cold Chisel
No. 1862	5/8" Cold Chisel
No. 1871	3/8" Center Punch

**NO. 18001 5 PC. PUNCH AND CHISEL SET**  
STD. PKG. 6. PKG. WT. 7 1/2 LBS.

**No. 18011** Same as above, except unpolished.  
STD. PKG. 6. PKG. WT. 7 5/8 LBS.

## 5 PIECE LARGE SET

## CONTENTS

No. 1841	1/8" Pin Punch
No. 1851	1/8" Taper Punch
No. 1854	1/4" Taper Punch
No. 1862	5/8" Cold Chisel
No. 1871	3/8" Center Punch



**NO. 18003 5 PC. PUNCH AND CHISEL SET**  
STD. PKG. 6. PKG. WT. 6 3/4 LBS.

**No. 18013** Same as above, except unpolished.  
STD. PKG. 6. PKG. WT. 7 1/4 LBS.

## 4 PIECE LARGE SET


## CONTENTS

No. 1844	3/16" Pin Punch
No. 1851	1/8" Taper Punch
No. 1862	5/8" Cold Chisel
No. 1871	3/8" Center Punch



**NO. 18005 4 PC. PUNCH AND CHISEL SET**  
STD. PKG. 6. PKG. WT. 5 LBS.

**No. 18015** Same as above, except unpolished.  
STD. PKG. 6. PKG. WT. 5 3/8 LBS.



## 5 PIECE SMALL SET

## CONTENTS

No. 1851	1/8" Taper Punch
No. 1853	7/32" Taper Punch
No. 1861	1/2" Cold Chisel
No. 1861A	9/16" Cold Chisel
No. 1871	3/8" Center Punch

## NO. 18002 5 PC. PUNCH AND CHISEL SET


STD. PKG. 6. PKG. WT. 5 1/4 LBS.

**No. 18012** Same as above, except unpolished.  
STD. PKG. 6. PKG. WT. 5 3/8 LBS.

## 5 PIECE SMALL SET

## CONTENTS

No. 1841	1/8" Pin Punch
No. 1851	1/8" Taper Punch
No. 1853	7/32" Taper Punch
No. 1861	1/2" Cold Chisel
No. 1871	3/8" Center Punch



## NO. 18004 5 PC. PUNCH AND CHISEL SET

STD. PKG. 6. PKG. WT. 4 3/8 LBS.

**No. 18014** Same as above, except unpolished.  
STD. PKG. 6. PKG. WT. 5 LBS.



## 4 PIECE SMALL SET

## CONTENTS

No. 1844	3/16" Pin Punch
No. 1851	1/8" Taper Punch
No. 1861	1/2" Cold Chisel
No. 1871	3/8" Center Punch

## NO. 18006 4 PC. PUNCH AND CHISEL SET

STD. PKG. 6. PKG. WT. 4 LBS.

**No. 18016** Same as above, except unpolished.  
STD. PKG. 6. PKG. WT. 4 1/8 LBS.



## SLIP JOINT PLIERS



Federal Spec: GGG-P-471a, Type F, Class 1, Style 1

A general purpose plier of professional quality. Attractively priced. Hand finished from special steel with a high lustre, nickel finish. Has wire cutter and 2 position knurled handles for a comfortable non-slip grip.

**NO. 2096A 6" SLIP JOINT PLIER**

STD. PKG. 6. PKG. WT. 2 $\frac{1}{8}$  LBS.

**NO. 2097A 8" SLIP JOINT PLIER**

STD. PKG. 6. PKG. WT. 3 $\frac{1}{4}$  LBS.

**NO. 2098A 10" SLIP JOINT PLIER**

STD. PKG. 6. PKG. WT. 5 $\frac{1}{2}$  LBS.

A sturdy utility tool to fulfill the ever increasing demand for an economically priced guaranteed all purpose plier. Drop forged from high grade tool steel, with 2 position knurled handles and wire cutter. Nickel plated satin finish.

**NO. 3435 5" UTILITY PLIER**

STD. PKG. 12. PKG. WT. 2 $\frac{3}{4}$  LBS.

**NO. 3436 6" UTILITY PLIER**

STD. PKG. 12. PKG. WT. 5 $\frac{1}{4}$  LBS.

**NO. 3438 8" UTILITY PLIER**

STD. PKG. 12. PKG. WT. 6 $\frac{1}{8}$  LBS.

## LONG NOSE SIDE CUTTING PLIER



Federal Spec: GGG-P-471a, Type P

The long thin jaws make this plier popular with mechanics, electricians and especially radio and television workers. Strong accurately matched cutting edges. Jaws are cross grooved for holding power. Forged alloy steel, natural black handles with polished head. Length 6".

**NO. 2111 LONG NOSE CUTTING PLIER**

STD. PKG. 1. PKG. WT.  $\frac{1}{4}$  LB.

## DIAGONAL CUTTING PLIER



Federal Spec: GGG-P-471a, Type H, Class 1, Style 2

Accurately forged, tempered and ground cutting edges assure long, satisfactory service. Alloy steel, comfortable handles in natural black, with polished heads. Length 6".

**NO. 2106 6" CUTTING PLIER**

STD. PKG. 1. PKG. WT.  $\frac{1}{4}$  LB.

## HEAVY DUTY CUTTING PLIER




Federal Spec: GGG-P-471a, Type H, Class 1, Style 2

Of heavier construction, with cutting edges tempered to cut piano wire, making it popular with mechanics working on manual control wires. Forged alloy steel. Polished head and natural black handles. Length 7 $\frac{1}{4}$ ".

**NO. 2107 HEAVY DUTY CUTTING PLIER**

STD. PKG. 1. PKG. WT.  $\frac{1}{2}$  LB.

## RIB JOINT IGNITION PLIER




Federal Spec: GGG-P-471a, Type E, Class 1

Featuring the forged rib groove design, this plier has four opening positions. Alloy steel. Length 5".

**NO. 3421 RIB JOINT IGNITION PLIER**

STD. PKG. 1. PKG. WT.  $\frac{1}{4}$  LB.

## RIB JOINT UTILITY PLIER




Federal Spec: GGG-P-471a, Type E, Class 1

A new rugged alloy steel plier. Five positions or grooves provide a wide range of holding and turning operations. Forged rib joint design prohibits slippage under pressure. Length 10".

**NO. 3422 RIB JOINT PLIER**

STD. PKG. 1. PKG. WT.  $\frac{3}{4}$  LB.

## LINEMAN'S SIDE CUTTING PLIER



Federal Spec: GGG-P-00471b, Type IX, Class 1, Style A

A heavy duty alloy steel plier used primarily in electrical maintenance and wiring. Strong perfectly matched cutting edges. Natural black handles with polished head. Length 8".



**NO. 2124 8" LINEMAN'S PLIER**

STD. PKG. 1. PKG. WT.  $\frac{7}{8}$  LB.



PLIERS

BRAKE SPRING PLIERS




Makes an easy job of removing and applying brake springs. Pointed jaw holds in lined shoe while hook draws spring into position. End of one handle has cam which releases spring from anchor post with a simple turning motion. Other handle for replacing springs, is grooved to slip spring over anchor post.

Forged alloy steel. Sturdily built to handle the strongest springs. Brightly chrome plated.

NO. 3427 8 1/2" BRAKE SPRING PLIER  
STD. PKG. 3. PKG. WT. 1 1/4 LBS.

NO. 3428 13 1/2" BRAKE SPRING PLIER  
STD. PKG. 3. PKG. WT. 3 LBS.


GRIP ALL WRENCH



The one ton test grip of this all purpose wrench can be released with a flick of the finger (note trigger release). Made of alloy steel with heat treated jaws. Securely holds work up to 1 1/4". Length 10".

NO. 3433 GRIP ALL WRENCH  
STD. PKG. 1. PKG. WT. 1 1/4 LBS.

BATTERY PLIERS





Federal Spec: GGG-P-471a, Type D

A select steel forged battery plier that meets the demand for a popular priced plier. Teeth are broached clean with sufficient depth for good gripping power on corroded or undersized battery terminal nuts. Chrome plated. Length 8".

NO. 3416 BATTERY PLIER  
STD. PKG. 6. PKG. WT. 2 1/4 LBS.

WATER PUMP PLIERS



Federal Spec: GGG-P-471a, Type E, Class 2


A quality chrome alloy steel forged plier that every mechanic will cherish for all around utility. Water pump pattern with 8 adjustments from closed position to opening of 1 5/8". Narrow jaws with comfortable but powerful gripping handles. Polished and richly chrome plated. Length 9 1/4".

NO. 3400 WATER PUMP PLIER  
STD. PKG. 6. PKG. WT. 3 1/4 LBS.

A select steel forged plier recognized as the highest standard for dependability and superior value. Narrow jaws with 8 positions from closed to opening of 1 5/8". Extra comfortable handles with outstanding gripping power. Highly polished heads and richly chrome plated. Length 9 1/4".

NO. 3403 WATER PUMP PLIER  
STD. PKG. 6. PKG. WT. 3 LBS.

IGNITION TYPE PLIER



Federal Spec: GGG-P-471a, Type E, Class 2

A quality forged chrome alloy steel ignition type plier that is the handiest and strongest made. For fine precision work. Opening to 9/16" from closed position in 4 adjustments. Beautifully polished and chrome plated. Length 5".

NO. 3410 IGNITION TYPE PLIER  
STD. PKG. 6. PKG. WT. 1/2 LB.



MIDGET UTILITY PLIER

A heavy gauge chrome alloy steel plier for use on ignition, radio, television, refrigerators, sewing machines and any other work in hard-to-reach places requiring the use of a small plier.

4 adjustments, opening up to 9/16" from a completely closed position. Brightly plated. Each plier already mounted on colored card for display and sale.

NO. 3411 MIDGET UTILITY PLIER  
STD. PKG. 6. PKG. WT. 3/4 LB.



## TINNERS SNIPS

### STRAIGHT PATTERN



### CIRCLE PATTERN



Performance is what counts with mechanics who use tin snips. The Indestro series listed here are noted for their thinner cutting edges and handle design that permit smooth clean cuts with strong handle leverage. The CIRCLE PATTERN is designed for the professional mechanic for work on intricate patterns and for either a straight cut or cutting right or left hand corners in a small radius. The STRAIGHT PATTERN is budget priced and is highly efficient for straight cutting. Forged special analysis steel, heat treated for long continuous usage. Fully polished jaws with handles in a bright red.

No.	Length	Cutting Edge	Std. Pkg.	Pkg. Wt.
5407	7"	2"	1	1/2 lb.
5410	10"	2 3/4"	1	1 lb.
5412	12 3/4"	3"	1	1 1/2 lbs.


No.	Length	Cutting Edge	Std. Pkg.	Pkg. Wt.
5507	7"	1 1/2"	1	1/2 lb.
5510	10"	2 3/4"	1	1 lb.
5512	12 3/4"	3"	1	1 1/2 lbs.

### POWER CUT SNIPS

#### CUTS LEFT



NO. 5401



NO. 5403—CUTS STRAIGHT

Provides effortless cutting power up to 18 gauge. Blades feature 52 serrations to the inch and are curved to divert the sheared metal. Drop forged.


#### CUTS RIGHT



NO. 5402

No.	Size	Length of Cut	Std. Pkg.	Pkg. Wt.
5401—Cuts Left	10"	1 3/8"	1	1 lb.
5402—Cuts Right	10"	1 3/8"	1	1 lb.
5403—Cuts Straight	10"	1 1/2"	1	1 lb.

### ALL METAL HACKSAW




Rugged all metal frame with knurled metal pistol grip. Adjustable from 8" to 12". Depth of cut 3". This type is especially adaptable to hard service conditions. Brightly plated. Complete with blade.

NO. 9031 ALL METAL HACKSAW

STD. PKG. 1. PKG. WT. 1 1/2 LBS.

### DELUXE HACKSAW



This rigid frame hack saw will furnish a lifetime of service. Note these outstanding features:

1. CHROME PLATED highly polished  $\frac{5}{8}$  inch steel tube
2. UNBREAKABLE die cast comfortable grip handle
3. ADJUSTABLE for 10 inch and 12 inch blades
4. GREASE PROOF, CHIP RESISTANT baked enamel finish on handle
5. Blade can be set to VERTICAL or HORIZONTAL positions.

NO. 9035 DELUXE HACKSAW

STD. PKG. 1. PKG. WT. 1 1/2 LBS.

### Hacksaw Blades

High quality hacksaw blades for all around general purpose work. Have 24 teeth per inch. Length 10".

NO. 9012 PACKAGE 1 DOZEN HACKSAW BLADES

STD. PKG. 1. PKG. WT. 1/2 LB.



HAMMERS


## BALL PEIN HAMMERS

Indestro Super Quality machinist forged ball pein hammers are of the highest quality in material and workmanship. Sell them with the full assurance of complete customer satisfaction. Enjoy steady sales by offering the complete line of popular weights listed below.

Heads are forged of special analysis steel, heat treated and tempered for long life. The balanced heads are smooth and finished in black oxidize, with faces highly polished. Selected first quality hickory handles formed for maximum comfort.

### BALL PEIN HAMMERS


No.	Weight	Length	Std. Pkg.	Pkg. Wt.
980-2	2 oz.	9 $\frac{1}{2}$ "	3	$\frac{3}{4}$ lb.
980-4	4 oz.	10 $\frac{1}{2}$ "	3	1 lb.
980-8	8 oz.	11 $\frac{3}{8}$ "	6	4 lbs.
980-12	12 oz.	13 $\frac{1}{8}$ "	3	3 lbs.
980-16	16 oz.	14 $\frac{3}{8}$ "	6	7 $\frac{3}{4}$ lbs.
980-20	20 oz.	15"	3	4 $\frac{1}{2}$ lbs.
980-24	24 oz.	15"	3	5 $\frac{1}{2}$ lbs.
980-32	32 oz.	16 $\frac{1}{8}$ "	3	7 lbs.



### HANDLES FOR BALL PEIN HAMMERS

No.	Length	Std. Pkg.	Pkg. Wt.
980-2H	9 $\frac{1}{2}$ "	6	$\frac{1}{2}$ lb.
980-4H	10 $\frac{1}{2}$ "	6	$\frac{3}{4}$ lb.
980-8H	11 $\frac{3}{8}$ "	6	1 lb.
980-12H	13 $\frac{1}{8}$ "	6	1 $\frac{1}{4}$ lbs.
980-16H	14 $\frac{3}{8}$ "	6	1 $\frac{1}{2}$ lbs.
980-20H	15"	6	2 lbs.
980-24H	15"	6	2 lbs.
980-32H	16 $\frac{1}{8}$ "	6	2 $\frac{1}{2}$ lbs.

## CARPENTER HAMMERS




### CURVED CLAW

A general purpose hammer—drop forged with polished face and back of claw. Black baked enamel finish. Double wedged handle.

#### NO. 942 CURVED CLAW HAMMER

STD. PKG. 6 PKG. WT. 9 $\frac{1}{4}$  LBS.



### STRAIGHT CLAW

Straight claw type is especially designed for ripping. Permits drawing any size nail without bending or broadening nail hole.


#### NO. 943 STRAIGHT CLAW HAMMER

STD. PKG. 6 PKG. WT. 9 $\frac{1}{4}$  LBS.

#### NO. 943H HANDLE ONLY, FOR ABOVE CLAW HAMMERS

STD. PKG. 6 PKG. WT. 2 LBS.

## PLASTIC HEAD HAMMERS



### PLASTIC HEAD HAMMERS

No.	Weight	Head Face Diameters	Length	Std. Pkg.	Pkg. Wt.
983	9 oz.	1 $\frac{1}{4}$ "	10 $\frac{1}{2}$ "	4	2 $\frac{1}{2}$ lbs.
984	16 oz.	1 $\frac{1}{2}$ "	12"	4	4 lbs.



Two popular weights of hammers with tips of tough clear amber plastic. Strong and perfectly balanced, these hammers deliver a blow without damage to machined parts. No. 983 hammer popular for ignition, distributor, gear, bearing and other work where a light hammer is desirable.

No. 984 hammer particularly useful for fitting piston pins, gears, bearings, etc.

### REPLACEMENT HEADS

#### No.

#### Face Dia.

#### Std. Pkg.

#### Pkg. Wt.

#### No.

#### Face Dia.

#### Std. Pkg.

#### Pkg. Wt.

#### 983A

#### 1 $\frac{1}{4}$ "

#### 6

#### 6

#### 1 lb.

#### 984A

#### 1 $\frac{1}{2}$ "

#### 6

#### 6

#### 1 $\frac{1}{2}$ lbs.

### REPLACEMENT HANDLES

#### No.

#### Lgth.

#### Std. Pkg.

#### Pkg. Wt.

#### 983H

#### 10"

#### 6

#### 1 lb.

#### 984H


#### 12"

#### 6

#### 1 $\frac{1}{2}$ lbs.



## BUMPING HAMMERS




Two bumping hammers similar in construction but different in weight. Weight difference is in thickness of head. Each drop forged head is 4" long and has two faces, one round  $1\frac{1}{4}$ " in diameter the other  $1\frac{1}{4}$ " square. Both faces polished. Sturdy hickory handle.

**NO. 951 BUMPING HAMMER, 10 OZ.**  
STD. PKG. 4. PKG. WT.  $3\frac{1}{4}$  LBS.  
**NO. 950 BUMPING HAMMER, 13 OZ.**  
STD. PKG. 4. PKG. WT. 4 LBS.




Bumping hammer with narrow pein for small dents, beads, mouldings and sharp corners. Drop forged head has polished face  $1\frac{1}{4}$ " diameter. Pein is  $\frac{3}{16}$ " thick and  $\frac{3}{4}$ " wide. Overall length of head 5". Hickory handle. Weight 12 oz.

**NO. 947 NARROW PEIN BUMPING HAMMER**  
STD. PKG. 3. PKG. WT.  $2\frac{1}{2}$  LBS.



Drop forged ding hammer for pounding down ridges, etc. Head 6" long with one face round  $1\frac{1}{4}$ " diameter, the other  $1\frac{1}{8}$ " square. Both faces highly polished. Balanced hickory handle. Weight 13 oz.


**NO. 952 DINGING HAMMER**  
STD. PKG. 4. PKG. WT.  $3\frac{1}{2}$  LBS.



Hammer for ding up low spots in metal finishing. Forged head has one  $1\frac{1}{4}$ " diameter face. Pick end  $5\frac{3}{4}$ " long tapering to  $\frac{1}{32}$ " point. Overall length of head 8". Sturdy hickory handle. Weight 10 oz.

**NO. 946 LONG DIMPLE DINGING HAMMER**  
STD. PKG. 3. PKG. WT.  $2\frac{1}{2}$  LBS.


## DIMPLE DINGING HAMMER



Forged ding hammer for close quarter work. 4" head has one face  $1\frac{1}{4}$ " diameter. Pein  $\frac{5}{8}$ " diameter. Polished faces. Hickory handle. Weight 9 oz.

**NO. 949 DIMPLE DINGING HAMMER**  
STD. PKG. 4. PKG. WT.  $2\frac{1}{2}$  LBS.


## MEDIUM DINGING HAMMER



For ding and driving up low spots. 6" length of forged head allows extra reach where needed. Head face  $1\frac{1}{4}$ " diameter. Pein  $\frac{5}{8}$ " diameter. Hickory handle. Weight 11 oz.

**NO. 948 MEDIUM DINGING HAMMER**  
STD. PKG. 4. PKG. WT. 3 LBS.

## FENDER BUMPING HAMMER



Designed for heavy duty work. Has long reach essential for fender bumping. Polished hammer face is  $1\frac{1}{4}$ " diameter by  $1\frac{1}{8}$ " long. Drop forged head has overall length of  $8\frac{1}{2}$ ". Hickory handle. Weight 2 lbs.

**NO. 953 FENDER BUMPING HAMMER**  
STD. PKG. 4. PKG. WT.  $8\frac{1}{2}$  LBS.

## AUTO BODY PANEL CUTTER



(Patent No. 2,176,626)

A "must" for all sheet metal work with the famous, patented "Curl-Cut" feature—the cut curls away. Easily guided. Turns in short radius. Projection top prevents slipping thru the panel. Offset for ample clearance. Forged from alloy steel. Plated.

**NO. 162 AUTO BODY PANEL CUTTER— $\frac{3}{8}$ " x 10"**  
STD. PKG. 6. PKG. WT.  $2\frac{1}{4}$  LBS.



## TOE DOLLY



NO. 955 TOE DOLLY

STD. PKG. 1. PKG. WT. 2 1/4 LBS.

## UTILITY DOLLY



NO. 956 UTILITY DOLLY

STD. PKG. 1. PKG. WT. 2 1/4 LBS.



## SMALL HAND DOLLY

Very convenient to grip in hand. Has two polished working faces. Good balanced design. Works well on high crowned panels. Weight 1 3/4 lbs.

NO. 957 SMALL HAND DOLLY

STD. PKG. 1. PKG. WT. 1 3/4 LBS.



## LARGE HAND DOLLY

Used on heavy gauge steel and for roughing out panels. Designed for comfortable hand grip. Two working faces fully polished. Weight 2 3/4 lbs.

NO. 958 LARGE HAND DOLLY

STD. PKG. 1. PKG. WT. 2 3/4 LBS.

## BEAD DOLLY



NO. 959 BEAD DOLLY

STD. PKG. 1. PKG. WT. 1 1/4 LBS.


## HEEL DOLLY



NO. 960 HEEL DOLLY

STD. PKG. 1. PKG. WT. 2 1/4 LBS.


## CURVED DOLLY



NO. 964 CURVED DOLLY

STD. PKG. 1. PKG. WT. 2 1/4 LBS.

## STREAMLINED DOLLY




NO. 965

## STREAMLINED DOLLY

STD. PKG. 1. PKG. WT. 2 LBS.


## CURVED FLAT SPOON



NO. 961 CURVED FLAT SPOON


STD. PKG. 1. PKG. WT. 1 1/4 LBS.

## LONG FLAT SPOON



NO. 962 LONG FLAT SPOON

STD. PKG. 1. PKG. WT. 1 LB.




## FENDER SPOON

Short flat type spoon with comfortable balanced handle. Very useful on flanges and corners. Polished working face.

NO. 963 FENDER SPOON

STD. PKG. 1. PKG. WT. 3/4 LB.

## FLANGE TOOL




NO. 976

## FLANGE TOOL

STD. PKG. 1. PKG. WT. 2 1/4 LBS.

## FLEXIBLE FILE AND HOLDER



An essential tool for body repair men. Can be made either concave or convex with simple adjustment. Comfortable form fit handle.

NO. 972

## 14" FLEXIBLE FILE AND HOLDER

STD. PKG. 1. PKG. WT. 2 1/4 LBS.

NO. 972H

## ADJUSTABLE HOLDER ONLY

STD. PKG. 1. PKG. WT. 1 1/8 LBS.

NO. 971F

## 14" FILE ONLY FOR ABOVE

STD. PKG. 6. PKG. WT. 4 1/2 LBS.



## DELUXE BODY AND FENDER SET



Every type of auto body damage can be repaired with the tools included in this set. Forged dinging and bumping hammers and a selection of popular dollies and spoons will save many hours on otherwise difficult jobs. See preceding pages for complete description of tools listed.

## CONTENTS


No.	Description	No.	Description	No.	Description
950	Bumping Hammer	957	Small Hand Dolly	961	Curved Flat Spoon
952	Dinging Hammer	958	Large Hand Dolly	962	Long Flat Spoon
953	Fender Hammer	959	Bead Dolly	963	Fender Spoon
955	Toe Dolly	960	Heel Dolly	972	Flexible File and Holder
956	Utility Dolly	964	Curved Dolly	976	Flange Tool
		965	Streamlined Dolly		

NO. 994A 16 PIECE DELUXE BODY AND FENDER SET COMPLETE IN METAL BOX  
 NO. 995A BODY AND FENDER TOOLS ONLY IN FIBRE BOX  
 NO. 9946 METAL BOX ONLY—19½" x 8¾" x 8½"

STD. PKG. 1. PKG. WT. 41 LBS.  
 STD. PKG. 1. PKG. WT. 30 LBS.  
 STD. PKG. 1. PKG. WT. 12½ LBS.

## 8 PIECE SET

A foundation set for the professional body and fender repair man. Has eight of the most popular hammers, dollies and spoon in a "tote" tray.



## CONTENTS

No.	Description
950	13 oz. Bumping Hammer
952	Dinging Hammer
955	Toe Dolly
956	Utility Dolly
958	Large Hand Dolly
960	Heel Dolly
964	Curved Dolly
961	Curved Flat Spoon

NO. 991 TOTE TRAY FENDER TOOL SET  
 STD. PKG. 1. PKG. WT. 16 LBS.  
 NO. 9909 TOTE TRAY, ONLY  
 STD. PKG. 1. PKG. WT. 2¾ LBS.



## TRUCK RIM WRENCHES



Openings  $\frac{7}{8}$ " and  $1\frac{1}{16}$ " hexagon. Double end truck rim wrench. Fits International, Federal, Mack, Studebaker, Diamond T, and others. Select steel with baked red enamel finish. Length 16".

## NO. 449 DOUBLE END TRUCK RIM WRENCH

STD. PKG. 1. PKG. WT.  $3\frac{3}{4}$  LBS.

## NO. 452

Openings  $\frac{7}{8}$ " hex with  $\frac{5}{8}$ " square on one end and  $1\frac{1}{4}$ " hex on other. Double end truck rim wrench. Fits Chevrolet dual wheels, Mack and many others. Baked red enamel finish. Length 16".

## NO. 452 DOUBLE END TRUCK RIM WRENCH

STD. PKG. 1. PKG. WT.  $4\frac{1}{4}$  LBS.

## NO. 453

Openings  $1\frac{1}{8}$ " hex with  $1\frac{3}{16}$ " square on one end and  $1\frac{1}{2}$ " hex on other. Double end truck rim wrench. Fits Ford dual wheels, Dodge and others. Finished in baked red enamel. Length 16".

## NO. 453 DOUBLE END TRUCK RIM WRENCH

STD. PKG. 1. PKG. WT.  $4\frac{3}{4}$  LBS.

## NO. 457

Openings  $\frac{7}{8}$ " and  $1\frac{15}{16}$ " hexagon. Double end truck rim wrench. Fits Chevrolet trucks 1946 and later.  $\frac{7}{8}$ " opening for light series trucks and  $1\frac{15}{16}$ " opening for heavy series trucks. Baked red enamel finish. Length 16".

## NO. 457 DOUBLE END TRUCK RIM WRENCH

STD. PKG. 1. PKG. WT.  $3\frac{3}{4}$  LBS.

Hexagon cross bar to fit wrenches Nos. 449, 452, 453 and 457. Made of select steel and finished in bright red baked enamel. Length 20".

## NO. 447 CROSS BAR

STD. PKG. 1. PKG. WT.  $2\frac{3}{4}$  LBS.

Opening  $1\frac{15}{16}$ " hexagon. Combination wrench and slide bar. Fits Reo, Federal, G.M.C., and others. Used as cross bar with Nos. 449, 452, 453, 457. Red enamel finish. Length 20".

## NO. 448 COMBINATION HANDLE AND RIM WRENCH

STD. PKG. 1. PKG. WT. 3 LBS.

## NO. 451

Opening  $1\frac{15}{16}$ " hexagon. Combination wrench and slide bar. Fits Fruehauf Trailers and others. Used with Nos. 449, 452, 453, 457 as cross bar. Baked red enamel finish. Length 20"

## NO. 451 COMBINATION HANDLE AND RIM WRENCH

STD. PKG. 1. PKG. WT. 3 LBS.

## TRUCK RIM WRENCH SETS

## Set for Service Stations

One each Nos. 451, 452 and 453. Will fit almost all trucks.

## NO. 450 SERVICE STATION SET

STD. PKG. 1. PKG. WT.  $12\frac{1}{8}$  LBS.

## Set for Chevrolet Trucks

A combination of numbers 447 and 452 giving a Slide Bar as well as a Wrench with openings  $\frac{7}{8}$ " and  $1\frac{1}{4}$ " hexagon together with  $\frac{5}{8}$ " square. For all Chevrolet Dual Wheels.

## NO. 450-C SET FOR CHEVROLET TRUCKS

STD. PKG. 1. PKG. WT.  $7\frac{3}{4}$  LBS.

## Set for Ford Trucks

A combination of numbers 447 and 453 giving a Slide Bar as well as a Wrench with openings  $1\frac{1}{8}$ " and  $1\frac{1}{2}$ " hexagon together with  $1\frac{3}{16}$ " square.

## NO. 450-F SET FOR FORD TRUCKS

STD. PKG. 1. PKG. WT.  $7\frac{1}{2}$  LBS.

## Set for International Trucks

A combination of numbers 447 and 449 giving a Slide Bar as well as a Wrench with openings  $\frac{7}{8}$ " and  $1\frac{1}{16}$ " hexagon.

## NO. 450-IN SET FOR INTERNATIONAL TRUCKS

STD. PKG. 1. PKG. WT.  $6\frac{1}{2}$  LBS.

## TRUCK CROSS RIM WRENCH




A heavy duty truck cross rim wrench with socket sizes to fit most popular trucks. Six openings as follows:  $\frac{7}{8}$ ",  $1\frac{1}{8}$ ",  $1\frac{1}{4}$ ",  $1\frac{1}{2}$ " hexagon,  $\frac{5}{8}$ " and  $1\frac{3}{16}$ " square. Forged of select steel, heat treated and finished in baked red enamel. 24" length gives ample leverage to turn even the tightest nuts.

## NO. 455 HEAVY DUTY TRUCK CROSS RIM WRENCH

STD. PKG. 1. PKG. WT.  $13\frac{1}{8}$  LBS.

## CROSS RIM WRENCHES

## CHROME ALLOY STEEL



Forged Cross rim wrench 20" long to service cars having deepest fender skirts as well as earlier models. Hexagon openings, sizes  $\frac{3}{4}$ ",  $1\frac{3}{16}$ ",  $\frac{7}{8}$ ", and  $1\frac{15}{16}$ ". Forged from chrome alloy steel, sockets polished, fully chrome plated.

## NO. 446 CROSS RIM WRENCH

STD. PKG. 6. PKG. WT. 24 LBS.

## SELECT STEEL CROSS RIM WRENCHES

Popularly priced—sizes  $\frac{3}{4}$ " x  $\frac{3}{4}$ " x  $1\frac{3}{16}$ " x  $\frac{7}{8}$ ". Plated.

No.	Length	Std. Pkg.	Pkg. Wt.
620	$14\frac{1}{2}$ "	25	61 Lbs.
621	16"	25	66 Lbs.
622	20"	25	78 Lbs.



## FLAT SPOON TYPE TIRE IRON



A select steel, heat treated, tire iron. Broad blades avoid damage and bruises to tire. Two lengths, for both passenger cars and trucks. Baked red enamel finish.

**NO. 1756 18" FLAT SPOON TYPE TIRE IRON**  
STD. PKG. 1. PKG. WT. 2 LBS.  
**NO. 1757 23" FLAT SPOON TYPE TIRE IRON**  
STD. PKG. 1. PKG. WT. 2 3/4 LBS.

## CURVED SPOON TYPE TIRE IRON



A forged select steel curved tire iron. Heat treated. Can be used in conjunction with above type for maximum efficiency in changing tires. Baked red enamel finish.

**NO. 1758 18" CURVED SPOON TYPE TIRE IRON**  
STD. PKG. 1. PKG. WT. 2 3/4 LBS.  
**NO. 1759 23" CURVED SPOON TYPE TIRE IRON**  
STD. PKG. 1. PKG. WT. 2 3/4 LBS.

## TIRE RING TOOL



Very desirable for removing or replacing lock rings on various makes of rims. Drop forged from select steel and scientifically heat treated. Baked red enamel finish.

**NO. 1761 15" TIRE RING TOOL**  
STD. PKG. 1. PKG. WT. 1 1/2 LBS.  
**NO. 1755 20" TIRE RING TOOL**  
STD. PKG. 1. PKG. WT. 2 LBS.

## RIM AND TIRE TOOL



A tool preferred by many for replacing and removing lock rings. Forged of select steel and heat treated. Finished in baked red enamel. Length 15 1/2".

**NO. 1760 RIM AND TIRE TOOL**  
STD. PKG. 1. PKG. WT. 1 1/2 LBS.

## WIRE BRUSHES



Stiff wire bristle brushes for rim, tire and general use. Curved handle. Length 14" overall. 6 1/4" of bristles.

**NO. 851 3 ROW WIRE BRUSH**  
STD. PKG. 6. PKG. WT. 2 1/2 LBS.  
**NO. 852 4 ROW WIRE BRUSH**  
STD. PKG. 6. PKG. WT. 3 1/4 LBS.

## OVERHEAD VALVE TAPPET TOOL

Designed for adjusting tappets on overhead valves while the motor is running. The easy operating spring within the handle permits the blade to follow the up and down motion of the tappet, thus the mechanic's hand can be perfectly free to make the necessary adjustments. The two end prongs at the tip of the blade keep the blade from slipping out of the adjustment slots. Forged chrome alloy steel blade. Heat treated, polished and chrome plated. Shockproof plastic handle.



**NO. 810 OVERHEAD VALVE TAPPET TOOL**  
STD. PKG. 6. PKG. WT. 1 1/4 LBS.

## ADVANCING RECIPROCATING VALVE GRINDER



A ball bearing valve grinder designed to give not only a reciprocating but also an advancing action. An evenly controlled pressure can be maintained by inserting the special spring under the valve. A sturdy tool with hardened gears, ball bearing thrust and heavy drawn case finished in an attractive baked yellow enamel. Complete with attachments as illustrated.

**NO. 808 VALVE GRINDER COMPLETE**  
STD. PKG. 1. PKG. WT. 1 1/4 LBS.  
**NO. 807 VALVE GRINDING SPRING, ONLY**  
STD. PKG. 12. PKG. WT. 3/8 LB.  
**NO. 805 RUBBER VACUUM CUP, ONLY**  
STD. PKG. 12. PKG. WT. 1/4 LB.

## FORD "V8" VALVE TOOL



A special tool, drop forged from select steel. To be used for compressing Ford "V8" valve springs so that the spring retainer can be easily removed or inserted. Heat treated and heavily plated. Length 20 1/2".

**NO. 2192 FORD "V8" VALVE TOOL**  
STD. PKG. 4. PKG. WT. 7 1/4 LBS.

## STARTER AND MANIFOLD WRENCH



*Federal Spec.: GGG-W-636a, Type II*

A 12 point special shaped wrench designed to reach those hard places around starters, manifolds, etc. where it is not convenient to use other types of wrenches. Heat treated and brightly plated.

**NO. 769 STARTER AND MANIFOLD WRENCH—5/8" x 1 1/4"**  
STD. PKG. 6. PKG. WT. 1 3/4 LBS.  
**NO. 769A CHEVROLET STARTER WRENCH—5/8" x 3/4"**  
STD. PKG. 6. PKG. WT. 2 1/2 LBS.




## PISTON RING COMPRESSOR



This compressor has a range from  $2\frac{1}{8}$ " to 5" diameter and a band depth of  $2\frac{1}{8}$ ". Fits practically all cars except those having a ring on the lower skirt. Sturdy L handle make it easily adjustable over full range. Extra heavy spring steel tension band held firmly in place by automatic friction brakes.

NO. 785 PISTON RING COMPRESSOR STD. PKG. 1. PKG. WT.  $\frac{1}{2}$  LB.  
NO. 785B REPLACEMENT TENSION BAND FOR ABOVE STD. PKG. 1. PKG. WT.  $\frac{1}{8}$  LB.

## DELUXE PISTON RING GROOVE CLEANER



Will remove carbon from ring grooves on pistons from two to five inches. Does not chatter, gouge, or climb out of grooves. Compensating spring controls pressure on cutter, while rigid frame prevents side play.

Comes complete with two cutter wheels. No. 792A cutter wheel has four blades— $\frac{3}{32}$ ",  $\frac{1}{8}$ ",  $\frac{5}{32}$ " and  $\frac{3}{16}$ " wide—for use on older model six and straight eight motors. No. 792B cutter wheel was developed for late model V8 motors. Cutter blades are  $\frac{5}{64}$ ",  $\frac{3}{32}$ ",  $\frac{5}{32}$ " and  $\frac{3}{16}$ ".

NO. 792 DELUXE PISTON GROOVE CLEANER STD. PKG. 1. PKG. WT.  $\frac{1}{2}$  LB.  
NO. 792A REPLACEMENT CUTTER WHEEL— $\frac{3}{32}$ ",  $\frac{1}{8}$ ",  $\frac{5}{32}$ ",  $\frac{3}{16}$ ". STD. PKG. 4. PKG. WT.  $\frac{1}{8}$  LB.  
NO. 792B REPLACEMENT CUTTER WHEEL— $\frac{5}{64}$ ",  $\frac{3}{32}$ ",  $\frac{5}{32}$ ",  $\frac{3}{16}$ ". STD. PKG. 4. PKG. WT.  $\frac{1}{8}$  LB.

## PISTON RING GROOVE CLEANER



An inexpensive tool for cleaning grooves on practically any size piston. Easy to operate, nothing to adjust. Four cleaning blades made from hardened and tempered steel. Widths  $\frac{3}{32}$ ",  $\frac{1}{8}$ ",  $\frac{5}{32}$ " and  $\frac{3}{16}$ ".

NO. 2032 PISTON RING GROOVE CLEANER STD. PKG. 6. PKG. WT.  $2\frac{1}{4}$  LBS.  
NO. 2032B REPLACEMENT BLADE FOR ABOVE STD. PKG. 6. PKG. WT.  $\frac{1}{8}$  LB.

## "TWIN BAND" RING COMPRESSOR

Federal Spec.: GGG-C-555, Size 1

A top quality tool with a capacity from  $2\frac{1}{8}$ " to 5". A  $3\frac{1}{2}$ " high Compression Band takes all rings at once including skirt ring on Ford, Pontiac, Hudson, etc.

Beaded bottom edge prevents the tool from entering the cylinder. Has self-locking, heavy duty ratchet pawl with hardened teeth. The "Twin Band" eliminates flare out when ring leaves compressor and gives double strength as well as compressing rings tightly.



SPECIAL INSTRUCTIONS—For use on late model Fords and Chevrolets which have a tapered block, turn compressor upside down and tighten up on piston in usual manner. Insert piston and compressor into cylinder still upside down. Slide entire assembly down until compressor is stopped by ridge inside of combustion chamber, then push piston into cylinder.

NO. 790 PISTON RING COMPRESSOR— $2\frac{1}{8}$ " to 5" Diameter STD. PKG. 1. PKG. WT.  $\frac{3}{4}$  LB.  
NO. 790B REPLACEMENT TENSION BAND FOR ABOVE, EACH STD. PKG. 1. PKG. WT.  $\frac{1}{8}$  LB.



NO. 161

## PISTON RING SKID

Avoid piston ring breakage and reduce installation costs with this handy, yet inexpensive tool. Made of spring steel it is the perfect instrument for assembling the rings on the piston.

Displayed on attractive colored merchandiser for volume sales. See below.

## PISTON RING SKID

STD. PKG. 12. PKG. WT.  $\frac{1}{4}$  LB.



NO. 161-C12 CARD OF 12 PISTON RING SKIDS STD. PKG. 1. PKG. WT.  $\frac{3}{8}$  LB.

## CARBON SCRAPER



A husky, efficient tool that offers exceptional utility as well as value. The ten oil tempered steel spring blades are controlled by simple slide to adjust the rigidity. Makes cleaning of cylinder heads, blocks, valve parts, etc., a simple easy job.

NO. 825 CARBON SCRAPER STD. PKG. 6. PKG. WT.  $1\frac{1}{4}$  LBS.



## STAR NUT BRAKE ADJUSTING TOOLS

To speedily and conveniently adjust Bendix, Huck and other brakes on cars and trucks. Every Service Station, Garage or Mechanic should have these two tools as each has its advantages under certain conditions in clearing obstructions such as springs and body suspensions.

Each tool is notched at both ends to prevent slipping off of star nut. Drop forged from Select Steel for extra strength, the blades are thin but sufficiently wide for good contact. Scientifically hardened. Polished and Chrome plated.



NO. 2161 BRAKE ADJUSTING TOOL—LENGTH 9"  
STD. PKG. 6. PKG. WT. 1 1/4 LBS.



NO. 2162 BRAKE ADJUSTING TOOL—LENGTH 6 15/16"  
STD. PKG. 6. PKG. WT. 1 LB.

## 2 PIECE BRAKE LINING SET



Two piece set consisting of anvil and riveting punch only, for use with brake linings that come drilled and countersunk. A handy car owner item.

NO. 822 TWO PIECE BRAKE LINING SET  
STD. PKG. 1. PKG. WT. 1/2 LB.

## 4 PIECE BRAKE LINING SET



Brake lining tool set convenient for the car owner who applies his own brake linings. Consists of anvil, riveting punch, countersink and drill.

NO. 819 BRAKE LINING TOOL SET IN FIBRE BOX  
STD. PKG. 1. PKG. WT. 1/2 LB.

## BRAKE LINING AND GENERAL RIVETING SET




Designed especially to economically reline brakes; this set is a handy and useful tool on many other repair jobs around a household where the use of rivets is made to fasten leather, canvas, plastic and metal objects.

Set includes holding frame, anvil, combination drill and countersink tool, punch for removing rivets and tool for clinching rivets.

Hands are left free for work as frame can be held firmly in a vise. Height overall 3 1/2".

NO. 824 BRAKE LINING AND GENERAL RIVETING SET  
STD. PKG. WT. 1. PKG. 1 LB.

## BRAKE SPRING TOOL



This tool simplifies and speeds the removal or replacement of Bendix brake springs. It will work equally well on any spring that is attached to a post.

Use socket end for removing, and hook end for replacing springs.

NO. 3430 BRAKE SPRING TOOL  
STD. PKG. 6. PKG. WT. 2 LBS.

## FLARE NUT WRENCHES

### Straight Pattern




### 6 Point

Designed especially for use on soft metal nuts, on gas, oil, hydraulic, as well as refrigerant lines on cars, trucks, aircraft and refrigeration units. Openings offset at 10°. Made of chrome alloy steel. Polished and chrome plated. Not Guaranteed.

No.	Size	Std. Pkg.	Pkg. Wt.
★368	3/8" x 7/16"—6 Pt.	6	3/4 lb.
★369	1/2" x 9/16"—6 Pt.	6	1 3/4 lbs.
★370	5/8" x 3/4"—6 Pt.	6	2 1/4 lbs.

\*Because of their nature, these items are not guaranteed.


## TUBE FLARING TOOL



Will flare tubing sizes 3/16", 1/4", 5/16", 3/8", 7/16", 1/2" and 5/8" dia. right on the job without removing tubing from the unit. Very simple to operate. Bar is clamped around tube, then self-centering yoke slips on from the top. No need to slide yoke in from one end. Fast action clamping bar designed to operate with only 1/2 turn of wing nuts.

NO. A385 FLARING TOOL  
STD. PKG. 1. PKG. WT. 1 1/2 LBS.

## TUBE CUTTER—ROLLER JAW TYPE



This popular type Tube Cutter has a capacity from 1/8" to 1" outside diameter on copper, brass and aluminum tubing and is 5 3/4" overall. The two rollers align the tubing perfectly so that cutting wheel is always at right angles to the work and insures precision cutting without distortion and with a minimum burr. The Cutter Wheel is easily replaceable.

NO. 261 TUBE CUTTER—WITH BURR REAMER  
STD. PKG. 1. PKG. WT. 3/4 LB.

NO. 261A REPLACEMENT CUTTING WHEEL ONLY  
STD. PKG. 6. PKG. WT. 1 OZ.



## 1/4" SQ. DR. FLEXIBLE DRIVER SET

NO. 2820



The flexible driver, when used with any one of the four adaptors, is one of the handiest tool developments in years. For detailed description of the component parts of this set, No. 2820-1 to No. 2820-5, please read below.

**NO. 2820 FLEXIBLE DRIVER SET**  
STD. PKG. 1 PKG. WT.  $\frac{3}{4}$  LB.

NO. 2820-1



The flexible driver is 21" in length. The 3 1/2" flexible section permits bending of the tool around obstructions. In addition to the adaptors illustrated, the driver can be used with all 1/4" Sq. Dr. sockets and fittings.

**NO. 2820-1 1/4" SQ. DR. FLEXIBLE DRIVER**  
STD. PKG. 6 PKG. WT.  $2\frac{1}{8}$  LBS.

NO. 2820-2



The No. 2820-2 adaptor contains a 1/8" hollow head set screw wrench and is specifically designed, when used with the flexible driver No. 2820-1, to adjust Delco Remy distributors.

**NO. 2820-2 1/8" HOLLOW HEAD SET SCREW WRENCH ADAPTOR**  
STD. PKG. 6 PKG. WT.  $\frac{3}{4}$  LB.

NO. 2820-3



Carburetor adjusting tool for most late model G.M., Ford, and Chrysler cars. Use with No. 2820-1 flexible driver.

**NO. 2820-3 CARBURETOR ADJUSTING ADAPTOR**  
STD. PKG. 6 PKG. WT.  $\frac{1}{4}$  LB.

NO. 2820-4



Use this new screw starter adaptor with the flexible driver to reach those difficult locations. Hundreds of uses around the car, in industry, and in the home.

**NO. 2820-4 SCREW STARTER ADAPTOR**  
STD. PKG. 6 PKG. WT.  $\frac{1}{4}$  LB.

NO. 2820-5



This powerful Alnico magnet, when used with the flexible driver, will retrieve nuts, bolts, screws, tools and small steel parts from "impossible" places. This tool is not only a shop necessity for auto mechanics, but for machinists, radio, TV repairmen and hobbyists as well.

**NO. 2820-5 MAGNET ADAPTOR**  
STD. PKG. 6 PKG. WT.  $\frac{1}{2}$  LB.

## SUPER QUALITY IGNITION FILES



One dozen clean cutting, fine, tungsten ignition files, mounted on a colored card merchandiser. Especially useful for distributor and other electrical contacts.

**NO. 174-C12 CARD OF 12 IGNITION FILES**  
STD. PKG. 1 PKG. WT.  $\frac{1}{4}$  LB.

## FLEXIBLE MECHANICAL FINGER



A most useful tool for retrieving small parts, nuts, bolts and screws where the fingers cannot reach.

**NO. 815 FLEXIBLE MECHANICAL FINGER**  
STD. PKG. 6 PKG. WT.  $2\frac{1}{8}$  LBS.




## MUFFLER AND TAIL PIPE CUTTERS

The right tool for the job. Offset type pipe splitters will speed removal time of worn-out, corroded mufflers and tail pipes. Patented "Curl-cut" feature forces the cut away so there is no pinching or binding of the tool. Also invaluable for Electricians, Plumbers and Auto Body Repair Men.



(Patent No. 2,176,626)

**NO. 163 OFFSET MUFFLER AND TAIL PIPE CUTTER  $\frac{1}{2}'' \times 10\frac{1}{4}''$**   
STD. PKG. 6. PKG. WT. 3 LBS.



(Patent No. 2,176,626)

**NO. 164 HANDLE TYPE OFFSET MUFFLER AND TAIL PIPE CUTTER—HANDLE  $7\frac{1}{2}''$ —CUTTER  $\frac{1}{2}'' \times 5''$**   
STD. PKG. 6. PKG. WT.  $3\frac{3}{4}$  LBS.




(Patent No. 2,176,626)

**NO. 165 SHORT, OFFSET MUFFLER, TAIL PIPE AND SHEET METAL CUTTER.  $\frac{1}{2}'' \times 7\frac{7}{8}''$**   
STD. PKG. 6. PKG. WT.  $2\frac{3}{4}$  LBS.

## BATTERY AND STARTER WRENCH

A 12 point  $\frac{1}{16}''$  and  $\frac{5}{8}''$  Box End Wrench, fits practically all battery terminal nuts as well as starters. Forged Select Steel in satin finish with polished heads. Length 6".




**NO. 750 BATTERY TERMINAL WRENCH**  
STD. PKG. 6. PKG. WT. 1 LB.

## SUPER QUALITY

## SAFETY BATTERY

## LIFTERS



Here is the way to speed up battery service work. The safety locking feature firmly grips the battery post and lessens the possibility of dropping the battery, damaging clothing, etc. Straps are first quality rubberized, acid resistant fabric. Metal locking ends are brightly plated—rust resistant finish.

**NO. 133 SHORT TYPE BATTERY LIFTER—LENGTH OVERALL 14"**  
STD. PKG. 6. PKG. WT.  $1\frac{1}{4}$  LBS.

**NO. 134 LONG TYPE BATTERY LIFTER—LENGTH OVERALL 22"**  
STD. PKG. 6. PKG. WT. 2 LBS.

## UNIVERSAL MALE DRAIN PLUG WRENCH



The perfect fit provided by the clean square corners on this tool, make it ideal for servicing all popular female type filler and drain plugs on cars and trucks. The combination of sizes in one tool is a real time saver around garage or service station.

**NO. 643 UNIVERSAL MALE DRAIN PLUG WRENCH**  
STD. PKG. 6. PKG. WT.  $6\frac{3}{4}$  LBS.


## UNIVERSAL FEMALE DRAIN PLUG WRENCH



A drop forged wrench to fit practically all male type plugs in crank cases, transmissions and differentials on cars and trucks. Has five 8 point square openings, sizes  $\frac{1}{2}''$ ,  $\frac{9}{16}''$ ,  $\frac{5}{8}''$ ,  $1\frac{1}{16}''$ ,  $\frac{3}{4}''$  and four hexagon openings, sizes  $\frac{3}{4}''$ ,  $1\frac{5}{16}''$ , 1" and  $1\frac{1}{8}''$ .

**NO. 644 UNIVERSAL FEMALE DRAIN PLUG WRENCH**  
STD. PKG. 6. PKG. WT. 4 LBS.

## FILLER PLUG ADAPTOR



A new  $\frac{1}{2}''$  Sq. Dr.  $\frac{1}{16}''$  hexagon adaptor to speed the removal of differential filler plugs on certain models of Chrysler automobiles.

**NO. 630 FILLER PLUG ADAPTOR**  
STD. PKG. 6. PKG. WT.  $\frac{3}{4}$  LB.

## GREASE RAM



The tool used to force grease thru those frozen joints on cars and trucks. Made of high grade steel and hardened to withstand long and hard use.

To use, fill with grease. Next, remove oiler or grease fitting and screw in grease ram. Then strike with hammer. Grease will be forced thru joints that regular hand or pressure guns will not open. Fitted with special nose for Zerk fittings. A tool needed by all garages and service stations. Length  $4\frac{1}{2}''$ .

**NO. 724 GREASE RAM**  
STD. PKG. 1. PKG. WT.  $\frac{1}{2}$  LB.



These drop forged open end wrenches are of professional quality. Two sizes on each wrench with each size duplicated at a different angle on alternate wrenches.

Excellent for use on small size nuts in close quarters—accurately sized.

Mechanics, servicemen and hobbyists use them every day on ignition and electrical systems, carburetors, radio and television.


Brightly chrome plated with polished heads.

### DROP FORGED IGNITION TYPE WRENCHES 15° AND 60° OPENINGS



No.	Openings		Length	Std. Pkg.	Pkg. Wt.
	15°	60°			
891	13/64"	15/64"	3"	6	1/8 lb.
892	15/64"	13/64"	3"	6	1/8 lb.
892A	1/4"	3/8"	3"	6	1/8 lb.
893	7/32"	1/4"	3"	6	1/8 lb.
894	1/4"	7/32"	3"	6	1/8 lb.
895	9/32"	5/16"	3 1/2"	6	1/4 lb.
896	5/16"	9/32"	3 1/2"	6	1/4 lb.
897	11/32"	3/8"	4"	6	1/4 lb.
898	3/8"	11/32"	4"	6	1/4 lb.
899	7/16"	1/2"	4 1/2"	6	1/2 lb.

### 9 PIECE IGNITION SET



Contains Nos. 891 to 898 inclusive, in plastic kit.

**NO. 888 9 PIECE IGNITION SET**  
STD. PKG. 1 PKG. WT. 1/2 LB.


**NO. K4 KIT ONLY**

Same as above, except with 7 wrenches, Nos. 891 to 896 inclusive.

**NO. 886 7 PIECE IGNITION SET**  
STD. PKG. 1 PKG. WT. 1/4 LB.

**NO. K3 KIT ONLY**

### 11 PIECE IGNITION SET



Set includes wrenches 891 to 898 inclusive, plus #3410—5" chrome alloy plier and #136—4" chrome alloy screw driver in a durable plastic kit.

**NO. 890 11 PIECE IGNITION SET**  
STD. PKG. 1 PKG. WT. 1/2 LB.

**NO. K5 KIT ONLY**

### IGNITION AND HOBBYIST SETS

#### 8 PIECE SET



Set contains 4 drop forged end wrenches, sizes  $1/4" \times 7/32"$ ,  $13/64" \times 15/64"$ ,  $5/16" \times 9/32"$  and  $11/32" \times 3/8"$ . In addition contains a chrome alloy steel midget plier, shockproof midget screw driver, tungsten ignition file, and Swedish steel feeler gauge with blades .012, .015, .018, .020 and .025". Packed in handy attractive enameled box ready for display and sale.

**NO. 889 8 PIECE SET IN METAL BOX**  
STD. PKG. 1 PKG. WT. 1 LB.

#### 4 PIECE SET



A four piece set of forged double end, ignition type wrenches. Wrench sizes  $7/32" \times 1/4"$ ,  $13/64" \times 15/64"$ ,  $5/16" \times 9/32"$ , and  $11/32" \times 3/8"$ . Chrome plated, polished heads. In heat sealed plastic kit.

**NO. 884PK 4 PIECE SET**  
STD. PKG. 1 PKG. WT. 1/4 LB.

**NO. K139 KIT ONLY**

#### 5 PIECE SET


A five piece set, same as above, but with the addition of a chrome alloy steel midget utility plier. In heat sealed plastic kit.

**NO. 885PK 5 PIECE SET**  
STD. PKG. 1 PKG. WT. 3/8 LB.

**NO. K140 KIT ONLY**



#### 8 PIECE SET



Set contains 4 drop forged end wrenches, size  $1/4" \times 7/32"$ ,  $13/64" \times 15/64"$ ,  $5/16" \times 9/32"$  and  $11/32" \times 3/8"$ . In addition contains a chrome alloy steel midget plier, shockproof midget screw driver, tungsten ignition file, and Swedish steel feeler gauge with blades .012, .015, .018, .020 and .025".

**NO. 889PK 8 PIECE SET**

STD. PKG. 1 PKG. WT. 1/2 LB.


**NO. K141 KIT ONLY**



## FORGED STEEL WRENCHES

## STAMPED STEEL WRENCHES


These self selling merchandising display cards of both forged and stamped wrenches are volume sellers thru Variety, Automotive chain and Hardware stores.



NO. 884 4 PIECE IGNITION SET ON CARD  
STD. PKG. 6. PKG. WT.  $\frac{3}{4}$  LB.



NO. 885 5 PIECE IGNITION SET ON CARD  
STD. PKG. 6. PKG. WT.  $1\frac{1}{2}$  LBS.



NO. 887 7 PIECE IGNITION SET ON CARD  
STD. PKG. 6. PKG. WT.  $1\frac{1}{4}$  LBS.

## 4 PIECE SET

A 4 piece set of forged, double end, ignition type wrenches mounted on a colorful display. 8 different size openings. Made of high quality steel for extra strength and chrome plated with brightly polished heads. Wrench sizes  $\frac{7}{32}$ " x  $\frac{1}{4}$ ",  $\frac{13}{64}$ " x  $\frac{15}{64}$ ",  $\frac{5}{16}$ " x  $\frac{9}{32}$ " and  $\frac{11}{32}$ " x  $\frac{3}{8}$ ".

## 3 PIECE SET


A popular set of 3 double end stamped steel end wrenches mounted on attractive display card for counter merchandising. Wrenches are very useful on small size nuts around the car and household. Back of card lists breaker point and spark plug openings for popular cars. Sizes  $\frac{7}{32}$ " x  $\frac{1}{4}$ ",  $\frac{13}{64}$ " x  $\frac{1}{4}$ ",  $\frac{17}{64}$ " x  $\frac{5}{16}$ ".



NO. 120 3 PIECE IGNITION SET ON CARD  
STD. PKG. 12. PKG. WT.  $1\frac{1}{4}$  LBS.

## 5 PIECE SET


For servicing ignition systems on cars, power lawn mowers, motorcycles, motor scooters, etc. 3 wrenches, sizes  $\frac{7}{32}$ " x  $\frac{13}{64}$ ",  $\frac{1}{4}$ " x  $\frac{1}{4}$ ",  $\frac{17}{64}$ " x  $\frac{5}{16}$ ", plus a quality ignition file and thickness gauge .006, .008, .010, .012, .021 and .025". Card has data for proper spacing of ignition points and spark plug settings on popular cars.



NO. 122 5 PIECE IGNITION SET ON CARD  
STD. PKG. 12. PKG. WT.  $1\frac{1}{4}$  LBS.

## 6 PIECE SET


Counter display this selected 6 piece tool set and watch sales climb. 3 stamped steel hardened wrenches brightly plated, sizes  $\frac{7}{32}$ " x  $\frac{13}{64}$ ",  $\frac{1}{4}$ " x  $\frac{1}{4}$ ",  $\frac{17}{64}$ " x  $\frac{5}{16}$ ", plus a quality ignition file, shockproof amber plastic handle screw driver, blade size  $\frac{1}{8}$ " x  $1\frac{1}{8}$ " and feeler gauge sizes .006, .008, .010, .012, .021, and .025".



NO. 123 6 PIECE IGNITION SET ON CARD  
STD. PKG. 12. PKG. WT. 2 LBS.

## MIDGET UTILITY PLIER

A heavy gauge chrome alloy steel plier for use on ignition, radio, television, refrigerators, sewing machines, etc. 4 adjustments, opening up to  $\frac{9}{16}$ " from a completely closed position. Brightly plated. Each plier already mounted on colored card for display and sale.



NO. 3411 MIDGET UTILITY PLIER ON CARD  
STD. PKG. 6. PKG. WT.  $\frac{3}{4}$  LB.



## SWEDISH STEEL



Every Indestro feeler gauge is made of the finest grade Swedish Steel famous for a long life of extreme accuracy. Blades are ground to size, hardened, and tempered to withstand hard use without changing in dimension. Each gauge has size clearly marked and can be instantly locked in working position by means of a thumb nut.

Clearances measured by means of feeler gauges are vital to the performance of engines, fuel and ignition systems, brakes and transmissions of cars, trucks, busses, tractors, airplanes, trains and installations using gas or diesel power. Use the right gauge for the job. An Indestro Feeler Gauge will be found ideal for every purpose.

### Spark Plug Gauge

The correct way to measure the gap between spark plug electrodes, especially those that have seen service, is with a wire gauge. Accurately spaces gaps worn concave. Wire gauge has bent end for those plugs having recessed electrodes. Has handy electrode bender for setting side electrodes to proper gap. 8 sizes to fit specifications for all modern engines.

Sizes: .022 .025 .028 .030 .032 .035 .038 .040  
NO. 208 SPARK PLUG FEELER GAUGE




### Master Feeler Gauge

The Master Feeler Gauge is a necessity around any automotive repair shop or manufacturing plant. This gauge offers a complete range of sizes from .0015" to .035" with 25 blades  $3\frac{1}{4}$ " long x  $\frac{1}{2}$ " wide. Like all Indestro Super Feeler Gauges, it is equipped with a thumb locking nut.

Sizes: .0015 .004 .007 .010 .013 .016 .022 .028 .032  
.002 .005 .008 .011 .014 .018 .024 .030 .035  
.003 .006 .009 .012 .015 .020 .025

NO. 225 MASTER FEELER GAUGE

STD. PKG. 6. PKG. WT.  $1\frac{1}{2}$  LBS.




### Chevrolet Feeler Gauge

Especially designed for use on Chevrolet cars. Has three bent wire gauges, .032", .035", .040", and four  $3\frac{5}{16}$ " x  $\frac{1}{4}$ " ignition blades, .016", .018", .020", .022". Also contains eight  $3\frac{5}{16}$ " x  $\frac{1}{2}$ " regular blades in the following sizes: .006", .007", .008", .010", .012", .013", .015", .020", and electrode bending tool.

NO. 227 CHEVROLET FEELER GAUGE

STD. PKG. 6. PKG. WT.  $\frac{3}{4}$  LB.



### Combination Gauge


A combination gauge for both ignition and tappet work. One end has ten  $3\frac{1}{2}$ " x  $\frac{1}{2}$ " blades for tappet and valve work—the other has twelve  $1\frac{3}{4}$ " x  $\frac{1}{4}$ " blades for breaker point, spark plug, carburetors, and other adjustments confined to small working space.


Long Blade sizes  
.002", .003", .004", .005", .006", .007", .008", .010", .013", .015".

Short Blade sizes  
.011", .012", .013", .014", .015", .016", .017", .018", .019", .020", .022", .025".

NO. 228 COMBINATION GAUGE

STD. PKG. 6. PKG. WT.  $\frac{3}{4}$  LB.






## ALL PURPOSE FEELER GAUGES ON DISPLAY CARD

A quality Feeler Gauge in every respect, mounted 12 on attractive three color display merchandiser 15" high x 10½" wide as illustrated. Genuine Swedish Steel is used in the nine Thickness Gauges ranging from .004 to .025 together with 3" Scale making ten Blades in all. Each gauge is in a transparent envelope protecting it from tarnishing. Beside accuracy the outstanding feature of these gauges is the locking nut which holds any blade firmly when in use. Blades as follows:

.004 .006 .008 .010 .012 .013 .015 .018 .025 3" Scale


NO. 166-C12 DISPLAY OF 12 FEELER GAUGES  
NO. 166 FEELER GAUGE



STD. PKG. 1. PKG. WT. 1½ LBS.  
STD. PKG. 6. PKG. WT. ½ LB

## DIE CAST

Indestro V Pulleys are made superior in quality and greater in accuracy. That is why Indestro is one of the World's largest manufacturers of V groove pulleys. The metal is of our own specification. Breakdown tests have shown it has greater strength and gives longer service than ordinary die cast metal. Automatic casting machines electrically controlled, exert tremendous pressure to produce uniform density and a close grain. Each pulley is carboloy bored for extra accuracy. Pulleys operate with ½" V belts. Sizes up to 6½" diameter operate with ¾" V belts also.



When ordering please state bore wanted.

Pulley No.	Dia., In.	Bore, In.	Std. Pkg.	Pkg. Wt.
E340150	1½	½, 5/8, ¾	1	1 oz.
E340175	1¾	½, 5/8	1	½ lb.
E340200	2	½, 5/8	1	½ lb.
E340225	2½	½, 5/8	1	½ lb.
E340250	2½	½, 5/8, ¾	1	½ lb.
E340275	2¾	½, 5/8, ¾	1	½ lb.
E340300	3	½, 5/8, ¾	1	½ lb.
E340325	3¼	½, 5/8, ¾	1	½ lb.
E340350	3½	½, 5/8, ¾	1	½ lb.
E340400	4	½, 5/8, ¾	1	¾ lb.
E340450	4½	½, 5/8, ¾	1	¾ lb.
E340500	5	½, 5/8, ¾	1	¾ lb.
E340550	5½	½, 5/8, ¾	1	1 lb.
E340600	6	½, 5/8, ¾	1	1 lb.
E340650	6½	½, 5/8, ¾	1	1½ lbs.

## 4 STEP V BELT PULLEYS

When ordering please state bore wanted.

Pulley No.	Steps	Dia., In.	Bore, In.	Std. Pkg.	Pkg. Wt.
E341505	4	4, 3½, 2½, 1¾	½, 5/8, ¾	1	1¼ lbs.
E341506	4	5, 4, 3, 2	½, 5/8, ¾	1	1¾ lbs.

## STEEL


Made of select quality heavy gauge sheet steel, the pulleys are safety constructed for operation under heavy continuous service. The hub made of solid steel is locked to the two flanges by a unique design and the flanges are electrically welded producing a pulley of unyielding strength and rigidity. Each pulley has 5/16"-18 thread hollow head set screw installed for fast easy and tight adjustment on shaft. All pulleys 5/8" and ¾" bore over 1½" diameter have standard slotted keyways.

Pulleys are finished in a rustproof durable bright aluminum color and are individually packaged in attractive yellow carton.



## STEEL TYPE

Pulley No.	Dia. In.	Bore, In.	Std. Pkg.	Pkg. Wt.
10151	1½	½	1	½ lb.
10152	1½	5/8	1	½ lb.
10201	2	½	1	¾ lb.
10202	2	5/8	1	¾ lb.
10251	2½	½	1	¾ lb.
10252	2½	5/8	1	¾ lb.
10253	2½	¾	1	¾ lb.
10301	3	½	1	½ lb.
10302	3	5/8	1	½ lb.
10303	3	¾	1	½ lb.
10401	4	½	1	¾ lb.
10402	4	5/8	1	¾ lb.
10403	4	¾	1	¾ lb.
10501	5	½	1	1 lb.
10502	5	5/8	1	1 lb.
10503	5	¾	1	1 lb.
10601	6	½	1	1½ lbs.
10602	6	5/8	1	1½ lbs.
10603	6	¾	1	1½ lbs.
10651	6½	½	1	1½ lbs.
10652	6½	5/8	1	1½ lbs.
10653	6½	¾	1	1½ lbs.
10801	8	½	1	2 lbs.
10802	8	5/8	1	2 lbs.
10803	8	¾	1	2 lbs.



**PARTS LIST**

No.	Part	No.	Part
252-1	Body Bar	252-4	Nut
252-2	Screw	252-5	Handle
252-3	Arm	252-6	Rivet

**NO. 252 2 1/4" GEAR PULLER**

STD. PKG. 1. PKG. WT. 3/4 LB.

No.	Part	No.	Part
253-1	Body Bar	253-4	Nut
253-2	Screw	253-5	Handle
253-3	Arm	253-6	Rivet

**NO. 253 3 1/2" GEAR PULLER**

STD. PKG. 1. PKG. WT. 1 1/4 LBS.

## HEAVY DUTY TYPE



A real value is offered in these two heavy duty gear pullers. Two and three arm types that can be used for either internal or external pulling.

Drop forged arms have an 8" overall length with three effective length adjustments. 6 1/4" maximum reach. Offset hooks of 1/2" at one end and 1" at the other. Fully chrome plated. Center body is drop forged and finished in baked red enamel. Has three radial adjustments giving a diameter range of from 3" to 6". Quick action adjusting pins are held in place by spring loaded balls. Heavy, hardened, extra long screw has powerful low pitch thread. 7/8" hexagon head can be turned with socket and attachment or wrench.



**All parts interchangeable:**

See **CONTENTS AND PARTS LIST** below:

**NO. 255 2 ARM HEAVY DUTY GEAR PULLER**



STD. PKG. 1. PKG. WT. 5 LBS.

**NO. 256 3 ARM HEAVY DUTY GEAR PULLER**

STD. PKG. 1. PKG. WT. 7 LBS.

## UNIVERSAL GEAR PULLER SET HEAVY DUTY TYPE

**Set includes the following parts:**



The combination of parts of gear pullers No. 255 and No. 256 creates a universal puller set. Utmost adaptability is achieved by interchanging yokes and arms—either a two or three arm puller can be quickly and easily assembled for internal or external pulling.

## CONTENTS AND PARTS LIST

No.	Part	Wt. Each
255-1	2 Arm Yoke	2 lbs.
255-2	Arm	1 lb.
255-3	Screw	1 lb.
255-4	Pin	1 oz.
256-1	3 Arm Yoke	3 lbs.

**NO. 257 UNIVERSAL GEAR PULLER SET**

STD. PKG. 1. PKG. WT. 9 LBS.



## UNIVERSAL HUB PULLER



### PARTS LIST

No.	Part	Wt. Ea.
248-8	Arm	1 1/4 lbs.
248-9	Drive Handle	1 1/2 lbs.

Three sliding puller arms quickly and easily adjust to fit the hub. The unique design of the arms provide for a straight pull on all size bolt circles up to 8". To prevent damage to the axle or puller screw, the contact end of the screw is fitted with a floating cap which centers on the axle. Chrome alloy steel construction provides ruggedness and durability. Chrome plated.

### NO. 248 UNIVERSAL HUB PULLER

STD. PKG. 1. PKG. WT. 10 1/4 LBS.



## HUB PULLERS

Two specially designed heavy malleable iron hub pullers. Finished in baked red enamel. Pulling screw is of hardened steel and has a  $\frac{3}{4}$ " hexagon head for easy turning with wrench or socket and fitting.

No. 258 is two arm type for wheels having 4, 6 or 8 studs.

No. 259 is three arm type for wheels having 5 studs.



## STEERING WHEEL PULLER

Uses any standard cap screw—insert thru puller head to engage part to be pulled. While specifically designed to remove steering wheels on cars and trucks, this tool can also be used as a two or three way puller to remove pulleys, flanges, outboard engine flywheels, etc.

### NO. 254 STEERING WHEEL PULLER

STD. PKG. 1. PKG. WT. 1 1/8 LBS.

### NO. 254-4 Adaptor for Chrysler, DeSoto and Plymouth

STD. PKG. 2. PKG. WT. 1/8 LB.

### NO. 254-5 Adaptor for Buick, 1955-59

STD. PKG. 2. PKG. WT. 1/8 LB.

### PARTS LIST

No.	Part	Wt. Each
254-1	Body	3/4 lb.
254-2	Screw	1/4 lb.
254-3	Standard Adaptor	1/8 lb.



### NO. 258 2 ARM HUB PULLER

STD. PKG. 1. PKG. WT. 4 1/4 LBS.

### NO. 259 3 ARM HUB PULLER

STD. PKG. 1. PKG. WT. 5 1/4 LBS.

## UNIVERSAL HUB PULLER SET

Set includes the following parts:



NO. 258-1



NO. 259-1



NO. 258-2



NO. 258-3

Assembly of either a two arm or three arm hub puller is quickly and easily accomplished with this universal hub puller set. Use as a two arm puller on wheels having 4, 6 or 8 studs. Use as a three arm puller on wheels having 5 studs.

## CONTENTS AND PARTS LIST

No.	Part	Wt. Each
258-1	2 Arm Yoke	2 1/8 lbs.
258-2	Arm	3/4 lb.
258-3	Screw	1/2 lb.
259-1	3 Arm Yoke	2 lbs.

### NO. 260X UNIVERSAL HUB PULLER SET

STD. PKG. 1. PKG. WT. 7 1/2 LBS.



## METRIC OPEN END WRENCHES

Select Steel—Engineer Type

Chrome Plated

Polished Heads



Needed for the repair or adjustments on foreign cars by car owners and mechanics. These wrenches are drop forged and scientifically heat treated. Clean, accurate broaching of sizes assure exact fit. Openings are at a 15° angle to body permitting turning of nuts or bolts with a swing of only 30°.

No.	Metric Opening	Length MM.	Length In.	Head Thick. MM.	Head Thick. In.	Std. Pkg.	Pkg. Wt.
<b>40607</b>	6 x 7	82.55	3 1/4"	3.57	9/64"	6	1/4 lb.
<b>40809</b>	8 x 9	95.25	3 3/4"	3.97	5/32"	6	3/8 lb.
<b>41011</b>	10 x 11	114.30	4 1/2"	4.76	3/16"	6	1/2 lb.
<b>41213</b>	12 x 13	138.11	5 7/16"	5.16	13/64"	6	7/8 lb.
<b>41415</b>	14 x 15	163.51	6 7/16"	5.95	15/64"	6	1 1/2 lbs.
<b>41617</b>	16 x 17	163.51	6 7/16"	5.95	15/64"	6	1 1/2 lbs.
<b>41819</b>	18 x 19	185.74	7 5/16"	7.14	9/32"	6	2 lbs.
<b>42022</b>	20 x 22	209.55	8 3/4"	7.94	5/16"	6	3 lbs.
<b>42123</b>	21 x 23	228.60	9"	9.53	3/8"	6	4 3/8 lbs.
<b>42426</b>	24 x 26	228.60	9"	9.53	3/8"	6	4 3/8 lbs.

## 6 PIECE SET



This six piece set contains twelve of the most popular metric openings. Range 8 mm to 19 mm inclusive.

## CONTENTS

No.	Size MM.	No.	Size MM.
<b>40809</b>	8 x 9	<b>41415</b>	14 x 15
<b>41011</b>	10 x 11	<b>41617</b>	16 x 17
<b>41213</b>	12 x 13	<b>41819</b>	18 x 19

## NO. 941-6MM 6 PC. METRIC OPEN END WRENCH SET

STD. PKG. 6. PKG. WT. 7 LBS.

## 10 PIECE SET



A complete set of metric open end wrenches in a vinyl plastic kit. Range 6 mm to 26 mm inclusive.

## NO. 941-10MM

STD. PKG. 1. PKG. WT. 4 LBS.

## NO. K138 KIT ONLY

## METRIC SOCKETS

CHROME ALLOY STEEL

1/2" SQUARE DRIVE



12 POINT

CHROME PLATED  
FULLY POLISHED

Sockets are hot broached with thin, smooth walls of uniform thickness and perfectly centered. All Indestro sockets have four retaining grooves built into the drive end to quickly lock the socket to the fitting—no fumbling or positioning necessary as with single position locking devices.

Please refer to Pages 8 and 9 for a complete selection of 1/2" square drive handles and fittings.

No.	Metric Opening	Length MM.	Length Inches	Std. Pkg.	Pkg. Wt.
<b>47010</b>	10	38.10	1 1/2"	6	3/4 lb.
<b>47011</b>	11	38.10	1 1/2"	6	3/4 lb.
<b>47012</b>	12	38.10	1 1/2"	6	3/4 lb.
<b>47013</b>	13	38.10	1 1/2"	6	3/4 lb.
<b>47014</b>	14	39.69	1 9/16"	6	3/4 lb.
<b>47015</b>	15	39.69	1 9/16"	6	3/4 lb.
<b>47016</b>	16	39.69	1 9/16"	6	3/4 lb.
<b>47017</b>	17	39.69	1 9/16"	6	3/4 lb.
<b>47018</b>	18	39.69	1 9/16"	6	1 1/4 lbs.
<b>47019</b>	19	39.69	1 9/16"	6	1 1/2 lbs.
<b>47020</b>	20	41.28	1 5/8"	6	1 5/8 lbs.
<b>47021</b>	21	41.28	1 5/8"	6	1 5/8 lbs.
<b>47022</b>	22	42.07	1 21/32"	6	1 7/8 lbs.
<b>47023</b>	23	42.07	1 21/32"	6	1 7/8 lbs.
<b>47024</b>	24	42.07	1 21/32"	6	1 7/8 lbs.
<b>47025</b>	25	42.07	1 21/32"	6	2 1/4 lbs.
<b>47026</b>	26	42.07	1 21/32"	6	2 1/4 lbs.
<b>47027</b>	27	42.07	1 21/32"	6	2 1/2 lbs.
<b>47028</b>	28	42.07	1 21/32"	6	2 1/2 lbs.
<b>47029</b>	29	42.07	1 21/32"	6	2 3/4 lbs.
<b>47030</b>	30	42.07	1 21/32"	6	3 3/8 lbs.
<b>47032</b>	32	42.07	1 21/32"	6	4 lbs.

## 13 PIECE SET



This tray containing thirteen popular metric sockets provides an ideal method of separation of your metric sizes from inch sizes. Tray can be hooked on edge of tool box or tote tray. Movable handle prevents spilling sockets. Sizes—10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm, 20 mm, 21 mm, 22 mm.

## NO. 7880MM

STD. PKG. 1. PKG. WT. 2 7/8 LBS.

## NO. 9943 METAL TRAY, ONLY

STD. PKG. 1. PKG. WT. 3/4 LB.

A complete range of 22 metric sockets is available packaged in a carton. Sizes 10 mm thru 32 mm.

## NO. 7881MM

STD. PKG. 1. PKG. WT. 6 LBS.

FOR ADDITIONAL COMPLETE METRIC SOCKET SETS, PLEASE SEE PAGES 70 AND 71.



These metric sets in  $\frac{1}{4}$ " and  $\frac{1}{2}$ " hexagon drive are an outstanding value for the foreign car owner—handy and compact they can be easily carried in the rather limited space provided in the small car.

Made of special analysis select steel and hardened under automatically controlled temperatures. Fully plated.

Especially designed metal cases hold the sockets and handles securely. Cases are finished in baked enamel.

## METRIC SETS— $\frac{1}{4}$ " HEXAGON DRIVE

### 8 Piece Vest Pocket Socket Set



NO. 350MM 8 PIECE SET

### CONTENTS

5 mm. 6 Pt. Socket	9 mm. 6 Pt. Socket
6 mm. 6 Pt. Socket	10 mm. 6 Pt. Socket
7 mm. 6 Pt. Socket	11 mm. 6 Pt. Socket
8 mm. 6 Pt. Socket	4" L Handle

STD. PKG. 24. PKG. WT.  $7\frac{1}{2}$  LBS.  
CASE LOT 96. CASE LOT WT. 30 LBS.

### 6 Piece "Slip-on" Set



NO. 360MM 6 PIECE SET

The combination extension and screw driver blade is held in the plastic handle by a spring loaded friction ball. Sockets are conveniently held on extension, as illustrated, when not in use.

### CONTENTS


7 mm. 6 Pt. Socket	10 mm. 6 Pt. Socket
8 mm. 6 Pt. Socket	11 mm. 6 Pt. Socket
9 mm. 6 Pt. Socket	7" Spinner Hdle. and Sc. Driver

STD. PKG. 12. PKG. WT.  $3\frac{1}{8}$  LBS.  
CASE LOT 96. CASE LOT WT. 37 LBS.

## METRIC SETS— $\frac{1}{2}$ " HEXAGON DRIVE

The  $\frac{1}{2}$ " hexagon drive sets feature a Wall Klip. Tools are held firmly and orderly in place, yet each tool can be easily removed as needed. Two key-slots are provided for quick attachment to the wall.

### 11 PIECE SET



### CONTENTS


12 mm. 12 Pt. Socket	17 mm. 12 Pt. Socket
13 mm. 12 Pt. Socket	18 mm. 12 Pt. Socket
14 mm. 12 Pt. Socket	19 mm. 12 Pt. Socket
15 mm. 12 Pt. Socket	6 $\frac{3}{4}$ " Ratchet
16 mm. 12 Pt. Socket	9 $\frac{1}{16}$ " L Handle

Screw Driver Adaptor

NO. 1453MM 11 PIECE SET

STD. PKG. 2. PKG. WT. 5 LBS.  
CASE LOT 48. CASE LOT WT. 120 LBS.

### 19 PIECE SET



### CONTENTS

$\frac{1}{2}$ " Hexagon Drive	$\frac{1}{4}$ " Hexagon Drive
12 mm. 12 Pt. Socket	5 mm. 6 Pt. Socket
13 mm. 12 Pt. Socket	6 mm. 6 Pt. Socket
14 mm. 12 Pt. Socket	7 mm. 6 Pt. Socket
15 mm. 12 Pt. Socket	8 mm. 6 Pt. Socket
16 mm. 12 Pt. Socket	9 mm. 6 Pt. Socket
17 mm. 12 Pt. Socket	10 mm. 6 Pt. Socket
18 mm. 12 Pt. Socket	11 mm. 6 Pt. Socket
19 mm. 12 Pt. Socket	4 $\frac{3}{4}$ " L Handle
6 $\frac{3}{4}$ " Ratchet	
9 $\frac{1}{16}$ " L Handle	
Screw Driver Adaptor	

NO. 1454MM 19 PIECE SET

STD. PKG. 2. PKG. WT.  $5\frac{1}{2}$  LBS.  
CASE LOT 48. CASE LOT WT. 132 LBS.



## CHROME ALLOY STEEL

Nationally recognized for the finest in sockets, Indestro's craftsmanship is built into each Metric socket set.

These carefully planned Metric socket sets are especially designed for repairs and adjustments on foreign automobiles, motorcycles, bicycles, machinery and appliances.

### 12 PIECE SET



A general purpose set containing 10 of the more popular sizes of sockets and swing head handle with cross bar. Furnished complete in metal box.

#### CONTENTS

No.	Description	No.	Description
47011	11 mm. 12 Pt. Socket	47022	22 mm. 12 Pt. Socket
47012	12 mm. 12 Pt. Socket	47023	23 mm. 12 Pt. Socket
47013	13 mm. 12 Pt. Socket	47024	24 mm. 12 Pt. Socket
47014	14 mm. 12 Pt. Socket	47025	25 mm. 12 Pt. Socket
47017	17 mm. 12 Pt. Socket	3210	9" Cross Bar
47019	19 mm. 12 Pt. Socket	3225	11½" Sw. Hd. Hdle.

NO. 7882-MM 12 PC. METRIC SET IN METAL BOX  
STD. PKG. 1. PKG. WT. 5 LBS.  
NO. 9962 BOX, ONLY—12½" x 3¾" x 2½"  
STD. PKG. 1. PKG. WT. 1½ LBS.


### 30 PIECE SET



The component parts of each set are constructed to meet the highest standards of American made hand tools, and to Indestro's rigid manufacturing specifications.

All sockets and fittings are made from chrome alloy steel, highly polished and completely chrome plated. Each set complete with a heavy gauge metal box. *For additional 1/2" square drive fittings, please see Pages 8 and 9.*

### 17 PIECE SET



This popular set contains a longer range of metric sizes and provides greater utility with the addition of a ratchet and extension.

#### CONTENTS

No.	Description	No.	Description
47011	11 mm. 12 Pt. Socket	47025	25 mm. 12 Pt. Socket
47012	12 mm. 12 Pt. Socket	47026	26 mm. 12 Pt. Socket
47013	13 mm. 12 Pt. Socket	47027	27 mm. 12 Pt. Socket
47014	14 mm. 12 Pt. Socket	47028	28 mm. 12 Pt. Socket
47017	17 mm. 12 Pt. Socket	3216	5½" Extension
47019	19 mm. 12 Pt. Socket	3226	15½" Sw. Hd. Hdle.
47022	22 mm. 12 Pt. Socket	3210	9" Cross Bar
47023	23 mm. 12 Pt. Socket	3277	Reversible Ratchet
47024	24 mm. 12 Pt. Socket		

NO. 7883-MM 17 PC. METRIC SET IN METAL BOX  
STD. PKG. 1. PKG. WT. 8½ LBS.  
NO. 9963 BOX, ONLY—16" x 3¾" x 2½"  
STD. PKG. 1. PKG. WT. ¾ LBS.

### CONTENTS

No.	Description	No.	Description
47010	10 mm. 12 Pt. Socket	47025	25 mm. 12 Pt. Socket
47011	11 mm. 12 Pt. Socket	47026	26 mm. 12 Pt. Socket
47012	12 mm. 12 Pt. Socket	47027	27 mm. 12 Pt. Socket
47013	13 mm. 12 Pt. Socket	47028	28 mm. 12 Pt. Socket
47014	14 mm. 12 Pt. Socket	47029	29 mm. 12 Pt. Socket
47015	15 mm. 12 Pt. Socket	47030	30 mm. 12 Pt. Socket
47016	16 mm. 12 Pt. Socket	47032	32 mm. 12 Pt. Socket
47017	17 mm. 12 Pt. Socket	3208	17½" Speeder
47018	18 mm. 12 Pt. Socket	3216	5½" Extension
47019	19 mm. 12 Pt. Socket	3211	10" Extension
47020	20 mm. 12 Pt. Socket	3230	27½" Extension
47021	21 mm. 12 Pt. Socket	3210	9" Cross Bar
47022	22 mm. 12 Pt. Socket	3226	15½" Sw. Hd. Hdle.
47023	23 mm. 12 Pt. Socket	3217	Universal Joint
47024	24 mm. 12 Pt. Socket	3277	Reversible Ratchet

NO. 7884-MM 30 PC. METRIC SET IN METAL BOX  
STD. PKG. 1. PKG. WT. 19 LBS.  
NO. 9910A BOX, ONLY—19" x 7½" x 6¾"  
STD. PKG. 1. PKG. WT. 7½ LBS.

INDESTRO provides a *powerful* complete MERCHANTISING PROGRAM that really Sells hand tools.

**You Can Sell More Because Indestro Gives You More To Sell**

The tremendous range of displays, as illustrated, satisfies the demands of the best modern merchandising practices—to offer a Wide Selection of Point of Purchase displays to encourage "Impulse Buying".

#### Extra "Sales Power" Tool Boards


INDESTRO display panels are furnished without charge when purchased with the assortment of tools listed.

Individual display boards are available in two sizes—Senior models are 19" wide by 31" high, including mouldings—Junior models are 13" wide by 31" high, including mouldings. Boards are attractively finished in yellow with red borders. Information such as tool numbers and sizes are permanently silk screened on the panel. Pressure sensitive pricing stickers are supplied with each panel.

## MULTIPLE DISPLAY BOARD ASSEMBLIES

For the most effective arrangement we invite you to use our Multiple Display Service. Diagrammed below are a few of the many assemblies that can be made to meet your requirements. Years of experience have proven that mass or multiple displays SELL hand tools.




## HORIZONTAL ASSEMBLY



**Additional "Sales-Aids":** A complete reproduction proof catalog of popular items to speed layout work for those who use offset printing.

Newspaper mats, electrotypes, window decals, pocket-size catalogs are also available.

## CHROME ALLOY STEEL

NO. 5013B  
1/4" SQ. DRIVENO. 5010B  
3/8" SQ. DRIVENO. 5006B  
1/2" SQ. DRIVE

Quan.	No.	Description	Quan.	No.	Description	Quan.	No.	Description
		<b>6 PT. SOCKETS</b>			<b>12 PT. SOCKETS</b>			<b>12 POINT SOCKETS</b>
2	2806	5/16"	2	2712	5/8" (6 Point)	2	1214	7/16"
2	2807	7/16"	2	2714	7/16"	2	1216	1/2"
2	2808	1/4"	2	2716	1/2"	2	1218	9/16"
2	2809	9/32"	2	2718	9/32"	2	1219	19/32"
2	2810	5/16"	2	2720	5/8"	2	1220	5/8"
2	2811	11/32"	2	2722	11/16"	2	1222	11/16"
2	2812	3/8"	2	2724	3/4"	2	1224	3/4"
2	2814	7/16"	2	2726	13/16"	2	1225	25/32"
		<b>8 PT. SOCKETS</b>			<b>6 PT. UNIVERSAL JOINT SOCKETS</b>			<b>12 POINT DEEP SOCKETS</b>
2	2806S	3/16"	2	2728	7/8"	2	1226	13/16"
2	2807S	7/32"				2	1228	7/8"
2	2808S	1/4"				2	1230	15/16"
2	2810S	5/16"				2	1232	1"
2	2812S	9/8"						
		<b>HANDLES AND FITTINGS</b>			<b>12 PT. DEEP SOCKETS</b>			<b>12 POINT DEEP SOCKETS</b>
2	481	1/4" Female 3/8" Male Adaptor			7/16"			5/8"
2	2832	3" Extension			1/2"			11/16"
2	2833	6" Extension			9/16"			3/4"
2	2836	Universal Joint			5/8"			13/16"
2	2850	6" Swing Head Handle						
2	2869	6" Flexible Extension						
2	2870	4" Flexible Extension						
2	2872	4" Spinner Handle						
2	2873	6" Spinner Handle						
2	2879	7" Spin-Flex Handle						
2	2875	Reversible Ratchet						
2	4691	5" Pkt. Spk. Test. Screw Driver						
2	4692	7 3/4" Spark Testing Screw Driver						
		<b>IGNITION WRENCHES</b>						<b>HANDLES AND FITTINGS</b>
2	891	15/64" x 15/64"						Drag Link Socket
2	892	15/64" x 13/64"						Universal Joint
2	892A	1 1/2" x 3/16"						2 1/16" Extension
2	893	7/32" x 1/4"						5 1/2" Extension
2	894	1/4" x 7/32"						
2	895	9/32" x 5/16"						
2	896	5/16" x 9/32"						
2	897	11/32" x 7/8"						
2	898	3/8" x 11/32"						
2	899	7/16" x 1 1/2"						
		<b>FEELER GAUGES</b>						
2	166	All Purpose						
2	208	Spark Plug						
2	210	Standard						
2	226	Ford						
2	227	Chevrolet						
2	228	Combination						
2	225	Master						

NO. 5013B 1/4" SQ. DR. DISPLAY  
STD. PKG. 1. PKG. WT. 17 LBS.NO. 5010B 3/8" SQ. DRIVE DISPLAY  
STD. PKG. 1. PKG. WT. 22 1/4 LBS.NO. 5006B 1/2" SQ. DR. DISPLAY  
STD. PKG. 1. PKG. WT. 38 3/8 LBS.

# SOCKETS AND FITTINGS



JUNIOR DISPLAYS  
13" x 31"

TOOLS SELL ON SIGHT  
When Properly Displayed!

## WALLS



## POSTS




## ISLANDS



## COUNTERS

NO. 5048A  
1/2" SQ. DRIVE

Quan.	No.	Description
<b>12 Pt. Sockets</b>		
2	1214	7/16"
2	1216	1/2"
2	1218	9/16"
2	1220	5/8"
2	1222	11/16"
2	1224	3/4"
2	1226	15/16"
2	1228	7/8"
2	1230	15/16"
2	1232	1"
2	1234	1 1/16"
2	1236	1 1/8"
2	1240	1 1/4"
<b>8 Pt. Sockets</b>		
2	12165	1/2" Sq.—8 Pt.
2	12185	9/16" Sq.—8 Pt.
2	12205	5/8" Sq.—8 Pt.
2	12245	3/4" Sq.—8 Pt.
2	12265	15/16" Sq.—8 Pt.
2	492	Handles and Fittings
2	3230	1/2" Female, 3/8" Male Adaptor
2	3216	2 1/16" Extension
2	3211	5 1/2" Extension
2	3222H	15 1/2" Swing Head Handle
2	3208	17 5/8" Speeder
2	3217	Universal Joint
2	3275	Reversible Ratchet



NO. 5048A 1/2" SQ. DR. DISPLAY

STD. PKG. 1 PKG. WT. 31 1/2 LBS.

NO. 5014  
3/8" AND 1/2" SQ. DRIVE  
DEEP SOCKETS




NO. 5014 DEEP SOCKET DISPLAY

STD. PKG. 1 PKG. WT. 25 3/4 LBS.

NO. 5011B  
3/4" SQ. DRIVE

Quan.	No.	Description
<b>6 Point Deep Sockets</b>		
2	2741H	3/8" Sq. Dr.
2	2742H	7/16"
2	2743H	1/2"
2	2744H	9/16"
2	2745H	5/8"
2	2746H	11/16"
2	2747H	3/4"
2	2748H	15/16"
3	2748HS	13/16"
2	2749H	7/8"
<b>12 Point Deep Sockets</b>		
2	2742	3/8" Sq. Dr.
2	2743	7/16"
2	2744	1/2"
2	2745	9/16"
2	2746	5/8"
2	2747	11/16"
3	2748	3/4"
2	2749	15/16"
<b>12 Point Deep Sockets</b>		
2	3016	1/2" Sq. Dr.
2	3018	9/16"
3	3020	5/8"
3	3022	11/16"
2	3024	3/4"
3	3026	15/16"
3	3026T	15/16"
3	3026HS	13/16"
2	3028	7/8"
2	3030	15/16"
2	3032	1"

Quan.	No.	Description
<b>12 Pt. Sockets</b>		
1	2228	5/8"
1	2230	15/16"
1	2232	1"
1	2234	1 1/16"
1	2236	1 1/8"
1	2238	1 3/16"
1	2240	1 1/4"
1	2242	1 1/16"
1	2244	1 3/8"
1	2246	1 1/16"
1	2248	1 1/2"
1	2252	1 1/8"
1	2254	1 11/16"
1	2256	1 3/4"
1	2258	1 13/16"
1	2260	1 7/8"
1	2264	2"
<b>HANDLES and FITTINGS</b>		
1	2362	4" Extension
1	2364	8" Extension
1	2365	16" Extension
1	2363	18" Slide T Handle
1	2366	19" Swing Head Handle
1	2339	Reversible Ratchet



NO. 5011B 3/4" SQ. DR. DISPLAY


STD. PKG. 1 PKG. WT. 46 1/2 LBS.



ALLOY WRENCHES

## CHROME ALLOY STEEL

### NO. 5008A OPEN END WRENCHES



NO. 5008A OPEN END WRENCH DISPLAY  
STD. PKG. 1 PKG. WT. 23 LBS.

### JUNIOR DISPLAYS 13" x 31"


### NO. 5016 COMBINATION WRENCHES



Quan.	No.	Description
3	767S	1/4"
3	768S	5/16"
3	771S	3/8"
6	772S	7/16"
6	773S	1/2"
6	774S	9/16"
6	775S	5/8"
4	776S	11/16"
4	777S	3/4"
4	778S	15/16"
4	779S	1"
3	780	1 1/16"
2	781	1 1/8"
2	782	1 1/4"
2	783	1 1/2"

NO. 5016 COMBINATION WRENCH DISPLAY  
STD. PKG. 1 PKG. WT. 31 1/8 LBS.

### NO. 5017 COMBINATION, BOX, OPEN END WRENCHES




Quan.	No.	Description
<b>Combination Wrenches</b>		
3	771	3/8"
3	772	7/16"
3	773	1/2"
3	774	9/16"
3	775	5/8"
3	776	11/16"
3	777	3/4"
3	778	15/16"
3	779	1"
3	780	1 1/16"
3	781	1 1/8"
2	782	1 1/4"
2	783	1 1/2"
<b>Long 45° Box Wrenches</b>		
3	730	3/8" x 7/16"
3	731	1/2" x 9/16"
3	731A	9/16" x 5/8"
2	732C	11/16" x 13/16"
2	733A	3/4" x 7/8"
2	735	15/16" x 1"
<b>Open End Wrenches</b>		
6	1723	3/8" x 7/16"
6	1725B	1/2" x 9/16"
4	1727	9/16" x 5/8"
3	1029C	11/16" x 13/16"
3	1731A	3/4" x 7/8"
2	1033C	15/16" x 1"

NO. 5017 OPEN END, BOX, COMBINATION WRENCH DISPLAY  
STD. PKG. 1 PKG. WT. 26 1/4 LBS.

Quan.	No.	Description
<b>Long 45° Box Wrenches</b>		
4	730A	7/16" x 1 1/2"
4	731	1/2" x 9/16"
4	731A	9/16" x 5/8"
4	732B	5/8" x 3/4"
3	732C	11/16" x 13/16"
3	733A	3/4" x 7/8"
3	735	15/16" x 1"
<b>Short 45° Box Wrenches</b>		
3	741	3/8" x 7/16"
4	742	1/2" x 9/16"
3	743	5/8" x 11/16"
<b>Long 15° Box Wrenches</b>		
3	711	3/8" x 7/16"
4	712	1/2" x 9/16"
3	713	9/16" x 5/8"
3	714B	11/16" x 13/16"
3	715	3/4" x 7/8"
<b>Short 15° Box Wrenches</b>		
3	751	3/8" x 7/16"
4	752	1/2" x 9/16"
3	753	5/8" x 11/16"

NO. 5009A BOX END WRENCH DISPLAY  
STD. PKG. 1 PKG. WT. 28 LBS.




# SCREW DRIVERS

JUNIOR DISPLAYS  
13" x 31"



## CHROME ALLOY STEEL


NO. 5002A  
SCREW DRIVERS



NO. 5002A SCREW DRIVER DISPLAY

STD. PKG. 1. PKG. WT. 24 LBS.

NO. 5003A  
PHILLIPS AND CLUTCH HEAD




NO. 5003A PHILLIPS AND CLUTCH HEAD DISPLAY

STD. PKG. 1. PKG. WT. 20 LBS.

NO. 3700

FIVE PIECE SCREWDRIVER DISPLAY



A three color counter merchandiser of five of the most used sizes of screwdrivers.

Quality, exact fit and long life are offered in these Indestro screwdrivers. Exclusive handle design made of Tenite II plastic that is comfortable and beautiful, as well as break-proof and shock-proof. The blade is forged of Chrome Alloy steel, scientifically hardened for extra strength and chrome plated and polished for lasting beauty.

Five piece set, sizes  $\frac{3}{32}$ " x  $1\frac{11}{16}$ ",  $\frac{1}{8}$ " x 3",  $\frac{3}{16}$ " x 4",  $\frac{1}{4}$ " x 6",  $\frac{5}{16}$ " x 8".


NO. 3700 5 PC. SCREW DRIVER DISPLAY

STD. PKG. 1. PKG. WT. 1 1/4 LB.

NO. 5047W

PUNCHES-CHISELS-SCREW DRIVERS

Quan.	No.	Description
2	1940	PUNCHES
2	1941	$\frac{3}{16}$ " x $4\frac{1}{2}$ " Pin
2	1942	$\frac{1}{2}$ " x $4\frac{1}{2}$ " Pin
2	1943	$\frac{5}{32}$ " x $4\frac{1}{2}$ " Pin
2	1944	$\frac{5}{16}$ " x $6\frac{1}{2}$ " Pin
2	1945	$\frac{7}{32}$ " x $6\frac{1}{2}$ " Pin
2	1946	$\frac{1}{2}$ " x $7\frac{1}{2}$ " Pin
2	1950	$\frac{5}{32}$ " x $4\frac{1}{2}$ " Taper
2	1951	$\frac{1}{2}$ " x $6\frac{1}{2}$ " Taper
2	1952	$\frac{5}{16}$ " x $7$ " Taper
2	1953	$\frac{7}{32}$ " x $7\frac{1}{2}$ " Taper
2	1970	4" Center Punch
2	1971	5" Center Punch
2	1900	COLD CHISELS
2	1901	$\frac{3}{8}$ " x $5\frac{1}{2}$ "
2	1902	$\frac{1}{2}$ " x $5\frac{1}{2}$ "
2	1903	$\frac{5}{8}$ " x $6$ "
2	1904	$\frac{3}{4}$ " x $7$ "
2	1905	$\frac{7}{8}$ " x $8$ "
2	1906	$1\frac{1}{2}$ " x $9$ "
4	136	SCREW DRIVERS
2	4681	$\frac{1}{8}$ " x $1\frac{1}{8}$ " #1 Phillips Type
2	4682	#2 Phillips Type
2	3703	$\frac{1}{8}$ " x 3"
2	3713	$\frac{3}{16}$ " x 3"
2	3714	$\frac{3}{16}$ " x 4"
2	3724	$\frac{1}{4}$ " x 4"
2	3726	$\frac{1}{4}$ " x 6"
2	3728	$\frac{5}{16}$ " x 8"



NO. 5047W PUNCHES, CHISELS, SCREW DRIVER DISPLAY

STD. PKG. 1. PKG. WT. 23 LBS.




## CHROME ALLOY AND SELECT STEEL

## NO. 5020 ADJ. AND PIPE WRENCHES




## NO. 5015 PLIERS



## JUNIOR DISPLAYS

13" x 31"

## NO. 5044W PLIERS-ADJ. WR.



Quan.	No.	Description	Quan.	No.	Description	Quan.	No.	Description
		<b>ADJUSTABLE WRENCHES</b>						
2	3585	4"	3	2096A	6" Slip Joint Plier	2	2096A	6" Slip Joint Plier
2	3586	6"	3	2097A	8" Slip Joint Plier	2	2097A	8" Slip Joint Plier
2	3587	8"	3	2098A	10" Slip Joint Plier	2	2098A	10" Slip Joint Plier
2	3588	10"	2	2106	6" Diagonal Cutting Plier	2	2106	6" Diagonal Cutting Plier
2	3589	12"	2	2107	7 1/4" Heavy Duty Diag. Cutting Plier	2	2107	7 1/4" Hvy. Duty Diag. Cut. Plier
2	3590	15"	2	2111	6" Long Nose Cutting Plier	2	2111	6" Long Nose Cutting Plier
		<b>PIPE WRENCHES</b>						
2	3508	8"	2	3403	Water Pump Plier	2	3403	Water Pump Plier
2	3510	10"	2	3410	Ignition Plier	2	3410	Ignition Plier
2	3514	14"	2	3416	Battery Plier	2	3435	5" Utility Plier
2	3518	18"	2	3427	8 1/2" Brake Spring Plier	2	3436	6" Utility Plier
			2	3428	13 1/2" Brake Spring Plier	2	3438	8" Utility Plier
			3	3435	5" Utility Plier			<b>ADJUSTABLE WRENCHES</b>
			3	3436	6" Utility Plier	2	3585	4"
			3	3438	8" Utility Plier	2	3586	6"
						2	3587	8"
						2	3588	10"
						2	3589	12"

NO. 5020 PIPE AND ADJ. WRENCH DISPLAY  
STD. PKG. 1. PKG. WT. 37 1/4 LBS.NO. 5015 PLIER DISPLAY  
STD. PKG. 1. PKG. WT. 26 LBS.NO. 5044W PLIER AND ADJUSTABLE WRENCH DISPLAY  
STD. PKG. 1. PKG. WT. 26 LBS.


## NO. 5007A PUNCHES-CHISELS

Quan.	No.	Description	Quan.	No.	Description
		<b>FLAT COLD CHISELS</b>			<b>LONG TAPER PUNCHES</b>
3	1900	3/8" x 5"	3	1950	5/32" x 4 1/2"
3	1901	1/2" x 5 3/4"	3	1951	1/8" x 6 1/2"
3	1902	5/8" x 6"	3	1952	5/16" x 7"
2	1903	5/8" x 7"	2	1953	11/32" x 7 1/2"
2	1904	7/8" x 8"	2	1954	1/4" x 8"
2	1905	1" x 9"	2	1955	9/32" x 11"
		<b>CAPE CHISELS</b>			<b>CENTER PUNCHES</b>
3	1910	7/32" x 5"	3	1970	5/16" x 4"
3	1911	1/2" x 6"	3	1971	9/32" x 5"
2	1912	5/8" x 6"			
		<b>GOUGE CHISELS</b>			
3	1920	7/32" x 5"			
3	1921	1/4" x 6"			
		<b>DIAMOND POINT CHISELS</b>			
3	1930	5/64" x 5"			
3	1931	1/8" x 6"			
		<b>PIN PUNCHES</b>			
3	1940	3/16" x 4 1/2"	6	980-4	4 oz.
3	1941	1/2" x 4 1/2"	6	980-8	8 oz.
3	1942	7/8" x 4 1/2"	6	980-12	12 oz.
3	1943	5/32" x 6"	6	980-16	16 oz.
3	1944	5/16" x 6 1/2"	6	980-20	20 oz.
3	1945	7/32" x 6 1/2"	6	980-24	24 oz.
3	1946	1/2" x 7 1/2"			
3	1947	5/16" x 7 1/2"			

NO. 5007A PUNCH AND CHISEL DISPLAY  
STD. PKG. 1. PKG. WT. 29 1/4 LBS.

## NO. 5001 HAMMERS

Quan.	No.	Description
		<b>BALL PEIN HAMMERS</b>
6	980-4	4 oz.
6	980-8	8 oz.
6	980-12	12 oz.
6	980-16	16 oz.
6	980-20	20 oz.
6	980-24	24 oz.
		<b>NO. 5001 BALL PEIN HAMMER DISPLAY</b>
		STD. PKG. 1. PKG. WT. 55 LBS.





JUNIOR DISPLAYS  
13" x 31"

NO. 5004B  
OPEN END WRENCHES

Quan.	No.	Description
<b>ENGINEER'S WRENCHES</b>		
6	<b>P-20</b>	1/4" x 5/16"
12	<b>P-721</b>	5/16" x 3/8"
4	<b>P-21A</b>	11/32" x 13/32"
12	<b>P-723</b>	3/8" x 7/16"
12	<b>P-725</b>	7/16" x 1/2"
12	<b>P-725B</b>	1/2" x 9/16"
6	<b>P-727</b>	9/16" x 5/8"
3	<b>P-27</b>	19/32" x 11/16"
6	<b>P-729</b>	5/8" x 3/4"
6	<b>P-29C</b>	11/16" x 13/16"
6	<b>P-731A</b>	3/4" x 7/8"
4	<b>P-33C</b>	15/16" x 1"



NO. 5004B OPEN END WRENCH DISPLAY  
STD. PKG. 1. PKG. WT. 27 LBS.

NO. 5005A  
BOX WRENCHES



Quan.	No.	Description
<b>LONG 45° BOX WRENCHES</b>		
4	<b>911</b>	3/8" x 7/16"
6	<b>912</b>	1/2" x 9/16"
6	<b>913</b>	5/8" x 11/16"
4	<b>914</b>	7/8" x 25/32"
4	<b>915</b>	13/16" x 7/8"
4	<b>916</b>	15/16" x 1"
4	<b>917</b>	17/16" x 1 1/8"
<b>SHORT 15° BOX WRENCHES</b>		
6	<b>919</b>	1/4" x 5/16"
6	<b>921</b>	3/8" x 7/16"
6	<b>922</b>	1/2" x 9/16"
6	<b>923</b>	5/8" x 11/16"
6	<b>924</b>	3/4" x 25/32"
6	<b>925</b>	13/16" x 7/8"
<b>SHORT 45° BOX WRENCHES</b>		
6	<b>929</b>	1/4" x 5/16"
6	<b>931</b>	3/8" x 7/16"
6	<b>932</b>	1/2" x 9/16"
6	<b>933</b>	5/8" x 11/16"
6	<b>934</b>	3/4" x 25/32"

NO. 5005A BOX WRENCH DISPLAY  
STD. PKG. 1. PKG. WT. 37 LBS.

## SELECT STEEL

NO. 5012  
COMBINATION WRENCHES

Quan.	No.	Description
<b>COMBINATION WRENCHES</b>		
3	<b>1069</b>	1/4"
3	<b>1070</b>	5/16"
3	<b>1071</b>	3/8"
6	<b>1072</b>	7/16"
6	<b>1073</b>	1/2"
6	<b>1074</b>	9/16"
6	<b>1075</b>	5/8"
4	<b>1076</b>	11/16"
4	<b>1077</b>	3/4"
4	<b>1078</b>	13/16"
4	<b>1079</b>	7/8"
3	<b>1080</b>	15/16"
3	<b>1081</b>	1"
2	<b>1082</b>	1 1/16"
2	<b>1083</b>	1 1/8"
2	<b>1084</b>	1 1/4"



NO. 5012 COMBINATION WRENCH DISPLAY  
STD. PKG. 1. PKG. WT. 33 LBS.

NO. 5046W  
OPEN END, BOX, COMB. WRENCHES

Quan.	No.	Description
<b>OPEN END WRENCHES</b>		
3	<b>P-723</b>	3/8" x 7/16"
3	<b>P-725B</b>	1/2" x 9/16"
3	<b>P-27</b>	19/32" x 11/16"
3	<b>P-729</b>	5/8" x 3/4"
3	<b>P-731B</b>	13/16" x 7/8"
3	<b>P-33C</b>	15/16" x 1"
<b>COMBINATION WRENCHES</b>		
3	<b>1072</b>	7/16"
3	<b>1073</b>	1/2"
3	<b>1074</b>	9/16"
3	<b>1075</b>	5/8"
3	<b>1076</b>	11/16"
3	<b>1077</b>	3/4"
3	<b>1078</b>	13/16"
<b>45° BOX END WRENCHES</b>		
3	<b>911</b>	3/8" x 7/16"
3	<b>912</b>	1/2" x 9/16"
3	<b>913</b>	5/8" x 11/16"
3	<b>914</b>	3/4" x 25/32"
3	<b>915</b>	13/16" x 7/8"
3	<b>916</b>	15/16" x 1"

NO. 5046W OPEN END, BOX, COMB. WRENCH DISPLAY  
STD. PKG. 1. PKG. WT. 28 LBS.




# KLIPTITE SETS AND PULLEYS

## SELECT STEEL

NO. 5018  
WALL HANGER KLIPT SETS



NO. 5019  
KLIPTITE WRENCH DISPLAY



NO. 5045W  
STEEL PULLEYS



Quan.	No.	Description
2	1070-05W*	"KLIPTITE" COMB. WRENCH SETS
2	1070-6W*	5 Piece
2	900-5A	6 Piece
2	900-6A	5 Piece
2	910-5W*	6 Piece
2	910-6W*	5 Pc. Long 45° Type
2	920-4K	6 Pc. Long 45° Type
2	920-4K	4 Pc. Short 15° Type
2	935-4K	4 Pc. Short 45° Type
2	930-5W*	"KLIPTITE" OPEN END WRENCH SETS
2	930-6W*	5 Piece
2		6 Piece

Quan.	No.	Description
2	0900-5A	COMBINATION WRENCH SETS
2	0900-6A	5 Piece
2	01070-05K	6 Piece
2	01070-5K	5 Piece
2	01070-6K	6 Piece
2	0910-5K	BOX WRENCH SETS
2	0910-6K	5 Piece
2	0920-4K	6 Piece
2	0930-5P	OPEN END WR. SETS
2	0930-6P	5 Piece
2		6 Piece

Quan.	No.	Dia.	Bore
2	10151	1 1/2"	1/2"
2	10152	1 1/2"	5/8"
2	10201	2"	1/2"
2	10202	2"	5/8"
2	10251	2 1/2"	1/2"
2	10252	2 1/2"	5/8"
2	10253	2 1/2"	3/4"
2	10301	3"	1/2"
2	10302	3"	5/8"
2	10303	3"	3/4"
2	10401	4"	1/2"
2	10402	4"	5/8"
2	10403	4"	3/4"
2	10501	5"	1/2"
2	10502	5"	5/8"
2	10503	5"	3/4"
1	10601	6"	1/2"
1	10602	6"	5/8"
1	10603	6"	3/4"
1	10651	6 1/2"	1/2"
1	10652	6 1/2"	5/8"
1	10653	6 1/2"	3/4"
1	10801	8"	1/2"
1	10802	8"	5/8"
1	10803	8"	3/4"

\*Sets with exclusive Wall Hanger Klip Design. 174919.

NO. 5018 WALL HANGER SET DISPLAY

STD. PKG. 1 PKG. WT. 36 LBS.

NO. 5019 KLIPTITE WRENCH DISPLAY

STD. PKG. 1 PKG. WT. 36 LBS.

NO. 5210 STEEL PULLEY MERCHANDISER

A selected assortment of 21 quality built steel pulleys in the most popular sizes and bores.


A Self Service display—each pulley has the diameter and bore size imprinted.

This sturdy and attractive counter display occupies a space only 9 1/2" Square. Height is 23 7/8".

Quan.	No.	Dia.	Bore	Quan.	No.	Dia.	Bore
1	10151	1 1/2"	1/2"	1	10401	4"	1/2"
1	10152	1 1/2"	5/8"	1	10402	4"	5/8"
1	10201	2"	1/2"	1	10403	4"	3/4"
1	10202	2"	5/8"	1	10501	5"	1/2"
1	10251	2 1/2"	1/2"	1	10502	5"	5/8"
1	10252	2 1/2"	5/8"	1	10503	5"	3/4"
1	10253	2 1/2"	3/4"	1	10601	6"	1/2"
1	10301	3"	1/2"	1	10602	6"	5/8"
1	10302	3"	5/8"	1	10603	6"	3/4"
1	10303	3"	3/4"	1	10652	6 1/2"	5/8"
				1	10653	6 1/2"	3/4"

NO. 5210 STEEL PULLEY MERCHANDISER

STD. PKG. 1 PKG. WT. 20 LBS.



NO. 5045W STEEL PULLEY DISPLAY

STD. PKG. 1 PKG. WT. 48 LBS.

NO. 5049W DIE CAST PULLEY DISPLAY

(Not Illustrated—Same as Above)

Quan.	No.	Dia.	Bore		
			1/2"	5/8"	3/4"
3	340150	1 1/2"	2	1	1
3	340175	1 3/4"	1	2	
3	340200	2"	2	1	
3	340225	2 1/4"	2	1	
3	340250	2 1/2"	1	1	1
3	340275	2 3/4"	1	1	1
3	340300	3"	1	1	1
3	340325	3 1/4"	1	1	1
3	340350	3 1/2"	1	1	1
3	340400	4"	1	1	1
3	340450	4 1/2"	1	1	1
3	340500	5"	1	1	1
3	340550	5 1/2"	1	1	1
3	340600	6"	1	1	1


NO. 5049W DIE CAST PULLEY DISPLAY

STD. PKG. 1 PKG. WT. 32 LBS.




**SENIOR DISPLAYS 19" x 31"**

NO. 5060 3/8" SQ. DRIVE



## CHROME ALLOY STEEL

**NO. 5056B 1/2" SQ. DRIVE**



Quan.	No.	Description
<b>12 POINT SOCKETS</b>		
2	<b>2714</b>	$\frac{7}{16}''$
2	<b>2716</b>	$\frac{9}{16}''$
2	<b>2718</b>	$\frac{5}{8}''$
2	<b>2720</b>	$\frac{11}{16}''$
2	<b>2722</b>	$\frac{3}{4}''$
2	<b>2724</b>	$\frac{15}{16}''$
2	<b>2726</b>	$\frac{7}{8}''$
2	<b>2728</b>	$\frac{1}{4}''$
<b>6 POINT SOCKETS</b>		
2	<b>2708H</b>	$\frac{5}{16}''$
2	<b>2710H</b>	$\frac{3}{8}''$
2	<b>2712H</b>	$\frac{7}{16}''$
2	<b>2714H</b>	$\frac{1}{2}''$
2	<b>2716H</b>	$\frac{9}{16}''$
2	<b>2718H</b>	$\frac{5}{8}''$
2	<b>2720H</b>	$\frac{11}{16}''$
2	<b>2722H</b>	$\frac{3}{4}''$
2	<b>2724H</b>	$\frac{15}{16}''$
2	<b>2726H</b>	$\frac{7}{8}''$
2	<b>2728H</b>	$\frac{13}{16}''$ Plug Holding Deep Socket
2	<b>2748HS</b>	<b>8 POINT SOCKETS</b>
2	<b>2712S</b>	$\frac{3}{8}''$
2	<b>2714S</b>	$\frac{7}{16}''$
2	<b>2716S</b>	$\frac{1}{2}''$
<b>6 PT. UNIVERSAL JT. SOCKETS</b>		
2	<b>2712UV</b>	$\frac{3}{8}''$
2	<b>2714UV</b>	$\frac{7}{16}''$
2	<b>2716UV</b>	$\frac{1}{2}''$
2	<b>2718UV</b>	$\frac{9}{16}''$
2	<b>2720UV</b>	$\frac{5}{8}''$
2	<b>2722UV</b>	$\frac{11}{16}''$
2	<b>2724UV</b>	$\frac{3}{4}''$
<b>HANDLES AND FITTINGS</b>		
2	<b>2730</b>	3" Extension
2	<b>2732</b>	4 $\frac{1}{2}$ " Extension
2	<b>2733</b>	6" Extension
2	<b>2734</b>	9" Extension
2	<b>2735</b>	12" Extension
2	<b>491</b>	$\frac{3}{8}''$ Female, $\frac{1}{4}''$ Male
2	<b>482</b>	Adaptor
2	<b>2785</b>	$\frac{3}{8}''$ Female, $\frac{1}{2}''$ Male
2	<b>2781</b>	Adaptor
2	<b>2775</b>	16 $\frac{1}{2}$ " Speeder
2	<b>2763</b>	9" Swing Head Handle
2	<b>2797</b>	Reversible Ratchet
2	<b>8099<math>\frac{3}{8}</math></b>	Slide T Handle
1	<b>8099<math>\frac{3}{8}</math></b>	Universal Joint
1	<b>8099<math>\frac{3}{8}</math></b>	Torque Wrench

Quan.	No.	Description
		<b>6 PT. SOCKETS</b>
2	1212H	5/8"
2	1214H	7/16"
2	1216H	9/16"
2	1218H	5/8"
2	1220H	5/8"
2	1222H	11/16"
2	1224H	9/16"
2	1226H	13/16"
2	1228H	7/8"
2	1230H	13/16"
2	1232H	1"
2	1234H	11/16"
2	1236H	11/8"
2	1240H	13/4"
		<b>12 PT. SOCKETS</b>
2	1214	7/16"
2	1216	9/16"
2	1218	9/16"
2	1219	19/32"
2	1220	5/8"
2	1222	11/16"
2	1224	9/16"
2	1225	25/32"
2	1226	13/16"
2	1228	7/8"
2	1230	15/16"
2	1232	1"
2	1234	11/16"
2	1236	11/8"
2	1240	13/4"
		<b>8 PT. SOCKETS</b>
2	1216S	1 1/2"
2	1218S	9/8"
2	1220S	5/8"
2	1222S	11/16"
2	1224S	3/4"
2	1226S	13/16"
		<b>HANDLES AND FITTINGS</b>
2	618X	6 Pt. Ford Con. Rod Skt.
1	492	1/2" Female, 3/8" Male
1	483	Adaptor 5/8" Female, 3/4" Male
2	3213	Adaptor Drag Link Socket
2	3217	Universal Joint
2	3230	27/16" Extension
2	3216	5 1/2" Extension
2	3211	10" Extension
2	3206	10" Slide T Handle
2	3208	17 5/8" Speeder
2	3220H	11 1/4" Swing Head Handle
2	3222H	15 1/2" Swing Head Handle
2	3223H	18" Swing Head Handle
2	3275	Reversible Ratchet
1	8099 1/2H	Torque Wrench

**NO. 5060 3/8" SQ. DR. SOCKET AND FITTING DISPLAY**  
STD. PKG. 1 PKG. WT. 28 LBS.


**NO. 5056B 1/2" SQ. DR. SOCKET AND FITTING DISPLAY**  
STD. PKG. 1 PKG. WT. 54 LBS.



Punches-Chisels — Open End — Box Wrenches

# CHROME ALLOY STEEL

## NO. 5057A PUNCHES AND CHISELS



NO. 5057A PUNCH AND CHISEL DISPLAY


## SENIOR DISPLAYS

19" x 31"

Quan.	No.	Description	Quan.	No.	Description
		<b>FLAT COLD CHISELS</b>			<b>LONG TAPER PUNCHES</b>
3	1900	3/8" x 5"	3	1950	3/16" x 4 1/2"
1	1901	1/2" x 5 3/4"	1	1951	1/8" x 6 1/2"
3	1902	5/8" x 6"	3	1952	3/16" x 7"
2	1903	3/4" x 7"	2	1953	7/32" x 7 1/2"
2	1904	7/8" x 8"	2	1954	1/4" x 8"
2	1905	1" x 9"	2	1955	9/32" x 11"
		<b>CAPE CHISELS</b>			<b>CENTER PUNCHES</b>
3	1910	7/16" x 5"	3	1970	5/16" x 4"
3	1911	5/16" x 6"	3	1971	3/8" x 5"
2	1912	3/8" x 6"			
		<b>GOUGE CHISELS</b>			<b>PRY BARS</b>
3	1920	7/32" x 5"	2	1981	1" x 16" Jimmy Pry Bar
3	1921	1/4" x 6"	2	1982	1 1/8" x 20" Jimmy Pry Bar
			2	1988	5/8" x 15" Close Quarter Pry Bar
		<b>DIAMOND POINT CHISELS</b>			<b>LONG DRIFT PUNCHES</b>
3	1930	5/64" x 5"	2	1990	1/4" x 16"
3	1931	1/8" x 6"	2	1991	7/32" x 14"
			2	1992	3/16" x 12"
		<b>PIN PUNCHES</b>			<b>SCREW EXTRACTORS</b>
3	1940	3/16" x 4 1/2"	3	1391	1/4"
3	1941	1/2" x 4 1/2"	2	1392	5/16"
3	1942	5/8" x 4 1/2"	2	1393	3/8"
3	1943	7/16" x 6"	2	1394	7/16"
3	1944	5/16" x 6 1/2"	2	1395	1/2"
3	1945	7/32" x 6 1/2"	2	1396	9/16"
3	1946	1/2" x 7 1/4"			
3	1947	5/16" x 7 5/8"			

STD. PKG. 1 PKG. WT. 50 LBS.

NO. 5058B  
OPEN END  
WRENCHES



Quan.	No.	Description	Quan.	No.	Description
<b>OPEN END WRENCHES</b>					
4	1020	1/4" x 5 1/2"	4	T1A	7/16" x 1 1/2"
4	1721	5/16" x 8 1/2"	4	T2	5/8" x 9 1/2"
4	1723	9/16" x 16"	4	T3	5/8" x 11 1/2"
6	1725	1/2" x 2"	4	T4	3/4" x 7 1/2"
			4	T4A	9/16" x 13 1/2"
6	1725B	1 1/16" x 10 1/2"			
4	1727	9/16" x 5 1/2"	2	1821	3/8" x 3 1/8"
4	1729	5/8" x 3 1/4"	2	1823	7/16" x 1 1/16"
4	1029C	11/16" x 12 1/16"	3	1825	1/2" x 1 1/2"
3	1731A	3/4" x 7 1/2"	3	1827	9/16" x 9 1/16"
2	1033C	15/16" x 1"	2	1829	5/8" x 5 5/8"
2	1036B	1 1/16" x 1 1/8"	2	1830	11/16" x 11 1/16"
2	1037	11/16" x 1 1/4"	2	1831	3/4" x 3 1/4"

NO. 5058B OPEN END WRENCH DISPLAY  
STD. PKG. 1 PKG. WT. 31 LBS.

NO. 5059B  
BOX END  
WRENCHES




Quan.	No.	Description	Quan.	No.	Description
<b>BOX WRENCHES</b>					
3	730	3/8" x 7 1/16"	2	715	5/8" x 7 1/8"
3	730A	7/16" x 9 1/2"	2	716	15/16" x 1 1/8"
3	731	1/2" x 9 1/2"	1	717	1 1/16" x 1 1/8"
3	731A	9/16" x 5 1/2"	1	717A	1 1/16" x 1 1/4"
3	732B	5/8" x 2 1/4"			
2	732C	11/16" x 13 1/16"	2	741	9/16" x 1 1/16"
2	733A	3/4" x 7 1/8"	3	742	1/2" x 9 1/16"
2	735	15/16" x 1"	2	743	5/8" x 11 1/16"
1	757	11/16" x 1 1/8"			
1	758A	13/16" x 1 1/4"			
<b>LONG 45° BOX WRENCHES</b>					
2	711	3/8" x 7 1/16"	2	751	5/8" x 7 1/16"
2	711A	7/16" x 3 1/2"	3	752	1/2" x 9 1/16"
3	712	1/2" x 9 1/16"	2	753	5/8" x 11 1/16"
3	713	9/16" x 5 1/2"			
3	713B	5/8" x 3 1/4"	2	769	5/8" x 9 1/16"
2	714B	11/16" x 13 1/16"	2	769A	5/8" x 3 1/4"
<b>LONG 15° BOX WRENCHES</b>					
2	711	3/8" x 7 1/16"			
2	711A	7/16" x 3 1/2"			
3	712	1/2" x 9 1/16"			
3	713	9/16" x 5 1/2"			
3	713B	5/8" x 3 1/4"			
2	714B	11/16" x 13 1/16"			
<b>SHORT 45° BOX WRENCHES</b>					
2	741	9/16" x 1 1/16"			
2	742	1/2" x 9 1/16"			
2	743	5/8" x 11 1/16"			
<b>SHORT 15° BOX WRENCHES</b>					
2	751	5/8" x 7 1/16"			
2	752	1/2" x 9 1/16"			
2	753	5/8" x 11 1/16"			
<b>ELBOW WRENCHES</b>					
2	769	5/8" x 9 1/16"			
2	769A	5/8" x 3 1/4"			


NO. 5059B BOX END WRENCH DISPLAY  
STD. PKG. 1 PKG. WT. 43 LBS.



**SENIOR DISPLAYS**  
**19" x 31"**



NO. 5053A  
PHILLIPS AND CLUTCH HEAD  
SCREW DRIVERS



**NO. 5053A PHILLIPS AND CLUTCH  
HEAD SCREW DRIVER  
DISPLAY**

STD. PKG. 1. PKG. WT. 33 LBS.

## **CHROME ALLOY and SELECT STEEL**

**NO. 5052A**  
**SCREW DRIVERS**


Quan.	No.	Description	Quan.	No.	Description
12	<b>136</b>	$\frac{1}{8}''$ x $\frac{1}{8}''$ Pocket Screw Driver	3	<b>3721</b>	$\frac{1}{4}''$ x $1\frac{1}{4}''$
			3	<b>3722</b>	$\frac{1}{4}''$ x $2''$
			6	<b>3724</b>	$\frac{1}{4}''$ x $4''$
			6	<b>3726</b>	$\frac{1}{4}''$ x $6''$
		<b>ROUND BLADE TYPE</b>			
3	<b>3603</b>	$\frac{1}{8}''$ x $3''$	6	<b>3728</b>	$\frac{1}{4}''$ x $8''$
6	<b>3614</b>	$\frac{3}{16}''$ x $4''$	3	<b>3731</b>	$\frac{5}{16}''$ x $1\frac{1}{4}''$
6	<b>3616</b>	$\frac{3}{16}''$ x $6''$	6	<b>3736</b>	$\frac{5}{16}''$ x $6''$
		<b>SQUARE BLADE TYPE</b>	3	<b>3738</b>	$\frac{5}{16}''$ x $8''$
3	<b>3702</b>	$\frac{1}{8}''$ x $2''$			
6	<b>3703</b>	$\frac{1}{8}''$ x $3''$			
3	<b>3711</b> 1/2	$\frac{3}{16}''$ x $1\frac{1}{2}''$	3	<b>3746</b>	$\frac{3}{8}''$ x $6''$
6	<b>3713</b>	$\frac{3}{16}''$ x $3''$	3	<b>3748</b>	$\frac{3}{8}''$ x $8''$
			2	<b>3749</b>	$\frac{3}{8}''$ x $10''$
6	<b>3714</b>	$\frac{3}{16}''$ x $4''$			
6	<b>3716</b>	$\frac{3}{16}''$ x $6''$			

---

NO. 5052A SCREW DRIVER DISPLAY

STD. PKG. 1. PKG. WT. 32 LBS.

NO. 5071A  
PLIERS



Quan.	No.	Description
2	<b>2096A</b>	6" Slip Joint Plier
2	<b>2097A</b>	8" Slip Joint Plier
2	<b>2098A</b>	10" Slip Joint Plier
2	<b>2106</b>	6" Diagonal Cutting Plier
2	<b>2107</b>	7½" Heavy Duty Diag. Cut. Plier
2	<b>2111</b>	6" Long Nose Cutting Plier
2	<b>3400</b>	Water Pump Plier— Alloy Steel
2	<b>3403</b>	Water Pump Plier— Select Steel
2	<b>3410</b>	Ignition Plier
2	<b>3416</b>	Battery Plier
2	<b>3427</b>	8½" Brake Spring Plier
2	<b>3428</b>	13½" Brake Spring Plier
2	<b>3435</b>	5" Utility Plier
2	<b>3436</b>	6" Utility Plier
2	<b>3438</b>	8" Utility Plier
2	<b>3421</b>	5" Rib Joint Plier
2	<b>3422</b>	10" Rib Joint Plier
2	<b>3430</b>	Bendix Brake Spring Tool
2	<b>2124</b>	8" Linemans Plier
2	<b>3432</b>	10" Grip All Plier

**NO. 5071A PLIER DISPLAY**  
STD. PKG. 1. PKG. WT. 34½ LBS.




## SENIOR DISPLAYS

19" x 31"



## NO. 5066 BODY AND FENDER HAMMER DISPLAY



Quan.	No.	Description
3	<b>946</b>	Long Dimple Dinging Hammer
2	<b>947</b>	Narrow Pein Bumping Hammer
3	<b>948</b>	Medium Dinging Hammer, 11 oz.
3	<b>949</b>	Dimple Dinging Hammer, 9 oz.
3	<b>952</b>	Dinging Hammer, 13 oz.
2	<b>950</b>	Bumping Hammer, 13 oz.
3	<b>951</b>	Bumping Hammer, 10 oz.
1	<b>953</b>	Fender Bumping Hammer


NO. 5066 BODY AND FENDER HAMMER DISPLAY  
STD. PKG. 1. PKG. WT. 29 LBS.

## NO. 5065A BODY AND FENDER TOOLS

Quan.	No.	Description
3	<b>955</b>	Toe Dolly
3	<b>956</b>	Utility Dolly
1	<b>957</b>	Small Hand Dolly
1	<b>958</b>	Large Hand Dolly
1	<b>959</b>	Bead Dolly
3	<b>960</b>	Heel Dolly
1	<b>964</b>	Curved Dolly
1	<b>965</b>	Streamlined Dolly
3	<b>961</b>	Curved Flat Spoon
3	<b>962</b>	Long Flat Spoon
2	<b>963</b>	Fender Spoon
2	<b>972</b>	14" Flexible File and Holder
4	<b>971F</b>	14" Replacement File
1	<b>976</b>	Flange Tool

NO. 5065A BODY AND FENDER TOOL DISPLAY  
STD. PKG. 1. PKG. WT. 62 LBS.

## NO. 5067A BALL PEIN AND PLASTIC TIP HAMMERS



Quan.	No.	Description
<b>BALL PEIN HAMMERS</b>		
3	<b>980-2</b>	2 oz.
3	<b>980-4</b>	4 oz.
3	<b>980-8</b>	8 oz.
3	<b>980-12</b>	12 oz.
6	<b>980-16</b>	16 oz.
3	<b>980-20</b>	20 oz.
3	<b>980-24</b>	24 oz.
3	<b>980-32</b>	32 oz.
<b>PLASTIC TIP HAMMERS</b>		
4	<b>983</b>	9 oz.
4	<b>984</b>	16 oz.

NO. 5067A BALL PEIN AND PLASTIC TIP HAMMER DISPLAY  
STD. PKG. 1. PKG. WT. 55 LBS.



## SENIOR DISPLAYS




19" x 31"

## NO. 5085 SERVICE TOOLS

Quan.	No.	Description	Quan.	No.	Description
2	785	Piston Ring Compressor	2	368	Flare Nut Wrench
2	790	Piston Ring Compressor	2	369	Flare Nut Wrench
2	643	Drain Plug Wrench	2	370	Flare Nut Wrench
2	644	Drain Plug Wrench	2	A385	Flaring Tool
2	792	Ring Groove Cleaner	2	261	Tube Cutter
2	791	Carbon Scraper	2	630	Filler Plug Adaptor
2	2161	Brake Adjusting Tool	2	3585	Adjustable Wrench
2	2162	Brake Adjusting Tool	2	3586	Adjustable Wrench
2	162	Auto Body Panel Cutter	2	3587	Adjustable Wrench
2	163	Muffler-Tail Pipe Cutter	2	3588	Adjustable Wrench
2	164	Muffler-Tail Pipe Cutter	2	3589	Adjustable Wrench
2	165	Muffler-Tail Pipe Cutter	2	3590	Adjustable Wrench

NO. 5085 SERVICE TOOL DISPLAY

STD. PKG. 1. PKG. WT. 42½ LBS.

NO. 5054B  
OPEN END  
WRENCHESNO. 5081A  
KLIPTITE SETS

Quan.	No.	Description
ENGINEER'S WRENCHES		
6	P20	1 1/16" x 5 5/8"
12	P721	5/16" x 3 1/8"
4	P21A	11 5/8" x 13 3/8"
12	P723	9/8" x 1 1/16"
12	P725	7/16" x 3 1/2"
12	P725B	1 1/2" x 9 1/16"
6	P727	9/16" x 5 5/8"
3	P27	19 5/32" x 11 1/16"
6	P729	5 5/8" x 3 1/2"
6	P29C	11 5/8" x 13 1/16"
6	P731A	9/4" x 1 1/8"
4	P33A	7/8" x 15 1/16"
4	P33C	15 5/8" x 1"
2	P36B	11 5/16" x 1 1/8"
2	P37	1 1/4" x 1 1/4"
3	930-5P	KLIPTITE SETS
3	930-6P	5 Piece Open End Wr. Set
3	939-6P	6 Piece Open End Wr. Set

Quan.	No.	Description	Quan.	No.	Description
2	900-5A	5 Pc. Combination Wr. Set	2	935-5K	5 Piece
2	900-6A	6 Pc. Combination Wr. Set	3	930-5P	"KLIPTITE" END WR. SETS
2	910-4K	"KLIPTITE" BOX WR. SETS	2	930-6P	5 Piece
3	910-5K	4 Piece	2	939-6P	6 Piece
2	910-6K	5 Piece	2	1070-5K	"KLIPTITE" COMB. WR. SETS
3	920-3K	6 Piece	2	1070-05K	5 Piece
2	920-4K	3 Piece	2	1070-6K	5 Piece
2	920-5K	4 Piece	2	935-4K	6 Piece
2	935-3K	5 Piece			
2	935-4K	3 Piece			

NO. 5054B OPEN END WRENCH DISPLAY  
STD. PKG. 1. PKG. WT. 52½ LBS.NO. 5081A "KLIPTITE" SET DISPLAY  
STD. PKG. 1. PKG. WT. 56 LBS.

## **CHROME ALLOY and SELECT STEEL**

## SENIOR DISPLAYS

19" x 31"


**NO. 5092  
METRIC TOOLS**

Quan.	No.	Description Metric Sizes			Quan.	No.	Description Metric Sizes		
		<b>OPEN END WRENCHES</b>			2	<b>47015</b>			15
6	<b>40607</b>	6 x 7			2	<b>47016</b>			16
6	<b>40809</b>	8 x 9			2	<b>47017</b>			17
6	<b>41011</b>	10 x 11			2	<b>47018</b>			18
6	<b>41213</b>	12 x 13							
					2	<b>47019</b>			19
6	<b>41415</b>	14 x 15			2	<b>47020</b>			20
6	<b>41617</b>	16 x 17			2	<b>47021</b>			21
4	<b>41819</b>	18 x 19			2	<b>47022</b>			22
4	<b>42022</b>	20 x 22							
3	<b>42123</b>	21 x 23			2	<b>47023</b>			23
3	<b>42426</b>	24 x 26			2	<b>47024</b>			24
					2	<b>47025</b>			25
					2	<b>47026</b>			26
		<b>1/2" SQ. DR. SOCKETS</b>							
2	<b>47010</b>	10			2	<b>47027</b>			27
2	<b>47011</b>	11			2	<b>47028</b>			28
2	<b>47012</b>	12			2	<b>47029</b>			29
2	<b>47013</b>	13			2	<b>47030</b>			30
2	<b>47014</b>	14			2	<b>47032</b>			32

**NO. 5092 METRIC TOOL DISPLAY**

STD. PKG. 1. PKG. WT. 36 LBS.

**NO. 5070**  
**PULLERS**




Quan.	No.	Description
2	<b>252</b>	2 $\frac{1}{4}$ " Gear Puller
2	<b>253</b>	3 $\frac{1}{2}$ " Gear Puller
1	<b>257</b>	Gear Puller Set
1	<b>260X</b>	Hub Puller Set
1	<b>248</b>	Universal Puller
2	<b>254</b>	Steering Wheel Puller

---

NO. 5070 PULLER DISPLAY

STD. PKG. 1. PKG. WT. 44½ LBS.

NO. 5072  
\$NIPS



Quan.	No.	Description
2	<b>5401</b>	10" Power Cut (Left)
2	<b>5402</b>	10" Power Cut (Right)
2	<b>5403</b>	10" Power Cut (Straight)
2	<b>5407</b>	7" Straight
2	<b>5410</b>	10" Straight
2	<b>5412</b>	12 $\frac{3}{4}$ " Straight
2	<b>5507</b>	7" Circle
2	<b>5510</b>	10" Circle
2	<b>5512</b>	12 $\frac{3}{4}$ " Circle

NO 5073 SNIP DISPLAY


STD. PKG. 1. PKG. WT. 27 $\frac{1}{2}$  LBS.



## SERVATOOL SALESMAKER

## 6 BOARD DISPLAY

**INDESTRO**  
TOOLS Built for Service



Balanced Stock  
of  
Demand Tools

SHIPPED COMPLETELY ASSEMBLED

Traffic Stopper  
Colors  
Yellow and Red

Famous Brand  
Nationally Advertised  
Guaranteed

## SERVATOOL SALESMAKER

## 4 BOARD DISPLAY

**INDESTRO**  
TOOLS Built for Service



Rotates at  
Finger Touch

Smooth, Noiseless  
Ball Bearing Base

Sturdy Wood  
Construction

Numbers On Display  
Speeds Ordering  
and Restocking

Invites Inspection  
and  
Impulse Sales

This revolving hexagonal display contains 121 types and sizes and affords a diversified tool department in the limited space provided by a counter—28" at base, 36" high.

This display board assortment is flexible—the merchandiser is designed to handle any six 13" x 31" junior panels as illustrated—should tool assortments other than those listed in the above unit be desired, merely, specify one 5252RB, revolving base only, and the specific junior panels you will require. Indestro will build the merchandiser with the junior display boards you prefer.

Quan.	No.	Description
1	5002A*	Screw Driver Display
1	5004B*	Open End Wrench Display
1	5005A*	Box Wrench Display
1	5006B*	1/2" Sq. Dr. Socket and Fitting Display
1	5007A*	Punch and Chisel Display
1	5012*	Combination Wrench Display

\*For detailed listing of contents see individual panels illustrated in this catalog.

**NO. 5252 SERVATOOL SALESMAKER COMPLETE WITH TOOLS, BOARDS AND REVOLVING BASE**

STD. PKG. 1 PKG. WT. 223 LBS.

**NO. 5252-RB REVOLVING BASE ONLY. AVAILABLE WITH ANY SELECTION OF SIX JUNIOR BOARDS**

STD. PKG. 1 PKG. WT. 33 LBS.

Featuring 87 types and sizes, this popular 4 board revolving display is ideal for the dealer who desires maximum coverage with minimum investment. Eight basic groups of tools can be stocked and displayed in a space 24" at base, 36" high.

This Servatool is designed to handle any four 13" x 31" junior panels as illustrated. Should tool assortments, other than those specified, be required, order one 5251RB, revolving base only, along with the junior panels you prefer. We will build the Servatool with the display boards of your preference.

Quan.	No.	Description
1	5044W*	Plier Display
1	5046W*	Open End, Box, Combination Wrench Display
1	5047W*	Punches, Chisels and Screw Driver Display
1	5048A*	1/2" Sq. Dr. Socket and Fitting Display

\*For detailed listing of contents see individual panels illustrated in this catalog.

**NO. 5251 SERVATOOL SALESMAKER COMPLETE WITH TOOLS, BOARDS AND REVOLVING BASE**

STD. PKG. 1 PKG. WT. 133 LBS.

**NO. 5251-RB REVOLVING BASE ONLY. AVAILABLE WITH ANY SELECTION OF FOUR JUNIOR BOARDS**

STD. PKG. 1 PKG. WT. 24 1/8 LBS.



NRHA  
APPROVED  
DISPLAYS

# Servatool Displays

FOR  
PERFORATED BOARD




In keeping with the popularity of perforated board for display purposes, Indestro offers 18 Servatool displays featuring 140 popular tools.

The limited space, balanced stocks, and small investment has made these all-metal units a most attractive and satisfactory method for self-service selling of hand tools. A pricing strip is provided with each display containing the

individual tool number and size for quick easy identification by your customer.

Indestro Servatools while engineered and designed for  $\frac{1}{8}$ " or  $\frac{1}{4}$ " perforated boards, are universally adaptable. Servatools can be displayed on doors, cabinets, bin ends, etc., by using the Hanger Brackets provided (FREE) with each Servatool.

## HANGER ENDS FIT PERFORATED BOARD




### HANG ANYWHERE WITH HANGER BRACKET



Simply space the Hanger Bracket to correct width, screw in place, and insert the Hanger End of the SERVATOOL.

### Self Selling SERVATOOL FEATURES:

- Sturdy All Metal Displays
- Versatile — Display Anywhere
- Low Investment
- Saves Space — All Displays in an Area Only 42" x 48"
- Pricing Strips furnished complete with tool numbers and description
- Only Most Popular Sizes
- Fast Turnover — No Obsolescence
- Nationally Advertised
- Fully Guaranteed
- Competitively Priced



No. 5313

**1/4" SQ. DR. SOCKETS AND FITTINGS**

Quan.	No.	Description
2	<b>2832</b>	3" Extension
2	<b>2833</b>	6" Extension
1	<b>2836</b>	Universal Joint
2	<b>2850</b>	6" Swing Head Handle
1	<b>2870</b>	4" Flexible Extension
1	<b>2872</b>	4" Spinner Handle
1	<b>2873</b>	6" Spinner Handle
1	<b>2879</b>	7" Spin Flex Handle
2	<b>2875</b>	Reversible Ratchet

**6 PT. SOCKETS**

2	<b>2806</b>	$\frac{3}{16}$ "
2	<b>2807</b>	$\frac{7}{32}$ "
2	<b>2808</b>	$\frac{1}{4}$ "
2	<b>2809</b>	$\frac{9}{32}$ "
2	<b>2810</b>	$\frac{5}{16}$ "
2	<b>2811</b>	$\frac{11}{32}$ "
2	<b>2812</b>	$\frac{3}{8}$ "
2	<b>2814</b>	$\frac{7}{16}$ "

**SQUARE SOCKETS**

1	<b>2806S</b>	$\frac{3}{16}$ "
1	<b>2807S</b>	$\frac{7}{32}$ "
1	<b>2808S</b>	$\frac{1}{4}$ "
1	<b>2810S</b>	$\frac{5}{16}$ "
1	<b>2812S</b>	$\frac{3}{8}$ "

STD. PKG. 1 PKG. WT. 4 LBS.

No. 5320

**1/2" SQ. DR. DEEP SOCKETS**

2	<b>3020</b>	$\frac{5}{8}$ "
2	<b>3022</b>	$1\frac{1}{16}$ "
2	<b>3024</b>	$\frac{3}{4}$ "
2	<b>3026</b>	$1\frac{3}{16}$ "
2	<b>3028</b>	$\frac{7}{8}$ "
2	<b>3030</b>	$1\frac{5}{16}$ "
2	<b>3032</b>	$1\frac{1}{8}$ "

STD. PKG. 1 PKG. WT. 7 LBS.

No. 5310

**3/8" SQ. DR. SOCKETS AND FITTINGS**

Quan.	No.	Description
2	<b>2730</b>	3" Extension
2	<b>2733</b>	6" Extension
2	<b>2735</b>	12" Extension
1	<b>2763</b>	8" Slide T Handle
2	<b>2781</b>	9" Swing Head Handle
2	<b>2785</b>	16 1/2" Speeder
1	<b>2797</b>	Universal Joint
2	<b>2775</b>	Reversible Ratchet

**12 PT. SOCKETS**

2	<b>2712</b>	$\frac{3}{8}$ " (6 Point)
2	<b>2714</b>	$\frac{7}{16}$ "
2	<b>2716</b>	$\frac{1}{2}$ "
2	<b>2718</b>	$\frac{9}{16}$ "
2	<b>2720</b>	$\frac{5}{8}$ "
2	<b>2722</b>	$\frac{11}{16}$ "
2	<b>2724</b>	$\frac{3}{4}$ "
2	<b>2726</b>	$\frac{13}{16}$ "
2	<b>2728</b>	$\frac{7}{8}$ "

**6 PT. UNIVERSAL JT. SOCKETS**

1	<b>2714UV</b>	$\frac{7}{16}$ " Socket
1	<b>2716UV</b>	$\frac{1}{2}$ " Socket
1	<b>2718UV</b>	$\frac{9}{16}$ " Socket
1	<b>2720UV</b>	$\frac{5}{8}$ " Socket

**12 PT. DEEP SOCKETS**

1	<b>2742</b>	$\frac{7}{16}$ "
1	<b>2743</b>	$\frac{1}{2}$ "
1	<b>2744</b>	$\frac{9}{16}$ "
1	<b>2745</b>	$\frac{5}{8}$ "
1	<b>2746</b>	$\frac{11}{16}$ "
1	<b>2747</b>	$\frac{3}{4}$ "
1	<b>2748</b>	$\frac{13}{16}$ "

STD. PKG. 1 PKG. WT. 13 3/8 LBS.

No. 5306

**1/2" SQ. DR. SOCKETS AND FITTINGS**

Quan.	No.	Description
2	<b>3216</b>	$5\frac{1}{2}$ " Extension
2	<b>3211</b>	$10$ " Extension
2	<b>3222H</b>	$15\frac{1}{2}$ " Swing Hd. Hdle.
2	<b>3208</b>	$17\frac{5}{8}$ " Speeder
2	<b>3275</b>	Reversible Ratchet
1	<b>3217</b>	Universal Joint

**12 PT. SOCKETS**

2	<b>1214</b>	$\frac{7}{16}$ "
2	<b>1216</b>	$\frac{1}{2}$ "
2	<b>1218</b>	$\frac{9}{16}$ "
2	<b>1220</b>	$\frac{5}{8}$ "
2	<b>1222</b>	$1\frac{1}{16}$ "
2	<b>1224</b>	$\frac{3}{4}$ "
2	<b>1226</b>	$1\frac{13}{16}$ "
2	<b>1228</b>	$\frac{7}{8}$ "
2	<b>1230</b>	$1\frac{5}{16}$ "
2	<b>1232</b>	$1$ "
1	<b>1234</b>	$1\frac{1}{16}$ "
1	<b>1236</b>	$1\frac{1}{8}$ "
1	<b>1240</b>	$1\frac{1}{4}$ "

STD. PKG. 1 PKG. WT. 21 1/2 LBS.

No. 5306-1


A Klip-on unit for quick attachment to No. 5306-1/2" Sq. Dr. Socket and Fitting Display. Contains the following 8 point sockets.

Quan.	No.	Description
2	<b>1216S</b>	$\frac{1}{2}$ "
2	<b>1218S</b>	$\frac{9}{16}$ "
2	<b>1220S</b>	$\frac{5}{8}$ "
2	<b>1224S</b>	$\frac{3}{4}$ "
2	<b>1226S</b>	$1\frac{13}{16}$ "
2	<b>1228S</b>	$1\frac{5}{16}$ "
2	<b>1230S</b>	$1$ "
2	<b>1232S</b>	$1\frac{1}{16}$ "
2	<b>1234S</b>	$1\frac{1}{8}$ "
2	<b>1236S</b>	$1\frac{1}{4}$ "

STD. PKG. 1 PKG. WT. 3 1/2 LBS.



SERVATOOLS



**No. 5308\***  
ALLOY OPEN END WRENCHES

Quantity	Number	Description
3	<b>1020</b>	$\frac{1}{4}''$ X $\frac{5}{16}''$
3	<b>1723</b>	$\frac{5}{8}''$ X $\frac{7}{16}''$
3	<b>1725B</b>	$\frac{1}{2}''$ X $\frac{9}{16}''$
3	<b>1027</b>	$\frac{19}{32}''$ X $\frac{11}{16}''$
3	<b>1729</b>	$\frac{5}{8}''$ X $\frac{3}{4}''$
3	<b>1731B</b>	$\frac{13}{16}''$ X $\frac{7}{8}''$
3	<b>1033C</b>	$\frac{15}{16}''$ X 1"

\*Not illustrated—Same as No. 5304, except Alloy Steel.  
STD. PKG. 1 PKG. WT. 7 LBS.

**No. 5304**  
SELECT STEEL OPEN END WRENCHES

Quantity	Number	Description
3	<b>P20</b>	$\frac{1}{4}''$ X $\frac{5}{16}''$
3	<b>P723</b>	$\frac{5}{8}''$ X $\frac{7}{16}''$
3	<b>P725B</b>	$\frac{1}{2}''$ X $\frac{9}{16}''$
3	<b>P27</b>	$\frac{19}{32}''$ X $\frac{11}{16}''$
3	<b>P729</b>	$\frac{5}{8}''$ X $\frac{3}{4}''$
3	<b>P731B</b>	$\frac{13}{16}''$ X $\frac{7}{8}''$
3	<b>P33C</b>	$\frac{15}{16}''$ X 1"

STD. PKG. 1 PKG. WT. 7½ LBS.

**No. 5309\***  
ALLOY LONG 45° BOX WRENCHES

Quantity	Number	Description
3	<b>730</b>	$\frac{3}{8}''$ X $\frac{7}{16}''$
3	<b>731</b>	$\frac{1}{2}''$ X $\frac{9}{16}''$
2	<b>731A</b>	$\frac{9}{16}''$ X $\frac{5}{8}''$
2	<b>732C</b>	$\frac{11}{16}''$ X $\frac{13}{16}''$
2	<b>733A</b>	$\frac{3}{4}''$ X $\frac{7}{8}''$
2	<b>735</b>	$\frac{15}{16}''$ X 1"

\*Not illustrated—Same as No. 5305, except Alloy Steel.  
STD. PKG. 1 PKG. WT. 7 LBS.

**No. 5305**  
SELECT STEEL LONG 45° BOX WRENCHES

Quantity	Number	Description
3	<b>911</b>	$\frac{3}{8}''$ X $\frac{7}{16}''$
3	<b>912</b>	$\frac{1}{2}''$ X $\frac{9}{16}''$
2	<b>913</b>	$\frac{5}{8}''$ X $\frac{11}{16}''$
2	<b>914</b>	$\frac{3}{4}''$ X $\frac{25}{32}''$
2	<b>915</b>	$\frac{13}{16}''$ X $\frac{7}{8}''$
2	<b>916</b>	$\frac{15}{16}''$ X 1"

STD. PKG. 1 PKG. WT. 7½ LBS.

**No. 5318\***  
ALLOY COMBINATION WRENCHES

Quantity	Number	Description
3	<b>771</b>	$\frac{3}{8}''$
3	<b>772</b>	$\frac{1}{2}''$
3	<b>773</b>	$\frac{1}{2}''$
3	<b>774</b>	$\frac{9}{16}''$
3	<b>775</b>	$\frac{5}{8}''$
3	<b>776</b>	$\frac{11}{16}''$

\*Not illustrated—Same as No. 5312, except Alloy Steel.  
STD. PKG. 1 PKG. WT. 5 LBS.

**No. 5319\***  
ALLOY COMBINATION WRENCHES

Quantity	Number	Description
2	<b>777</b>	$\frac{3}{4}''$
2	<b>777B</b>	$\frac{13}{16}''$
2	<b>778</b>	$\frac{7}{8}''$
2	<b>779</b>	$\frac{15}{16}''$
2	<b>780</b>	1"

\*Not illustrated—Same as No. 5314, except Alloy Steel.  
STD. PKG. 1 PKG. WT. 5 7/8 LBS.

**No. 5312**  
SELECT STEEL COMBINATION WRENCHES

Quantity	Number	Description
3	<b>1071</b>	$\frac{3}{8}''$
3	<b>1072</b>	$\frac{7}{16}''$
3	<b>1073</b>	$\frac{9}{16}''$
3	<b>1074</b>	$\frac{5}{8}''$
3	<b>1075</b>	$\frac{15}{16}''$
3	<b>1076</b>	1"

STD. PKG. 1 PKG. WT. 4½ LBS.

**No. 5314**  
SELECT STEEL COMBINATION WRENCHES

Quantity	Number	Description
2	<b>1077</b>	$\frac{3}{4}''$
2	<b>1078</b>	$\frac{13}{16}''$
2	<b>1079</b>	$\frac{7}{8}''$
2	<b>1080</b>	$\frac{15}{16}''$
2	<b>1081</b>	1"

STD. PKG. 1 PKG. WT. 7 LBS.



**No. 5302  
SCREWDRIVERS**

Quantity	Number	Description
3	<b>3703</b>	$\frac{1}{8}$ " x 3"
3	<b>3713</b>	$\frac{3}{16}$ " x 3"
3	<b>3714</b>	$\frac{3}{16}$ " x 4"
3	<b>3721</b>	$\frac{1}{4}$ " x 2"
3	<b>3724</b>	$\frac{1}{4}$ " x 4"
3	<b>3726</b>	$\frac{1}{4}$ " x 6"
3	<b>3728</b>	$\frac{1}{4}$ " x 8"
3	<b>4681</b>	#1 Phillips
3	<b>4682</b>	#2 Phillips

STD. PKG. 1

PKG. WT. 6 LBS.

**No. 5307  
SQUARE STOCK PUNCHES AND CHISELS**

Quantity	Number	Description
2	<b>1861</b>	$\frac{1}{2}$ " Cold Chisel
2	<b>1861A</b>	$\frac{9}{16}$ " Cold Chisel
2	<b>1862</b>	$\frac{5}{8}$ " Cold Chisel
2	<b>1841</b>	$\frac{1}{8}$ " Pin Punch
2	<b>1844</b>	$\frac{3}{16}$ " Pin Punch
2	<b>1851</b>	$\frac{1}{8}$ " Taper Punch
2	<b>1853</b>	$\frac{1}{32}$ " Taper Punch
2	<b>1854</b>	$\frac{1}{4}$ " Taper Punch
2	<b>1871</b>	Center Punch

STD. PKG. 1

PKG. WT. 5½ LBS.

**No. 5315  
SLIP JOINT PLIERS**

Quantity	Number	Description
3	<b>3435*</b>	5" Utility Plier
3	<b>3436*</b>	6" Utility Plier
3	<b>3438*</b>	8" Utility Plier
3	<b>2096A**</b>	6" Slip Joint Plier
3	<b>2097A**</b>	8" Slip Joint Plier
3	<b>2098A**</b>	10" Slip Joint Plier

\*Satin Finish.

\*\*Fully Polished.

STD. PKG. 1

PKG. WT. 11 LBS.

**No. 5316  
PLIERS**

Quantity	Number	Description
2	<b>2106</b>	6" Diagonal
2	<b>2107</b>	7½" Hvy. Duty Diagonal
2	<b>2111</b>	6" Long Nose Cutting Plier
2	<b>3410</b>	Ignition Plier
2	<b>3403</b>	Water Pump Plier

STD. PKG. 1

PKG. WT. 5 LBS.

**No. 5317  
ADJUSTABLE WRENCHES**


Quantity	Number	Description
2	<b>3585</b>	4"
2	<b>3586</b>	6"
2	<b>3587</b>	8"
2	<b>3588</b>	10"
2	<b>3589</b>	12"

STD. PKG. 1

PKG. WT. 7½ LBS.



Factory Suggested Layout  
FOR 42" x 48" PERFORATED BOARD



The MODERN, COMPACT, BASIC merchandising program,  
as illustrated, contains the following SERVATOOLS:

Number	Description	Size with Tools Width      Length	Package Weight
5313	1/4" Sq. Dr. Sockets & Fittings	8" x 13"	4 lbs.
5310	3/8" Sq. Dr. Sockets & Fittings	10" x 20"	13 3/8 lbs.
5306	1/2" Sq. Dr. Sockets & Fittings	12" x 23"	21 1/2 lbs.
5306-1	1/2" Sq. Dr. 8 Pt. Sockets	3" x 12"	3 1/2 lbs.
5320	1/2" Sq. Dr. Deep Sockets	6" x 10"	7 lbs.
5304	Open End Wrenches*	11" x 13"	7 1/2 lbs.
5305	Long 45° Box Wrenches*	9" x 17"	7 1/4 lbs.
5312	Combination Wrenches 3/8"-11 1/16"**	9" x 10"	4 1/2 lbs.
5314	Combination Wrenches 3/4"-1"	10" x 15"	7 lbs.
5302	Screw Drivers	13" x 13"	6 lbs.
5307	Square Stock Punches and Chisels	11" x 8"	5 1/2 lbs.
5315	Slip Joint Pliers	12" x 10"	11 lbs.
5316	Pliers	10" x 8"	5 lbs.
5317	Adjustable Wrenches	9" x 15"	7 1/2 lbs.
			Total 110 5/8 lbs.

\*Alternate Alloy Steel Wrench Displays also available. See Page 89 for listing.

For your convenience, perforated board is available from the factory at factory cost.

No. 5300P—SIZE 48" x 48", STOCK 1/8" PERFORATED BOARD (PAINTED INDESTRO YELLOW)  
No. 5300UP—SIZE 48" x 48", STOCK 1/8" PERFORATED BOARD (UNPAINTED)

PKG. WT. 14 LBS.



# Servatool Salesmaker

## BOOST YOUR SALES

Many tools are sold on Impulse—Display this powerful ALL NEW floor merchandiser and watch your customers SELL themselves.

## INCREASE \$ \$ VOLUME

Cash-in on the "Big Ticket" sales by displaying chrome alloy steel socket sets. Over 50% of the socket and fitting volume, measured in dollars, should be accounted for in the sale of socket sets.

## 6 TOP SELLING SETS—NATIONALLY PROVED

Guaranteed quality, Professional appearance, and National advertising of the famous INDESTRO brand has created universal acceptance of these fast selling sets.

## ATTRACTIVE MERCHANDISER

Colorful and eye catching, the display is simple to assemble—merely insert wire hangers into holes provided and attach legs. Occupies only 3½ square feet of floor space—27" wide at base, 62" high.

Part numbers on the panel simplifies restocking. Also, pressure sensitive price stickers are supplied with each unit.

## PILFERAGE PROOF—DUSTPROOF

Individual clear plastic covers are provided for each of the sets included with the display to keep them "factory fresh". Each cover is identified by the socket set number.



Indestro set No. 7805  
is illustrated with  
PILFERAGE AND  
DUSTPROOF COVER.

## REAR VIEW



PLEASE SEE PAGE 93

ILLUSTRATING ADDITIONAL DISPLAY

SUGGESTIONS FOR THE PERFORATED

BOARD SECTION.

The following chrome alloy steel socket sets are included with this display:

Quantity	Number	Description
1	7600	11 PC. $\frac{1}{4}$ " Sq. Dr. Socket Set
1	7705	14 PC. $\frac{3}{8}$ " Sq. Dr. Socket Set
1	7803	12 PC. $\frac{1}{2}$ " Sq. Dr. Socket Set
1	7805	17 PC. $\frac{1}{2}$ " Sq. Dr. Socket Set
1	C 7806	18 PC. $\frac{1}{2}$ " Sq. Dr. Socket Set
1	C 7811	30 PC. $\frac{1}{2}$ " Sq. Dr. Socket Set

No. 5212 SERVATOOL SALESMAKER COMPLETE WITH SETS

STD. PKG. 1 PKG. WT. 96 LBS.

No. 5212ST—SERVATOOL SALESMAKER DISPLAY STAND ONLY

STD. PKG. 1. PKG. WT. 42 LBS.

## FRONT VIEW





The NEW INDESTRO *Servatool* is shipped complete with a perforated board back for

X-TRA ADDED UTILITY

INDESTRO offers a wide variety of tool displays and individual tool kits that have been especially adapted for display on a perforated board.

For your guidance, and as Suggestions Only, we are listing, and illustrating, below a few of the socket and wrench numbers that can be effectively displayed on the perforated board portion.


DISPLAY SUGGESTION

(As Illustrated)


Number	Description
5306	1/2" Sq. Dr. Sockets and Fittings
5306-1	1/2" Sq. Dr. 8 Pt. Sockets
5304	Open End Wrenches
5305	Long 45° Box Wrenches
5312	Combination Wrenches
5314	Combination Wrenches
5320	1/2" Sq. Dr. Deep Sockets

MORE DISPLAY IDEAS

Number	Description
TS9	4 PC. Tappet Wrench Set in Plastic Pouch
740-6PK	6 PC. Box Wrench Set in Plastic Pouch
770-6PK	6 PC. Combination Wrench Set in Plastic Pouch
1806PK	6 PC. Obstruction Wrench Set in Plastic Pouch
10006PK	6 PC. Open End Wrench Set in Plastic Pouch
910-5W	5 PC. Box Wrench Set with Wall Hanger Klip
910-6W	6 PC. Box Wrench Set with Wall Hanger Klip
930-5W	5 PC. Open End Wrench Set with Wall Hanger Klip
930-6W	6 PC. Open End Wrench Set with Wall Hanger Klip
1070-05W	5 PC. Combination Wrench Set with Wall Hanger Klip
1070-06W	6 PC. Combination Wrench Set with Wall Hanger Klip
1070-6W	6 PC. Combination Wrench Set with Wall Hanger Klip
1060	11 PC. Combination Wrench Set in Plastic Kit
1064	7 PC. Combination Wrench Set in Plastic Kit
1065	8 PC. Combination Wrench Set in Plastic Kit
1067	14 PC. Combination Wrench Set in Plastic Kit
1068	14 PC. Combination Wrench Set in Plastic Kit
1453	11 PC. Hex. Dr. Socket Set with Wall Hanger
1454	19 PC. Hex. Dr. Socket Set with Wall Hanger



WALL DISPLAY



The wire socket set hangers and plastic covers are also readily adaptable for an attractive wall display. See below for illustration and ordering reference.

No. 5212WR—6 WIRE HANGERS AND 6 PLASTIC COVERS

STD. PKG. 1 PKG. WT. 4 LBS.



## CHROME ALLOY STEEL SOCKET SETS

## ANOTHER NEW INDESTRO SERVATOOL

No. 5213

NOW is the time to get  
**GOOD TOOLS**  
 Quality Tools make Quality Gifts!



ASK YOUR DEALER FOR A GIFT CARD



- Permanent "GIFT REMINDER" Message.
- Concentrated Selling—only 24" wide by 30" high.
- All Metal Display FREE with purchase of sets.
- Pilferage and Dust proof plastic covers keep each set "factory fresh".
- Set hangers are angled to provide complete tool visibility.
- Set numbers on panel speeds restocking.
- Pricing cards packed in each set.
- Complete quality story on interior label makes each set a "Silent Salesman".
- Especially designed bottom hanger to accommodate Promotion socket sets.

ALSO USE AS  
COUNTER DISPLAYFREE ADVERTISING KIT  
WITH EACH DISPLAYINCLUDES—GIFT CARDS, BANNERS,  
WINDOW STREAMERS, BROCHURES

When reordering sets, please request additional gift cards.

SET UP in  
SECONDS

Two sturdy  
metal legs  
with each display  
Merely, snap  
legs in place



The following Chrome Alloy Steel Socket Sets are included with this display:

Quantity	No.	Description
1	7602	14 pc. $\frac{1}{4}$ " Sq. Dr. Socket Set
1	7701	11 pc. $\frac{3}{8}$ " Sq. Dr. Socket Set
1	7803	12 pc. $\frac{1}{2}$ " Sq. Dr. Socket Set
1	7805	17 pc. $\frac{1}{2}$ " Sq. Dr. Socket Set
1	C7806	18 pc. $\frac{1}{2}$ " Sq. Dr. Socket Set

No. 5213 SERVATOOL, COMPLETE WITH SETS

STD. PKG. 1 PKG. WT. 45 LBS.

No. 5213ST SERVATOOL DISPLAY ONLY

STD. PKG. 1 PKG. WT. 14 $\frac{1}{2}$  LBS.



# SOCKET SETS ARE "AN IDEAL GIFT"

*Are You Enjoying Your Share?*



No. 5214

When ordering, specify No. 5214—you receive THE COMPLETE MERCHANTISING PACKAGE which includes FREE DISPLAY, FREE GIFT CARDS and Set Nos. 7602, 7701, and 7805.

**NO. 5214—3 SET COUNTER MERCHANTISER**  
STD. PKG. 1 PKG. WT. 15 LBS.

## CREATE IMPULSE SALES

Place this compact "Year-a-Round" merchandiser in a heavy traffic location, such as your check-out counter, and take full advantage of the tremendous gift market.

Birthdays, Anniversaries, Graduations, Fathers' Day and Christmas provide golden opportunities for the gift "that's different"—an INDESTRO Chrome Steel Socket Set.

## 3 TOP SELLING SOCKET SETS

National advertising, guaranteed INDESTRO quality, and competitive pricing assures universal appeal and acceptance.

Each set was carefully selected in a popular drive size— $\frac{1}{4}$ ",  $\frac{3}{8}$ ", and  $\frac{1}{2}$ " Square Drive.

## "SELF-SELL" MERCHANTISER FEATURES:

- Eye Attracting Colors—Red, Green, and Black
- Small and Compact—only 16" wide by 14" high
- Display is FREE
- Set Numbers on Shelves—Speeds Reordering
- Versatile—Display Anywhere
- Small Investment
- Fast Turnover

## FREE GIFT CARDS WITH EACH DISPLAY

When reordering socket sets, please request additional gift cards desired.



**No. 7602**  
 $\frac{1}{4}$ " SQUARE DRIVE

A 14 piece set containing eight 6 pt. sockets from  $\frac{3}{16}$ " to  $\frac{7}{16}$ ". Three 8 pt. sockets  $\frac{1}{4}$ ",  $\frac{5}{16}$ ",  $\frac{3}{8}$ ". 3" Extension— $\frac{1}{2}$ " Spin Handle and Reversible Ratchet. In metal box.



**No. 7701**  
 $\frac{3}{8}$ " SQUARE DRIVE

An 11 piece set with a socket range from  $\frac{3}{8}$ " to  $\frac{1}{2}$ ". Also, includes 6" Extension,  $5\frac{1}{2}$ " Cross Bar, 9" Swing Head Handle, and Reversible Ratchet. In metal box.

**No. 7805**  
 $\frac{1}{2}$ " SQUARE DRIVE




This 17 piece set has a socket range from  $\frac{1}{16}$ " to  $1\frac{1}{8}$ ". Includes  $5\frac{1}{2}$ " Extension,  $15\frac{1}{2}$ " Swing Head Handle,  $9$ " Cross Bar, and Reversible Ratchet. In metal box.



## These Promotional and Sales Aids are Available to You, upon Request

To further assist you in merchandising Indestro tools, we will gladly furnish retouched glossy prints, handy

reproduction proofs for quick paste-up in catalog work, newspaper mats and electrotypes.



### BROCHURES

Use as a "hand out", or in Direct Mail Advertising as envelope stuffers.



### POCKET SIZE CATALOG No. 22M

Imprinted with your trade name on the cover, this miniature catalog becomes a valuable advertising and sales aid.



NEWSPAPER MAT  
OF A  
TYPICAL PROMOTION SET



### 12" x 38" BANNER—FORM No. 60002F

Colorful in red, yellow, black and white, this SALES-PRODUCING banner will "ring the cash register every time."



### 8" x 20" BANNER—FORM No. 59014AP

Illustrating the superior features of Indestro sockets and ratchets, this banner is a powerful sales stimulant.



### WINDOW STREAMERS FORM No. 60003F

Guaranteed to attract the eye—available in an assortment of 4 brilliant colors.




### PRICE CARDS FORM No. 60004F

Now included with each socket set, these colorful cards perform a valuable Self-Service feature.



WINDOW DECAL  
Identifies you as a Top Quality tool source.



### GIFT CARDS FORM No. 60008F

Use to promote socket sets as gift items—a quantity is provided with each socket set display. When ordering socket sets, please request gift cards.



Adaptors, Reducing, Increasing	2, 4, 9, 18
Adjustable Wrenches	26
Auto Body Panel Cutter	54
Battery Plier	51
Battery Lifting Straps	62
Battery Wrench	62
Body and Fender Tools	54, 55, 56
Box Wrenches:	
45° Pattern, Long and Short	24, 32, 33, 34
15° Pattern, Long	24
Short	24, 32
Ratcheting	34
Starter and Manifold	58
Brake Adjusting Tools	60
Brake Lining Tools	60
Brake Spring Pliers	51
Brushes, Wire	58
Carbon Scraper	59
Carburetor Adjusting Tool	61
Chisels	46, 47, 48, 49
Chrysler Differential Filler Plug Tool	62
Clutch Head Screw Drivers	44
Combination Wrenches	25, 35, 36, 37
Compressors, Piston Ring	59
Connecting Rod Socket	9
Counter Displays	79, 86, 94, 95
Cross Rim Wrenches	57
Cutters, Muffler, Tail Pipe, Body, Sheet Metal, Tubing	54, 60, 62
Cutting Pliers	50
Display Panels	72 thru 95
Distributor Adjusting Tool	61
Dolly Blocks	55
Drag Link Socket	9
Drain Plug Wrenches	62
Extractors, Screw	47
Feeler Gauges	65, 66
Fender Tools	54, 55, 56
File and Holder, Body and Fender	55
File, Ignition	61
Finger, Flex Mechanical	61
Flare Nut Wrenches	60
Flaring Tool	60
Flexible Driver, $\frac{1}{4}$ " Square Drive	61
Floor Display	92
Gauges, Feeler	65, 66
Guarantee	1
Gear Pullers	67
Grease Service Tools	62
Hacksaws and Blades	52
Handles and Attachments:	
$\frac{1}{4}$ " Square Drive	2, 3, 61
$\frac{3}{8}$ " Square Drive	4, 5
$\frac{1}{2}$ " Square Drive	8, 9
$\frac{3}{4}$ " Square Drive	18
Hammers:	
Ball Pein	53
Body and Fender	54
Carpenter's	53
Plastic Faced	53
Hammer Handles:	
Ball Pein	53
Plastic Faced	53
Hexagon Drive Socket	
Sets	38, 39, 40, 41, 42
Hollow Head Set Screw	
Wrenches	28, 29
Homeowners Set	42
Hub Pullers	68
Ignition Point Files	61
Ignition Pliers	50, 51
Ignition Sets	63, 64
Ignition Wrenches	23, 63, 64
Lubrication Tools	62
Magnetic Adaptor	61
Manifold Wrenches	58
Merchandisers	28, 29, 45, 61, 64, 66, 72 thru 95
Metal Snips	52
Metric Tools	69, 70, 71
Muffler and Tailpipe Cutters	62
Open End Wrenches	22, 30, 31
Ignition Wrenches	23, 63
Metric	69
Obstruction Wrenches	23
Stamped Steel Ignition Wrenches	64
Tappet Wrenches	23
Offset Screw Drivers,	
Phillips and Regular	43, 44
Perforated Board Displays	87 thru 94
Phillips Type Screwdrivers	44
Pickup Tools	61
Pipe Wrenches	26
Piston Ring Tools	59
Pliers:	
Battery	51
Brake Spring	51
Diagonal, Cutting	50
Ignition	50, 51, 64
Lineman's	50
Long Nose Side Cutting	50
Slip Joint	50
Vise Type	51
Water Pump	50, 51
Promotional Aids	96
Pry Bars	46
Pullers:	
Gear	67
Hub	68
Steering Wheel	68
Pulleys	66
Punches	46, 47, 48, 49
Ratchets	2, 4, 8, 18
Ratchet Box Wrenches	34
Ratchet Inner Body Assemblies:	
$\frac{1}{4}$ " Square Drive	2
$\frac{3}{8}$ " Square Drive	4
$\frac{1}{2}$ " Square Drive	8
Ratchet Plug Adaptor	8
Rim Wrenches	57
Ring Compressors	59
Ring Groove Cleaners	59
Ring Skid, Piston	59
"Rollaway" Tool Cabinet	20, 21
"Servatool" Merchandisers	86 thru 95
Screwdrivers	43, 44, 45
Clutch Head	44
Offset	43
Overhead Valve Adjusting	58
Phillips	44
Spark Testing	43
Screw Extractors	47
Screw Starter Adaptor	61
Set Screw Wrenches	28, 29
Snips	52
Sockets and Socket Sets, S.A.E.:	
$\frac{1}{4}$ " Square Drive	2, 3
$\frac{3}{8}$ " Square Drive	5, 6, 7
$\frac{1}{2}$ " Square Drive	10 thru 17, 20
$\frac{3}{4}$ " Square Drive	16, 17, 18, 19, 20
$\frac{1}{4}$ " Hexagon Drive	38, 40
$\frac{3}{8}$ " Hexagon Drive	38, 40
$\frac{1}{2}$ " Hexagon Drive	39, 41, 42
Sockets and Socket Sets, Metric:	
$\frac{1}{2}$ " Square Drive	69, 71
$\frac{1}{4}$ " Hexagon Drive	70
$\frac{1}{2}$ " Hexagon Drive	70
Spark Plug Ratchet	4
Spark Plug Sockets	5, 10
Spark Plug Socket Inserts	5, 10
Spark Plug Testers	43
Spoons, Body and Fender	55, 56
Stamped Steel Wrenches	64
Starter Wrench	58
Steering Wheel Puller	68
Tappet Wrenches	23
Thickness Gauges	65, 66
Tire and Rim Tools	58
Tool Boxes	3, 6, 7, 11 thru 17, 19, 20, 56, 71
Torque Wrenches	3, 5, 9, 18, 27
Truck Rim Wrenches	57
Tube Cutter	60
Tube Flaring Tool	60
Universal Joint Sockets	5
Valve Grinder	58
Valve Tappet Adjusting Tool	58
Valve Tool, Ford "V8"	58
Wheel Pullers	68
Wire Brushes	58
Wrenches (See Specific Types)	
Wrenches, Metric	69



## Junior Display Panels

Adjustable and Pipe Wrenches	77
Adjustable Wrenches and Pliers	77
Chisels and Punches	77
Chisels, Punches, Screwdrivers	76
Counter Displays, Revolving	86
Hammers, Ball Pein	77
"Kliptite" Wrench Sets, Wall Hanger	79
"Kliptite" Wrench Sets, Unpolished	79
Phillips and Clutch Head Screwdrivers	76
Pipe and Adjustable Wrenches	77
Pliers	77
Pliers and Adjustable Wrenches	77
Pulleys, Die Cast	79
Pulleys, Steel	79
Pulley Counter Display	79
Screwdrivers	76
Screwdriver Counter Display	76
Screwdrivers, Punches, Chisels	76
Sockets and Fittings:	
$\frac{1}{4}$ " Square Drive	73
$\frac{3}{8}$ " Square Drive	73
$\frac{1}{2}$ " Square Drive	73, 74
$\frac{3}{4}$ " Square Drive	74
Sockets, Deep Wall and Spark Plug	74
Wrenches:	
Alloy Steel	
Box	75
Combination	75
Open End	75
Open End, Box, Combination	75
Select Steel	
Box	78
Combination	78
Open End	78
Open End, Box, Combination	78
Sets, Wall Hanger "Kliptite"	79
Sets, Unpolished "Kliptite"	79

## Senior Display Panels

Body and Fender Tools	83
Chisels and Punches	81
Hammers:	
Ball Pein and Plastic Tip	83
Body and Fender	83

"Kliptite" Wrench Sets ..... 84

Metric Tools ..... 85

Phillips and Clutch Head Screwdrivers ..... 82

Pliers ..... 82

Pullers, Gear and Hub ..... 85

Screwdrivers ..... 82

Service Tools ..... 84

Snips ..... 85

Sockets and Fittings:

$\frac{3}{8}$ " Square Drive ..... 80

$\frac{1}{2}$ " Square Drive ..... 80

Sockets, Metric ..... 85

Wrenches:

    Alloy Steel

        Box ..... 81

        Open End ..... 81

Select Steel

        Open End ..... 84

        Open End, Metric ..... 85

## SERVATOOLS for Perforated Board

Adjustable Wrenches	90
Pliers	90
Punches and Chisels	90
Screwdrivers	90
Sockets and Fittings:	
$\frac{1}{4}$ " Square Drive	88
$\frac{3}{8}$ " Square Drive	88
$\frac{1}{2}$ " Square Drive	88
Sockets, Deep Wall	88
Socket Sets, Counter Display	94, 95
Socket Sets, Floor Display	92
Socket Sets, Wall Display	93, 94

Wrenches:

    Alloy Steel

        Box ..... 89

        Combination ..... 89

        Open End ..... 89

Select Steel

        Box ..... 89

        Combination ..... 89

        Open End ..... 89

*Reserved  
for  
Additional New Displays*



## WRENCH OPENING—BOLT AND NUT CHART

Wrench Size or Width Across the Flats of Bolt Heads and Nuts	American National—Bolt Size					Machine Screw Nuts and Stove Bolt Nuts	
	Light (S.A.E.)	Regular (American Standard)		Heavy (U.S.S.)	N.C. and N.F. Cap Screws		
		Nuts	Bolts				
$\frac{5}{32}''$ $\frac{3}{16}''$ $\frac{1}{4}''$ $\frac{5}{16}''$						Nos. 0 & 1 Nos. 2 & 3 No. 4 Nos. 5 & 6	
$\frac{11}{32}''$ $\frac{3}{8}''$ $\frac{7}{16}''$ $\frac{1}{2}''$	$\frac{1}{4}$ $\frac{5}{16}$	$\frac{1}{4}$ $\frac{5}{16}$	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{1}{4}$ $\frac{5}{16}$	No. 8 No. 10 No. 12 & $\frac{1}{4}$	
$\frac{9}{16}''$ $\frac{19}{32}''$ $\frac{5}{8}''$ $\frac{11}{16}''$	$\frac{3}{8}$ $\frac{7}{16}$	$\frac{3}{8}$ $\frac{7}{16}$	$\frac{5}{16}$ $\frac{3}{8}$	$\frac{5}{16}$ $\frac{3}{8}$	$\frac{3}{8}$ $\frac{7}{16}$	$\frac{5}{16}$ $\frac{3}{8}$	
$\frac{3}{4}''$ $\frac{25}{32}''$ $\frac{13}{16}''$ $\frac{7}{8}''$	$\frac{1}{2}$ $\frac{9}{16}$	$\frac{1}{2}$ $\frac{9}{16}$	$\frac{7}{16}$ $\frac{9}{16}$	$\frac{7}{16}$ $\frac{1}{2}$	$\frac{1}{2}$ $\frac{9}{16}$ $\frac{5}{8}$		
$\frac{15}{16}''$ $1''$ $1\frac{1}{16}''$ $1\frac{1}{8}''$	$\frac{5}{8}$ $\frac{3}{4}$	$\frac{5}{8}$ $\frac{3}{4}$	$\frac{5}{8}$ $\frac{3}{4}$	$\frac{9}{16}$ $\frac{5}{8}$	$\frac{3}{4}$ $\frac{7}{8}$		
$1\frac{1}{4}''$ $1\frac{5}{16}''$ $1\frac{3}{8}''$ $1\frac{7}{16}''$	$\frac{7}{8}$ $1$	$\frac{7}{8}$	$\frac{7}{8}$	$\frac{3}{4}$	1		
$1\frac{1}{2}''$ $1\frac{5}{8}''$ $1\frac{11}{16}''$ $1\frac{13}{16}''$	$1\frac{1}{8}$ $1\frac{1}{4}$	$1$ $1\frac{1}{8}$	$1$ $1\frac{1}{8}$	$1$ $1\frac{1}{8}$	$1\frac{1}{8}$ $1\frac{1}{4}$		
$1\frac{7}{8}''$ $2''$ $2\frac{1}{16}''$ $2\frac{3}{16}''$	$1\frac{3}{8}$ $1\frac{1}{2}$	$1\frac{1}{4}$ $1\frac{3}{8}$	$1\frac{1}{4}$ $1\frac{3}{8}$	$1\frac{1}{4}$ $1\frac{3}{8}$	$1\frac{3}{8}$ $1\frac{1}{2}$		
$2\frac{1}{4}''$		$1\frac{1}{2}$	$1\frac{1}{2}$				

## SPARK PLUG WRENCH SET

Spark Plug Thread Size	Wrench Size	Fits Plugs					
		AC		Auto-Lite		Champion	
		Pass.	Com.	Pass.	Com.	Pass.	Com.
10MM	$\frac{5}{8}''$			P4, P6, PR4, PR6		Y4A, Y6, Y8	
		42, C42, 43, C43, 43-5, 43L, 43-5R, 44, 44-5, R44XLS, 45, 45L, 45R, R45, R45S, 45XLR, 46, 46-5, 46L, 46X, 47, 47L, 48, 48X, 49	42, 42-5, 43, 43-5, 43L, 44, 44-5, 44XL, 44XLR, 45, 45L, 46, 47	A3, AR4, A5, AG5, AL5, AR5, ARL5, A7, AG7, AL7, AN7, AR8, ARL8, A9, AL9, AE10, AR10, A11, AL-11, AR32, ARG41, AR41, AGR42, AR42, AGR51, AR51, ARG52, AR52, ARL80, AGR82, AR82, ARL82, 4S140, 4GS150, 4S165, 4GS175, 4GS200, 4S250	AT4, ATL4, AT6, AT8, ATL8, AT10	H8, H9, H10, H10J, H11, H12, J3, J5, J6, J6J, J7, J7J, J8, J8J, J11, J11J, J12, J12J, J14, J18Y, N7, N8, NA8, N8B, N16Y, N18	
14MM	$1\frac{3}{16}''$	24, 26				A25, 32	
	$1\frac{1}{8}''$					33, 34, 36	
	$1\frac{3}{16}''$	85T	84T	BF7, BRF8, BRF82	BTF6	F10, F22, 860, 870	
18MM	$\frac{7}{8}''$	84, 86, 88	83, 83S, 85, 85S, 86, 87S, 88L	BR4, B5, B7, BR8, B9, BR10, B11	BT3, BT4, BT6, BT8, BT10	7, C7, 9, D10, 15A, C15, D16, D21, 64	4, 5, 6, 8, 10
	$1''$	82	82, 82S				
	$\frac{7}{8}''$	76, 76S		T7			
	$1\frac{5}{16}''$	74, 78, 78S	73, 74, 75, 76, 77	T5, T9, T11	TT4, TT8, TT10	20, 22	0, 1, 2L, 3
	$1\frac{1}{8}''$	78S				C4	

## CHROME ALLOY STEEL



Especially designed for repairs and adjustments on the small compact foreign automobile engines, these metric sockets and socket sets are manufactured to meet the highest quality standards. All sockets and fittings are made from chrome alloy steel, highly polished and fully chrome plated.



No.	Metric Opening	Length Inches	Std. Pkg.	Pkg. Wt.
46007	7MM 6 Pt.	1 1/16"	6	1/4 Lb.
46008	8MM 6 Pt.	1 1/16"	6	1/4 Lb.
46009	9MM 6 Pt.	1 1/16"	6	1/4 Lb.
46010	10MM 12 Pt.	1 1/16"	6	1/4 Lb.
46011	11MM 12 Pt.	1 1/16"	6	1/4 Lb.
46012	12MM 12 Pt.	1 1/8"	6	1/4 Lb.
46013	13MM 12 Pt.	1 1/8"	6	3/8 Lb.
46014	14MM 12 Pt.	1 1/8"	6	1/2 Lb.
46015	15MM 12 Pt.	1 1/8"	6	1/2 Lb.
46016	16MM 12 Pt.	1 1/8"	6	1/2 Lb.
46017	17MM 12 Pt.	1 1/8"	6	5/8 Lb.
46018	18MM 12 Pt.	1 1/8"	6	3/4 Lb.
46019	19MM 12 Pt.	1 1/8"	6	7/8 Lb.

## 9 PIECE SET



A popular set featuring a selection of nine  $\frac{3}{8}$ " square drive metric sockets is available in the following sizes—7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 14mm, 17mm, 19mm. Metal tray provides an ideal method of separating these sockets from inch sizes. Tray has full length rolled edge for quick attachment to tool box or tote tray.

## NO. 7780MM 9 PC. SET

STD. PKG. 1. PKG. WT. 1 LB.

## NO. 9941 METAL TRAY, ONLY

STD. PKG. 1. PKG. WT. 1/2 LB.

## 13 PIECE SET


A complete range of  $\frac{3}{8}$ " Square drive metric sockets is available packaged in a carton.

## NO. 7781MM 13 PIECE SET IN CARTON

STD. PKG. 1. PKG. WT. 1 LB.

Sockets are hot broached with thin, smooth walls of uniform thickness and perfectly centered. All Indestro sockets have four retaining grooves built into the drive end to quickly lock the socket to the fitting—no fumbling or positioning necessary as with single position locking devices.

## 11 PIECE SET



A basic starter set containing the most essential sockets.

## CONTENTS

No.	Description	No.	Description
46007	7MM 6 Pt.	46012	12MM 12 Pt.
46008	8MM 6 Pt.	46014	14MM 12 Pt.
46009	9MM 6 Pt.	46017	17MM 12 Pt.
46010	10MM 12 Pt.	46019	19MM 12 Pt.
46011	11MM 12 Pt.	2780	Cross Bar
		2781	Swing Hd. Hdle.

## NO. 7782MM 11 PIECE SET

STD. PKG. 1. PKG. WT. 2 1/8 LBS.

## 18 PIECE SET



This set features the complete series of  $\frac{3}{8}$ " Sq. drive metric sockets, a popular group of fittings, and a special 14mm spark plug holding socket.

## CONTENTS

No.	Description	No.	Description
46007	7MM 6 Pt.	46016	16MM 12 Pt.
46008	8MM 6 Pt.	46017	17MM 12 Pt.
46009	9MM 6 Pt.	46018	18MM 12 Pt.
46010	10MM 12 Pt.	46019	19MM 12 Pt.
46011	11MM 12 Pt.	2733	6" Extension
46012	12MM 12 Pt.	2748	13/16" Spark Plug
46013	13MM 12 Pt.		Socket
46014	14MM 12 Pt.	2775	Reversible Rcht.
46015	15MM 12 Pt.	2781	9" Swing Head
		2780	Handle
			Cross Bar

## NO. 7783MM 18 PC. SET

STD. PKG. 1. PKG. WT. 4 1/8 LBS.

# RATCHETING BOX WRENCHES

INDESTRO



## NEW RATCHETING BOX WRENCHES



An ideal tool—the utility of a box wrench with the PLUS features of a ratchet—for speedy work where space is extremely limited. Available in six popular wrenches—11 separate openings. The four smallest sizes are especially designed with six point openings for a more positive grip where nuts and bolts are undersized or distorted. Brightly plated.

No.	Size	Length	Head Thickness	Std. Pkg.	Wt.
0701*	1/4" x 5/16"	4 5/8"	1/16"	6	3/4 lb.
0702*	3/8" x 7/16"	6 1/4"	1/16"	6	1 1/4 lbs.
0703	1/2" x 9/16"	7 1/2"	1/2"	6	2 1/4 lbs.
0704	5/8" x 11/16"	8 5/8"	1/2"	6	3 lbs.
0705	5/8" x 3/4"	8 5/8"	1/2"	6	3 lbs.
0708	13/16" x 7/8"	9 7/8"	1/2"	6	3 3/4 lbs.

\*Indicates 6 Point.



### CONTENTS

No.	Size
0701	1/4" x 5/16"
0702	3/8" x 7/16"
0703	1/2" x 9/16"
0705	5/8" x 3/4"
0708	13/16" x 7/8"

### NO. 0700-5 5 PC. RATCHETING BOX WRENCH SET

STD. PKG. 1. PKG. WT. 2 LBS.

### NO. K 156 KIT ONLY



### CONTENTS

No.	Size
0701	1/4" x 5/16"
0702	3/8" x 7/16"
0703	1/2" x 9/16"
0704	5/8" x 11/16"
0705	5/8" x 3/4"
0708	13/16" x 7/8"

### NO. 0700-6 6 PC. RATCHETING BOX WRENCH SET

STD. PKG. 1. PKG. WT. 2 1/2 LBS.

### NO. K 153 KIT ONLY

## SERVATOOL DISPLAYS

### NO. 5323



A complete and compact perforated board display. Universally adaptable to 1/8" or 1/4" peg board, or solid surfaces by using the hanger bracket provided (FREE) with each display. Display consists of the six most popular wrenches—ranging in size from 1/4" to 7/8".

### CONTENTS

Quantity	Number	Description
3	0701	1/4" x 5/16"
3	0702	3/8" x 7/16"
3	0703	1/2" x 9/16"
3	0704	5/8" x 11/16"
3	0705	5/8" x 3/4"
3	0708	13/16" x 7/8"

### NO. 5323 RATCHETING BOX WRENCH DISPLAY

STD. PKG. 1. PKG. WT. 7 1/8 LBS.



### NO. 5023

Another addition to the vast assortment of Indestro permanent displays. This Standard Junior Panel—13" x 31"—will blend into your present Indestro display or would be an excellent addition to all tool departments. A complete selection ranging from 1/4" to 7/8" are included in open stock—PLUS the popular sets beautifully packaged in Vinyl plastic kits and pouches.

### CONTENTS

Quantity	No.	Description
3	0701	1/4" x 5/16"
3	0702	3/8" x 7/16"
3	0703	1/2" x 9/16"
3	0704	5/8" x 11/16"
3	0705	5/8" x 3/4"
3	0708	13/16" x 7/8"

### RATCHETING BOX WRENCH SETS

2	0700-5	5 PC. SET 1/4" to 7/8"
2	0700-6	6 PC. SET 1/4" to 7/8"

### NO. 5023 RATCHETING BOX WRENCH DISPLAY

STD. PKG. 1. PKG. WT. 22 LBS.



CHROME PLATED

POLISHED HEADS

## NEW POUCH KITS

Here are today's fastest selling wrench sets. These wrench sets have proven to be outstanding sellers and are most popular with the chain, variety and hardware stores. Attractively packaged in colorful red vinyl pouches with transparent front. A new improved method of merchandising . . . will increase volume . . . stimulate consumer impulse buying. These new pouches are ideal for hanging on perforated board.

## 4 PIECE COMBINATION WRENCH SET



CHROME PLATED  
UNPOLISHED HEADS  
Range  $\frac{7}{16}$ " to  $\frac{5}{8}$ "

## CONTENTS

Size
$\frac{7}{16}$ "
$\frac{1}{2}$ "
$\frac{9}{16}$ "
$\frac{5}{8}$ "

NO. 01070-4PK 4 PIECE COMBINATION WRENCH SET  
STD. PKG. 6 PKG. WT. 4.75 LBS.  
NO. INK168 POUCH ONLY

## 5 PIECE COMBINATION WRENCH SET



CHROME PLATED  
UNPOLISHED HEADS  
Range  $\frac{7}{16}$ " to  $\frac{11}{16}$ "

## CONTENTS

Size
$\frac{7}{16}$ "
$\frac{1}{2}$ "
$\frac{9}{16}$ "
$\frac{5}{8}$ "
$\frac{11}{16}$ "

NO. 01070-05PK 5 PIECE COMBINATION WRENCH SET  
STD. PKG. 6 PKG. WT. 6.75 LBS.  
NO. INK169 POUCH ONLY

## 6 PIECE COMBINATION WRENCH SET



CHROME PLATED  
UNPOLISHED HEADS  
Range  $\frac{7}{16}$ " to  $\frac{3}{4}$ "

## CONTENTS


Size
$\frac{7}{16}$ "
$\frac{1}{2}$ "
$\frac{9}{16}$ "
$\frac{5}{8}$ "
$\frac{11}{16}$ "
$\frac{3}{4}$ "

NO. 01070-6PK 6 PIECE COMBINATION WRENCH SET  
STD. PKG. 6 PKG. WT. 9.25 LBS.  
NO. INK170 POUCH ONLY

## 5 PIECE OPEN END WRENCH SET



POLISHED HEADS  
CHROME PLATED



Range  $\frac{1}{4}$ " to  $\frac{3}{4}$ "  
CONTENTS

Size	Size
$\frac{1}{4}$ " x $\frac{5}{16}$ "	$\frac{19}{32}$ " x $\frac{11}{16}$ "
$\frac{3}{8}$ " x $\frac{7}{16}$ "	$\frac{5}{8}$ " x $\frac{3}{4}$ "
$\frac{1}{2}$ " x $\frac{9}{16}$ "	

NO. 930-5PK 5 PIECE OPEN END WRENCH SET  
STD. PKG. 6 PKG. WT. 5.12 LBS.

NO. INK163 POUCH ONLY

Same as above, except heads are unpolished


NO. 0930-5PK 5 PIECE OPEN END WRENCH SET  
STD. PKG. 6 PKG. WT. 5.50 LBS.

NO. INK164 POUCH ONLY

## 6 PIECE OPEN END WRENCH SET



POLISHED HEADS  
CHROME PLATED



Range  $\frac{3}{8}$ " to 1"  
CONTENTS

Size	Size
$\frac{3}{8}$ " x $\frac{7}{16}$ "	$\frac{5}{8}$ " x $\frac{3}{4}$ "
$\frac{1}{2}$ " x $\frac{9}{16}$ "	$\frac{13}{16}$ " x $\frac{7}{8}$ "
$\frac{19}{32}$ " x $\frac{11}{16}$ "	$\frac{15}{16}$ " x 1"

NO. 939-6PK 6 PIECE OPEN END WRENCH SET  
STD. PKG. 6 PKG. WT. 11.50 LBS.

NO. INK167 POUCH ONLY

Same as above, except heads are unpolished

NO. 0930-06PK 6 PIECE OPEN END WRENCH SET  
STD. PKG. 6 PKG. WT. 12.25 LBS.

NO. INK165 POUCH ONLY



NEW

NEW

## DEEP DOUBLE OFFSET BOX WRENCH SETS

## 3 PIECE BOX WRENCH SET—SHORT TYPE



## POLISHED HEADS

Range  $\frac{3}{8}''$  to  $\frac{11}{16}''$ 

## CONTENTS

Size
$\frac{3}{8}'' \times \frac{7}{16}''$
$\frac{1}{2}'' \times \frac{9}{16}''$
$\frac{5}{8}'' \times \frac{11}{16}''$

NO. 935-3PK 3 PIECE BOX WRENCH SET

STD. PKG. 6 PKG. WT. 3.15 LBS.

NO. INK166 POUCH ONLY

## CHROME PLATED

Range  $\frac{3}{8}''$  to  $\frac{11}{16}''$ 

## CONTENTS

Size
$\frac{3}{8}'' \times \frac{7}{16}''$
$\frac{1}{2}'' \times \frac{9}{16}''$
$\frac{5}{8}'' \times \frac{11}{16}''$

## 4 PIECE BOX WRENCH SET—LONG TYPE



## UNPOLISHED HEADS

Range  $\frac{3}{8}''$  to  $\frac{25}{32}''$ 

## CONTENTS

Size
$\frac{3}{8}'' \times \frac{7}{16}''$
$\frac{1}{2}'' \times \frac{9}{16}''$
$\frac{5}{8}'' \times \frac{11}{16}''$
$\frac{3}{4}'' \times \frac{25}{32}''$

NO. 0910-4PK 4 PIECE BOX WRENCH SET

STD. PKG. 6 PKG. WT. 8.75 LBS.

NO. INK161 POUCH ONLY

## CHROME PLATED

Range  $\frac{3}{8}''$  to  $\frac{25}{32}''$ 

## CONTENTS

Size
$\frac{3}{8}'' \times \frac{7}{16}''$
$\frac{1}{2}'' \times \frac{9}{16}''$
$\frac{5}{8}'' \times \frac{11}{16}''$
$\frac{3}{4}'' \times \frac{25}{32}''$

## 5 PIECE BOX WRENCH SET—LONG TYPE



## UNPOLISHED HEADS

Range  $\frac{3}{8}''$  to  $\frac{7}{8}''$ 

## CONTENTS

Size
$\frac{3}{8}'' \times \frac{7}{16}''$
$\frac{1}{2}'' \times \frac{9}{16}''$
$\frac{5}{8}'' \times \frac{11}{16}''$
$\frac{3}{4}'' \times \frac{25}{32}''$
$1\frac{1}{16}'' \times \frac{7}{8}''$

NO. 0910-5PK


## 5 PIECE BOX WRENCH SET

STD. PKG. 6 PKG. WT. 12.80 LBS.

NO. INK162 POUCH ONLY

## CHROME PLATED

## SPARK PLUG HOLDING SOCKET



This special deep socket— $1\frac{1}{16}''$  opening—has an oil resistant insert which securely holds and protects 14MM spark plugs. Now merchandised on a heavy duty cardboard card for convenient display on perforated board.

## 1/2" SQUARE DRIVE

NO. 3026HSC 13/16" SPARK PLUG HOLDING SOCKET STD. PKG. 6 PKG. WT. 1 1/8 LBS.

NO. 3026HS-2 INSERT ONLY STD. PKG. 6 PKG. WT. 1/8 LB.

## 3/8" SQUARE DRIVE

NO. 2748HSC 13/16" SPARK PLUG HOLDING SOCKET STD. PKG. 6 PKG. WT. 1 1/8 LBS.

NO. 2748HS-2 INSERT ONLY STD. PKG. 6 PKG. WT. 1/8 LB.



NEW ITEMS


### NUT DRIVERS



Made from ALLOY STEEL these Nut Drivers have hollow shanks, extra deep sockets and plastic handles. Ideal for radio, television, ignition or switchboard work. Handles are color coded for quick and easy size identification.

No.	Size	Overall Length	Shaft Length	Std. Pkg.	Pkg. Wt. Lbs.
71	$\frac{3}{16}''$	$6\frac{1}{8}''$	$3\frac{1}{8}''$	6	0.85
72	$\frac{7}{32}''$	$6\frac{1}{8}''$	$3\frac{1}{8}''$	6	0.85
73	$\frac{1}{4}''$	$7''$	$3\frac{1}{8}''$	6	0.85
74	$\frac{9}{32}''$	$7''$	$3\frac{1}{8}''$	6	0.85
75	$\frac{5}{16}''$	$7''$	$3\frac{1}{8}''$	6	0.85
76	$\frac{11}{32}''$	$7''$	$3\frac{1}{8}''$	6	0.90
77	$\frac{3}{8}''$	$7''$	$3\frac{1}{8}''$	6	0.95
78	$\frac{7}{16}''$	$7\frac{1}{4}''$	$3\frac{1}{8}''$	6	1.40
79	$\frac{1}{2}''$	$7\frac{1}{4}''$	$3\frac{1}{8}''$	6	1.40
80	$\frac{9}{16}''$	$7\frac{1}{4}''$	$3\frac{1}{8}''$	6	2.10
81	$\frac{5}{8}''$	$7\frac{1}{4}''$	$3\frac{1}{8}''$	6	2.30

### SCREW STARTERS



### IGNITION TOOL



A triple duty tool to service Delco-Remy ignition systems on Chevrolet and Rambler 6 cylinder automobiles. Pronged socket fits slotted nut for point replacement—other socket fits  $\frac{11}{32}''$  hex nuts in ignition systems—plus an exclusive automatic retracting feeler blade. One tool for speedy removal, installation and adjustment of ignition points.

**NO. 860 IGNITION TOOL—UNCARDED**  
STD. PKG. 6. PKG. WT. 1.25 LBS.

Ignition tool mounted to an attractive self-merchandising card. Hole in top of card for hanging on a peg.

**NO. 860C IGNITION TOOL—CARDED**  
STD. PKG. 6. PKG. WT. 1.37 LBS.

### 7 PIECE SET



Seven popular size Nut Drivers in a Vinyl plastic kit. Each driver in individual pocket with size imprinted on kit. Sizes included are:  $\frac{3}{16}''$ ,  $\frac{1}{4}''$ ,  $\frac{5}{16}''$ ,  $\frac{11}{32}''$ ,  $\frac{3}{8}''$ ,  $\frac{7}{16}''$  and  $\frac{1}{2}''$ .

**NO. 70-7 NUT DRIVER SET**  
STD. PKG. 1. PKG. WT. 1.60 LBS.  
**NO. INK195 KIT ONLY**

Three sizes of Screw Starters, each with automatic grip and release unit made of tool steel. The entire unit is pressed into a handle of molded (non-conductive) NYLON.

**NO. 4780 SCREW STARTER 2 $\frac{1}{2}$ " LONG**  
STD. PKG. 6. PKG. WT. 0.19 LB.  
**NO. 4781 SCREW STARTER 6" LONG**  
STD. PKG. 6. PKG. WT. 0.25 LB.  
**NO. 4782 SCREW STARTER 9" LONG**  
STD. PKG. 6. PKG. WT. 0.37 LB.

### DISTRIBUTOR WRENCHES



Distributor wrench for Ford, Lincoln and Mercury. Handle is offset at correct angle to clear obstructions. Wrench opening is  $\frac{1}{2}''$  12 point. Length 12".

**NO. 2023  $\frac{1}{2}''$  DISTRIBUTOR WRENCH**  
STD. PKG. 6. PKG. WT. 3.00 LBS.



Distributor wrench for Chevrolet V-8 and Buick. Has  $\frac{9}{16}''$  12 point opening with a 10" handle and a 4 $\frac{1}{2}$ " offset handle. Tapered head for easy removal of wrench after nuts are loosened. Length 11 $\frac{3}{4}$ ".

**NO. 2024  $\frac{9}{16}''$  DISTRIBUTOR WRENCH**  
STD. PKG. 6. PKG. WT. 5.00 LBS.



## 1/4" SQ. DR. EXTRA DEEP SOCKETS



Federal Spec.: GGG-W-00641c Type III Class 2

Compact round head  $\frac{1}{2}$ " square drive ratchet has 52 tooth action. Length  $15\frac{1}{2}$ ".NO. 3289 EXTRA LONG RATCHET  $\frac{1}{2}$ " SQ. DR.  
STD. PKG. 3. PKG. WT. 3.94 LBS.

## SWIVEL HEAD REVERSIBLE RATCHET

Designed to by-pass obstructions this  $\frac{1}{2}$ " square drive ratchet has positive ratcheting action from  $0^\circ$  to  $90^\circ$  in either direction. Has 52 tooth action. Length 12".NO. 3270★ SWIVEL HEAD  
RATCHET—UNCARDED  
STD. PKG. 3. PKG. WT. 4.25 LBS.

Ratchet is mounted to self merchandising card. Hole in card for hanging on a hook or peg.

NO. 3270C★ SWIVEL HEAD RATCHET—CARDED  
STD. PKG. 3. PKG. WT. 4.31 LBS.

## CHAIN WRENCH



A practical tool for the many instances where an ordinary pipe wrench will not fit. Excellent for pipe and fittings, this chain wrench is also useful in removing automobile oil filters. Has—strong I beam handle fully chrome plated—even tempered chain for maximum strength.

No.	Size	Pipe Capacity	Std. Pkg.	Pkg. Wt.
3504	12"	$\frac{7}{8}$ " to 4"	1	1.50 Lbs.

## STUD SETTER AND EXTRACTOR

Will set or remove  $\frac{5}{16}$ " to  $\frac{9}{16}$ " diameter studs without bending. Has a cam action with a knurled gripping wheel on which a powerful turning effort can be exerted. Releases instantly. Built in one unit for convenience in working. Turning action can be made with any  $15/16$ " hexagon socket or box wrench. Polished and chrome plated.NO. 250 STUD WRENCH  
STD. PKG. 1. PKG. WT. 0.75 LB  
NO. 250R REPLACEMENT ROLLER, ONLY  
STD. PKG. 1. PKG. WT. 0.25 LB.

★Not guaranteed.

Federal Spec.: GGG-W-00641c Type II, Class I, Style B

No.	Size	Length	Std. Pkg.	Pkg. Wt.
2808D	$\frac{1}{4}$ " 6 Pt.	2"	6	0.39 Lb.
2809D	$\frac{9}{32}$ " 6 Pt.	2"	6	0.41 Lb.
2810D	$\frac{5}{16}$ " 6 Pt.	2"	6	0.46 Lb.
2811D	$\frac{11}{32}$ " 6 Pt.	2"	6	0.41 Lb.
2812D	$\frac{3}{8}$ " 6 Pt.	2"	6	0.45 Lb.
2814D	$\frac{7}{16}$ " 6 Pt.	2"	6	0.57 Lb.

## FLARE NUT WRENCH SET

For use on soft metal nuts on gas, oil, hydraulic as well as refrigerant lines on cars, trucks, aircraft and refrigeration units.

## 3 PIECE SET CONTENTS

No.★	Size
368	$\frac{3}{8}$ " x $\frac{7}{16}$ "
369	$\frac{1}{2}$ " x $\frac{9}{16}$ "
370	$\frac{5}{8}$ " x $\frac{3}{4}$ "

NO. 363 3 PIECE SET STD. PKG. 1. PKG. WT. 0.81 LB.  
NO. INK171 KIT ONLY


## UNIVERSAL STEERING WHEEL PULLER SET

Essentially a steering wheel puller this tool can also be used as a two or three way puller to remove pulleys, flanges, outboard engine flywheels, etc. Set includes three adaptors listed below. Screw head is  $\frac{1}{2}$ " hexagon and can be turned with wrench or socket and handle. Uses any standard cap screw.

NO. 254A UNIVERSAL STEERING WHEEL PULLER SET STD. PKG. 1. PKG. WT. 1.13 LBS.  
 NO. 254-3 STANDARD ADAPTOR STD. PKG. 2. PKG. WT. 0.13 LBS.  
 NO. 254-4 ADAPTOR FOR CHRYSLER, DESOTO & PLYMOUTH STD. PKG. 2. PKG. WT. 0.13 LBS.  
 NO. 254-5 ADAPTOR FOR BUICK, 1955 on up STD. PKG. 2. PKG. WT. 0.13 LBS.



METRIC COMBINATION WRENCHES



All of the features of the box and open end wrenches are combined in one wrench. Both ends have same size openings. Box end is offset 10° for clearance and the open end is at a 15° angle for positive nut turning in restricted space. Forged from CHROME ALLOY STEEL, each wrench is brightly chrome plated.

Box end of No. 44009 is 6 point, all other wrenches are 12 point.

No.	Size	Length MM.	Length In.	Open Head Thick. MM.	Open Head Thick. In.	Std. Pkg.	Pkg. Wt. Lbs.
44009	9MM	120	4 3/4"	5.16	18 64/64"	6	0.50
44010	10MM	120	4 3/4"	5.16	13 64/64"	6	0.50
44011	11MM	131	5 3/16"	5.54	7 32/32"	6	0.75
44012	12MM	146	5 3/4"	5.94	15 64/64"	6	0.88
44013	13MM	146	5 3/4"	5.94	15 64/64"	6	0.88
44014	14MM	162	6 3/8"	6.35	1 1/4"	6	1.13
44015	15MM	162	6 3/8"	6.35	1 1/4"	6	1.13
44016	16MM	179	7 1/16"	7.14	9 32/32"	6	1.50
44017	17MM	179	7 1/16"	7.14	9 32/32"	6	1.50
44018	18MM	194	7 11/16"	7.51	19 64/64"	6	1.88
44019	19MM	209	8 1/4"	7.92	5 16/16"	6	2.13
44020	20MM	209	8 1/4"	7.92	5 16/16"	6	2.13
44021	21MM	267	10 1/2"	8.71	11 32/32"	6	2.75
44022	22MM	288	11 3/8"	9.12	23 64/64"	6	3.37

COMBINATION WRENCH SETS IN ROLLS

Convenient reinforced Vinyl plastic tool roll. Pockets are imprinted with wrench size for easy selection.

7 PIECE SET


Set contains seven popular size metric combination wrenches as follows; 9MM, 10MM, 11MM, 12MM, 14MM, 17MM and 19MM.



NO. 47000-1 7 PIECE SET

STD. PKG. 1. PKG. WT. 1.60 LBS.

NO. INK191 PLASTIC ROLL ONLY



NO. 47000-2 14 PIECE SET

STD. PKG. 1. PKG. WT. 4.50 LBS.

NO. INK192 PLASTIC ROLL ONLY

14  
PIECE SET

A complete set of metric combination wrenches from 9MM to 22MM inclusive.

METRIC TORQUE WRENCHES



Eliminates the necessity of converting S.A.E. measurements into METRIC measurements.

Has range from 0 to 700 centimeter kilograms (cmkg.) and is graduated in 50 centimeter kilogram units. Length 13".

NO. 8072 3/8" (9.53 mm.) SQUARE DRIVE  
METRIC TORQUE WRENCH

STD. PKG. 1. PKG. WT. 0.75 LBS.

Has range from 0 to 20 meter kilograms (mkg.) and is graduated in 1 meter kilogram units. Length 18".

NO. 8074 1/2" (12.7 mm.) SQUARE DRIVE  
METRIC TORQUE WRENCH

STD. PKG. 1. PKG. WT. 2.00 LBS.

STEEL PULLEYS



"B" SECTION (FOR 5/8" V-BELTS)

No.	Dia.	Bore	Std. Pkg.	Pkg. Wt. Lbs.
11151	1 1/2"	1/2"	1	0.22
11152	1 1/2"	5/8"	1	0.22
11201	2"	1/2"	1	0.37
11202	2"	5/8"	1	0.37
11251	2 1/2"	1/2"	1	0.53
11252	2 1/2"	5/8"	1	0.53
11253	2 1/2"	3/4"	1	0.53
11301	3"	1/2"	1	0.63
11302	3"	5/8"	1	0.63
11303	3"	3/4"	1	0.63
11351	3 1/2"	1/2"	1	0.75
11352	3 1/2"	5/8"	1	0.75
11353	3 1/2"	3/4"	1	0.75
11401	4"	1/2"	1	0.88
11402	4"	5/8"	1	0.88
11403	4"	3/4"	1	0.88
11451	4 1/2"	1/2"	1	0.94
11452	4 1/2"	5/8"	1	0.94
11453	4 1/2"	3/4"	1	0.94
11501	5"	1/2"	1	1.00
11502	5"	5/8"	1	1.00
11503	5"	3/4"	1	1.00
11551	5 1/2"	1/2"	1	1.25
11552	5 1/2"	5/8"	1	1.25
11553	5 1/2"	3/4"	1	1.25
11601	6"	1/2"	1	1.50
11602	6"	5/8"	1	1.50
11603	6"	3/4"	1	1.50
11651	6 1/2"	1/2"	1	1.75
11652	6 1/2"	5/8"	1	1.75
11653	6 1/2"	3/4"	1	1.75
11801	8"	1/2"	1	2.25
11802	8"	5/8"	1	2.25
11803	8"	3/4"	1	2.25


"A" SECTION (FOR 1/2" V-BELTS)\*

10351	3 1/2"	1/2"	1	0.75
10352	3 1/2"	5/8"	1	0.75
10353	3 1/2"	3/4"	1	0.75
10451	4 1/2"	1/2"	1	0.94
10452	4 1/2"	5/8"	1	0.94
10453	4 1/2"	3/4"	1	0.94
10551	5 1/2"	1/2"	1	1.25
10552	5 1/2"	5/8"	1	1.25
10553	5 1/2"	3/4"	1	1.25

\*See page 66 Indestro Catalog No. 22A for additional "A" section pulleys.



## SOFT FACE HAMMERS



Equipped with one medium and one tough plastic tip. Non-sparking tips do not flake off and are resistant to gasoline, oil and grease. Fiberglas handle with molded cushion grip. Dia. of tip  $1\frac{3}{8}$ ".

**NO. 987 12 OZ. MECHANICS SPECIAL HAMMER**  
STD. PKG. 4. PKG. WT. 3.75 LBS.  
**NO. 987-2 MEDIUM TIP ONLY**  
STD. PKG. 6. PKG. WT. 0.25 LB.  
**NO. 987-3 TOUGH TIP ONLY**  
STD. PKG. 6. PKG. WT. 0.25 LB.



With color coded plastic tips—fiber glass handle—molded cushion grip. Patented screw in tip feature for ease in replacing or interchanging tips. Available in two popular sizes listed below.

**NO. 988 10 OZ. SOFT-FACE HAMMER**  
Has one medium and one tough plastic tip. Diameter of tip  $1\frac{1}{4}$ ".  
STD. PKG. 4. PKG. WT. 3.00 LBS.  
**NO. 988-2 MEDIUM TIP ONLY**  
STD. PKG. 6. PKG. WT. 0.25 LB.  
**NO. 988-3 TOUGH TIP ONLY**  
STD. PKG. 6. PKG. WT. 0.25 LB.

**NO. 989 16 OZ. SOFT-FACE HAMMER**  
With one medium and one tough replaceable plastic tip.  
Diameter of tip  $1\frac{3}{8}$ ".  
STD. PKG. 4. PKG. WT. 4.50 LBS.  
**NO. 989-2 MEDIUM TIP ONLY**  
STD. PKG. 6. PKG. WT. 0.25 LB.  
**NO. 989-3 TOUGH TIP ONLY**  
STD. PKG. 6. PKG. WT. 0.25 LB.

## DISPLAY MERCHANTISER



## NO. 200-1DM DISPLAY MERCHANTISER

Attractive metal box merchandiser for displaying and storing all regular length hollow head set screw wrenches. Contains 12 of each wrench sizes  $\frac{1}{16}$ " thru  $\frac{1}{4}$ ", and 6 of each, sizes  $\frac{5}{16}$ " and  $\frac{3}{8}$ ".

STD. PKG. 1. PKG. WT. 7.50 LBS.

HOLLOW HEAD  
SET SCREW WRENCHES

Two new size hollow head set screw wrenches available in the long as well as the regular length. Also available in sets listed below.



## ORDERING REFERENCE IN BOXES OF 24

No.	Wrench Size	Std. Pkg.	Pkg. Wt. Lbs.
<b>0204A-24</b>	$\frac{7}{64}$ "—Box of 24	1	0.19
<b>0205A-24</b>	$\frac{9}{64}$ "—Box of 24	1	0.31

## ORDERING REFERENCE IN BOXES OF 100

<b>0204A-100</b>	$\frac{7}{64}$ "—Box of 100	1	0.69
<b>0205A-100</b>	$\frac{9}{64}$ "—Box of 100	1	1.50




## ORDERING REFERENCE IN BOXES OF 24

<b>0204AL-24</b>	$\frac{7}{64}$ "—Box of 24	1	0.31
<b>0205AL-24</b>	$\frac{9}{64}$ "—Box of 24	1	0.50

## ORDERING REFERENCE IN BOXES OF 100

<b>0204AL-100</b>	$\frac{7}{64}$ "—Box of 100	1	1.00
<b>0205AL-100</b>	$\frac{9}{64}$ "—Box of 100	1	2.00



12  
PIECE  
SET

The complete range of wrenches packed in a plastic envelope type container. Sizes are:  $\frac{1}{16}$ ",  $\frac{5}{64}$ ",  $\frac{3}{32}$ ",  $\frac{7}{64}$ ",  $\frac{1}{8}$ ",  $\frac{9}{64}$ ",  $\frac{5}{32}$ ",  $\frac{3}{16}$ ",  $\frac{7}{32}$ ",  $\frac{1}{4}$ ",  $\frac{5}{16}$ ",  $\frac{3}{8}$ ".

**NO. 198 12 PIECE SET—REGULAR LENGTH**  
STD. PKG. 6. PKG. WT. 3.75 LBS.  
**NO. INK190 ENVELOPE ONLY**



11  
PIECE  
SET

The complete range of long type wrenches packed in a plastic envelope. Sizes are:  $\frac{5}{64}$ ",  $\frac{3}{32}$ ",  $\frac{7}{64}$ ",  $\frac{1}{8}$ ",  $\frac{9}{64}$ ",  $\frac{5}{32}$ ",  $\frac{3}{16}$ ",  $\frac{1}{4}$ ",  $\frac{5}{16}$ ",  $\frac{3}{8}$ ".

**NO. 195 11 PIECE SET—LONG TYPE**  
STD. PKG. 6. PKG. WT. 6.00 LBS.  
**NO. INK189 ENVELOPE ONLY**



A choice selection of  
INDESTRO hand tools  
CARDED and SKIN PACKED

Colorful pilfer-proof  
self service displays  
with FREE BONUS PACK

INDESTRO now offers an individually carded skin pack merchandising program that includes the fastest selling hand tools. Each family of tools is displayed on a self service wire rack designed to fit both  $\frac{1}{8}$ " and  $\frac{1}{4}$ " perforated board. Wire rack also has a bracket for counter bar use. Made of heavy gauge wire, each rack has loop type hooks that are 6" long and tool description labels for refill ordering information. The wire racks are finished in gold and, with the addition of colorful skin pack cards, present an eye-appealing display.

Skin pack tools are also available on an open stock basis.

### 3/8" SQUARE DRIVE



Overall dimensions of display with tools . . . 29 $\frac{1}{2}$ " wide x 33 $\frac{1}{2}$ " high.

**FREE BONUS:** 3 No. 2748 HSPC  $\frac{13}{16}$ " 6 point spark plug holding sockets free with every No. 5324 metal display with tools.


**NO. 5324 3/8" SQ. DR. DISPLAY RACK WITH SKIN PACK TOOLS**  
STD. PKG. 1. PKG. WT. 50.00 LBS.

### CONTENTS

No.	Description	Standard Package	
		Wt. Lbs.	Qty. of
2712HC	$\frac{3}{8}$ " 6 Pt. Socket	0.69	6
2714C	$\frac{7}{16}$ " 12 Pt. Socket	0.69	6
2716C	$\frac{1}{2}$ " 12 Pt. Socket	0.75	6
2718C	$\frac{9}{16}$ " 12 Pt. Socket	0.81	6
2720C	$\frac{5}{8}$ " 12 Pt. Socket	0.81	6
2722C	$\frac{11}{16}$ " 12 Pt. Socket	1.00	6
2724C	$\frac{3}{4}$ " 12 Pt. Socket	1.13	6
2726C	$\frac{13}{16}$ " 12 Pt. Socket	1.25	6
2728C	$\frac{7}{8}$ " 12 Pt. Socket	1.63	6
2741HC	$\frac{3}{8}$ " 6 Pt. Dp. Socket	0.88	6
2742C	$\frac{1}{16}$ " 12 Pt. Dp. Socket	0.94	6
2743C	$\frac{1}{2}$ " 12 Pt. Dp. Socket	1.00	6
2744C	$\frac{9}{16}$ " 12 Pt. Dp. Socket	1.13	6
2745C	$\frac{5}{8}$ " 12 Pt. Dp. Socket	1.50	6
2746C	$\frac{11}{16}$ " 12 Pt. Dp. Socket	1.50	6
2747C	$\frac{3}{4}$ " 12 Pt. Dp. Socket	2.00	6
2748C	$\frac{13}{16}$ " 12 Pt. Dp. Socket	2.13	6
2749C	$\frac{7}{8}$ " 12 Pt. Dp. Socket	3.00	6
2748HSPC	$\frac{13}{16}$ " 6 Pt. Hldg. Socket	1.88	6
2797C	Universal Joint	0.50	3
2730C	3" Extension	1.25	4
2733C	6" Extension	1.37	4
2734C	9" Extension	1.88	4
2735C	12" Extension	2.25	4
2781C	Swing Head Handle	2.00	3
2775C	Reversible Ratchet	2.00	3
2736PC	Sw. Hd. Ratchet	2.69	3
2714UVC	$\frac{7}{16}$ " 6 Pt. Univ. Socket	0.50	3
2716UVC	$\frac{1}{2}$ " 6 Pt. Univ. Socket	0.50	3
2718UVC	$\frac{9}{16}$ " 6 Pt. Univ. Socket	0.56	3
2720UVC	$\frac{5}{8}$ " 6 Pt. Univ. Socket	0.56	3



## 1/2" SQUARE DRIVE



Overall dimensions of display with tools . . . 29 1/2" wide x 31 1/2" high.


**FREE BONUS:** 3 No. 3026HSPC 13/16" 6 point spark plug holding sockets free with every No. 5325 metal display with tools.

## CONTENTS

No.	Description	Standard	Package
		Wt. Lbs.	Qty. of
1214C	7/16" 12 Pt. Socket	1.00	6
1216C	1/2" 12 Pt. Socket	1.00	6
1218C	9/16" 12 Pt. Socket	1.25	6
1220C	5/8" 12 Pt. Socket	1.25	6
1222C	11/16" 12 Pt. Socket	1.63	6
1224C	3/4" 12 Pt. Socket	1.75	6
1226C	13/16" 12 Pt. Socket	2.00	6
1228C	7/8" 12 Pt. Socket	2.25	6
1230C	15/16" 12 Pt. Socket	2.37	6
1232C	1" 12 Pt. Socket	2.56	6
1234C	11/16" 12 Pt. Socket	2.94	6
1236C	1 1/8" 12 Pt. Socket	3.00	6
1240C	1 1/4" 12 Pt. Socket	3.25	6
3016C	1/2" 12 Pt. Dp. Socket	2.13	6
3018C	9/16" 12 Pt. Dp. Socket	2.13	6
3020C	5/8" 12 Pt. Dp. Socket	2.25	6
3022C	11/16" 12 Pt. Dp. Socket	2.37	6
3024C	3/4" 12 Pt. Dp. Socket	2.75	6
3026C	13/16" 12 Pt. Dp. Socket	3.00	6
3028C	7/8" 12 Pt. Dp. Socket	3.25	6
3026HSPC	13/16" 6 Pt. Hldg. Socket	1.75	6
3217C	Universal Joint	1.25	4
3230C	2 1/16" Extension	1.25	4
3216C	5 1/2" Extension	1.88	4
3211C	10" Extension	3.00	4
3275C	Reversible Ratchet	4.63	3
3270PC	Sw. Hd. Ratchet	5.25	3
3222HC	Swing Head Handle	3.75	2
482C	3/8" F x 1/2" M Adaptor	0.63	4
492C	3/8" M x 1/2" F Adaptor	0.75	4

NO. 5325 1/2" SQ. DR. DISPLAY RACK WITH SKIN PACK TOOLS  
STD. PKG. 1. PKG. WT. 78.00 LBS.

## OPEN END, BOX AND COMBINATION WRENCHES



Overall dimensions of display with tool . . . 29 1/2" wide x 31" high.

**FREE BONUS:** 6 No. 1073C 1/2" combination wrenches free with every No. 5326 metal display with tools.

## CONTENTS

No.	Description	Standard	Package
		Wt. Lbs.	Qty. of
<b>OPEN END WRENCHES</b>			
P20C	1/4" x 5/16"	0.50	6
P723C	3/8" x 7/16"	0.88	6
P725BC	1/2" x 9/16"	1.19	6
P729C	5/8" x 3/4"	1.50	6
P29CC	11/16" x 13/16"	2.37	6
P731AC	3/4" x 7/8"	3.13	6
P33CC	15/16" x 1"	4.25	6
<b>LONG 45° BOX WRENCH</b>			
911C	3/8" x 7/16"	1.75	6
912C	1/2" x 9/16"	2.31	6
913C	5/8" x 11/16"	2.88	6
<b>SHORT 45° BOX WRENCH</b>			
929C	1/4" x 5/16"	0.88	6
931C	3/8" x 7/16"	1.06	6
932C	1/2" x 9/16"	1.37	6
<b>COMBINATION WRENCHES</b>			
1071C	3/8"	0.94	6
1072C	7/16"	1.13	6
1073C	1/2"	1.31	6
1074C	9/16"	1.63	6
1075C	5/8"	1.94	6
1076C	11/16"	2.50	6
1077C	3/4"	3.00	6
1078C	13/16"	3.50	6


NO. 5326 OPEN END, BOX AND COMBINATION WRENCH DISPLAY RACK WITH SKIN PACK TOOLS

STD. PKG. 1. PKG. WT. 49.00 LBS.




SKIN PACK TOOLS

PLIERS AND ADJUSTABLE WRENCHES



SCREW DRIVERS, PUNCHES AND CHISELS



Overall dimensions of display with tools . . . 29½" wide x 22½" wide.

**FREE BONUS:** 2 No. 3403C water pump pliers free with every No. 5327 metal display with tools.

Overall dimensions of display with tools . . . 29½" wide x 21½" high.

**FREE BONUS:** 3 No. 3724C screw drivers free with every No. 5328 metal display with tools.

CONTENTS

No.	Description	Standard Package	
		Wt. Lbs.	Qty. of
<b>PLIERS</b>			
2096AC	6" Slip Joint	3.25	6
2097AC	8" Slip Joint	3.88	6
2106C	6" Cutting	1.31	3
2107C	7" Cutting	1.75	3
2111C	Long Nose Cutting	1.37	3
3403C	Water Pump	4.25	6
3411C	Midget Utility	1.00	6
3436C	6" Utility Slip Joint	3.25	6
3438C	8" Utility Slip Joint	4.37	6
3442C	10" Groove Joint	2.75	3
<b>ADJUSTABLE WRENCHES</b>			
3586C	6"	1.37	4
3587C	8"	2.13	4
3588C	10"	3.50	4
3589C	12"	4.00	3

NO. 5327 PLIER AND ADJUSTABLE WRENCH DISPLAY RACK WITH SKIN PACK TOOLS.

STD. PKG. 1. PKG. WT. 44.00 LBS.

CONTENTS

No.	Description	Standard Package	
		Wt. Lbs.	Qty. of
<b>SCREW DRIVERS</b>			
3714C	¾" x 4"	1.25	6
3716C	¾" x 6"	1.50	6
3724C	½" x 4"	1.75	6
3726C	¼" x 6"	2.00	6
3728C	¼" x 8"	2.50	6
3721C	¼" x 1½"	0.75	6
4681C	No. 1 Phillips	1.00	6
4682C	No. 2 Phillips	1.50	6

NO. 5328 SCREW DRIVER, PUNCH AND CHISEL DISPLAY RACK WITH SKIN PACK TOOLS.

STD. PKG. 1. PKG. WT. 26.00 LBS.



## RATCHETING BOX WRENCHES



View illustrates typical layout of ratcheting box wrenches on a perforated board. Hooks are not included with skin carded tools.

The popularity of ratcheting box wrenches is ever increasing. INDESTRO'S six SKIN CARDED wrenches with a range from  $\frac{1}{4}$ " to  $\frac{7}{8}$ " will enhance the popularity even more.

No.	Description	Standard Package	
		Wt. Lbs.	Qty. of
0701PC*	$\frac{1}{4}$ " x $\frac{5}{16}$ "	1.25	6
0702PC*	$\frac{3}{8}$ " x $\frac{1}{16}$ "	1.75	6
0703PC	$\frac{1}{2}$ " x $\frac{9}{16}$ "	2.75	6
0704PC	$\frac{5}{8}$ " x $\frac{11}{16}$ "	3.50	6
0705PC	$\frac{5}{8}$ " x $\frac{3}{4}$ "	3.75	6
0708PC	$1\frac{3}{16}$ " x $\frac{7}{8}$ "	4.44	6

\*Indicates 6 point, balance are 12 point.

BRAKE ADJUSTING TOOLS  
AND BATTERY PLIER

Universal Brake Adjusting tool for Bendix and Huck hydraulic brakes as well as brakes on compact cars. Tool length  $9\frac{1}{2}$ ".


**NO. 2161PC BRAKE ADJUSTING TOOL—SKIN PACKED**  
STD. PKG. 6. PKG. WT. 3.13 LBS.

A Brake Adjusting tool for Bendix and Huck and other hydraulic brakes. Tool length 6".

**NO. 2162PC BRAKE ADJUSTING TOOL—SKIN PACKED**  
STD. PKG. 6. PKG. WT. 1.75 LBS.

A forged battery plier with teeth that are broached clean for good gripping power on corroded or undersized battery terminal nuts.

**NO. 3416C BATTERY PLIER—SKIN PACKED**  
STD. PKG. 6. PKG. WT. 3.00 LBS.



Illustrated above are three popular automotive tools that are used by the home mechanic as well as the professional mechanic.

## FEELER GAUGES



All Purpose Feeler Gauge with a range from .004 to .025 plus a 3" scale. Blades as follows: .004, .006, .008, .010, .012, .013, .015, .018, .025, 3" scale.

**NO. 166C FEELER GAUGE—SKIN PACKED**  
STD. PKG. 6. PKG. WT. 1.00 LB.

Master Feeler Gauge with 25 blades  $3\frac{1}{4}$ " long x  $\frac{1}{2}$ " wide. Blade sizes range from .0015 to .035. Gauge is equipped with a thumb locking nut like all Indestro Feeler Gauges.

**NO. 225C MASTER FEELER GAUGE—SKIN PACKED**  
STD. PKG. 6. PKG. WT. 1.63 LBS.


Spark Plug Feeler Gauge with handy electrode bender for setting side electrodes to proper gap. 8 sizes include: .022, .025, .028, .030, .032, .035, .038, .040.

**NO. 208C SPARK PLUG FEELER GAUGE—SKIN PACKED**  
STD. PKG. 6. PKG. WT. 0.75 LB.

INDESTRO Feeler Gauges are made of the finest grade Swedish Steel. Each gauge has size clearly marked and can instantly be locked in working position by means of a thumb nut.



## LONG NOSE SIDE CUTTING PLIER




The long thin jaws make this plier popular with mechanics, electricians and especially radio and television workers. Strong accurately matched cutting edges. Jaws are cross grooved for holding power. Forged alloy steel, polished head. Handles have bonded vinyl plastisol grips. Length 6".

## NO. 2111 LONG NOSE CUTTING PLIER

STD. PKG. 1. PKG. WT. 0.25 LB.

## DIAGONAL CUTTING PLIER




Accurately forged, tempered and ground cutting edges assure long, satisfactory service. Forged alloy steel, polished head. Handles have comfortable bonded vinyl plastisol grips. Length 6"

## NO. 2106 6" CUTTING PLIER

STD. PKG. 1. PKG. WT. 0.37 LB.

## HEAVY DUTY CUTTING PLIER




Of heavier construction, with cutting edges tempered to cut piano wire, making it popular with mechanics working on manual control wires.

Forged alloy steel, polished head. Handles have bonded vinyl plastisol grips. Length 7 1/4".

## NO. 2107 HEAVY DUTY CUTTING PLIER

STD. PKG. 1. PKG. WT. 0.43 LB.

## EXTRA HEAVY DUTY CUTTING PLIER



An extra sturdy cutting plier forged from alloy steel for increased strength and toughness. Scientifically hardened cutting edges are strong and sharp. Will give long service on heavy duty jobs. Handles have bonded vinyl plastisol grips. Length 7".

## NO. 2131 EXTRA HEAVY DUTY CUTTING PLIER

STD. PKG. 1. PKG. WT. 0.50 LB.

## LINEMAN'S SIDE CUTTING PLIER




A heavy duty alloy steel plier used primarily in electrical maintenance and wiring. Strong perfectly matched cutting edges; polished heads. Handles have bonded vinyl plastisol grips. Length 7".

## NO. 2124A LINEMAN'S PLIER

STD. PKG. 1. PKG. WT. 0.62 LB.

## GROOVE JOINT IGNITION PLIER




Featuring the forged rib groove design, this plier has four opening positions. Made of forged alloy steel. Handles have bonded vinyl plastisol grips. Length 4". Capacity 0-1/2".

## NO. 3440 GROOVE JOINT IGNITION PLIER

STD. PKG. 1. PKG. WT. 0.13 LB.

## GROOVE JOINT PLIERS



A new rugged steel plier. Adequate grooves provide a wide range of holding and turning operations. Forged rib groove design prevents slippage under pressure. Handles have bonded vinyl plastisol grips.

## NO. 3441 6" PLIER—CAPACITY 0-1"

STD. PKG. 1. PKG. WT. 0.31 LB.

## NO. 3442 10" PLIER—CAPACITY 0-1 1/2"

STD. PKG. 1. PKG. WT. 0.70 LB.


## NO. 3443 12" PLIER—CAPACITY 0-2 1/8"

STD. PKG. 1. PKG. WT. 1.45 LBS.

## NO. 3444 16" PLIER—CAPACITY 0-4 1/4"

STD. PKG. 1. PKG. WT. 2.43 LBS.

## HOSE CLAMP PLIER




A slip joint plier for removing and applying small hose clamps used on air lines, fuel lines on outboard motors and automobiles. There are recesses in the end and the side of the jaws to grip the ends of the spring clamp. Fully chrome plated. Length 6". Capacity 0-1".

## NO. 2140 HOSE CLAMP PLIER

STD. PKG. 1. PKG. WT. 0.47 LB.

## HEAVY DUTY HOSE CLAMP PLIER



Heavy duty tool for removing and applying the new spring hose clamps which are now standard on many new automobiles. Recesses in the end and side of the jaws make it easy to get into tight places and assures positive gripping action. Slip ring on handle permits one to remove hand from plier to adjust hose. Fully chrome plated. Length 8". Capacity 0-1 3/4".

## NO. 2141 HOSE CLAMP PLIER

STD. PKG. 1. PKG. WT. 0.56 LB.



## ADJUSTABLE WRENCHES

Alloy Steel—Industrial Black Finish




Drop forged and heat treated scientifically. Designed for square or hexagon bolts and nuts. Finished with heads polished and satin handles.

No.	Size	Max. Opening	Std. Pkg.	Pkg. Wt. Lbs.
3575	4"	1/2"	1	0.12
3576	6"	3/4"	1	0.28
3577	8"	1"	1	0.43
3578	10"	1 1/8"	1	0.81
3579	12"	1 5/16"	1	1.37
3580	15"	1 3/4"	1	3.50

## REPLACEMENT PARTS

For No.	Jaw	Screw	Worm	Spring
3575	3575-2	3585A-3	3585A-4	3585A-5
3576	3576-2	3586A-3	3586A-4	3586A-5
3577	3577-2	3587A-3	3587A-4	3587A-5
3578	3578-2	3588A-3	3588A-4	3588A-5
3579	3579-2	3589A-3	3589A-4	3589A-5
3580	3580-2	3590A-3	3590A-4	3590A-5

## BODY AND FENDER SHRINKING HAMMER



**NO. 954 SHRINKING HAMMER:** Round 1 3/4" diameter face has cross milled serrations for shrinking. Square 1 1/2" face is smooth for finishing. Length 12 1/2". Weight 16 oz.

STD. PKG. 4. PKG. WT. 4.50 LBS.

## RIM WRENCH



**NO. 459 15/16" and 1" HEX TRUCK RIM WRENCH:** For late model Chevrolet trucks. Length 16".

STD. PKG. 1. PKG. WT. 4.25 LBS.

## DIAMOND POINT CHISELS



For cutting sharp V grooves or square corners. Forged of hexagon shaped chrome alloy steel. Scientifically heat treated to impart the right amount of hardness. Tips and blades are fully polished with body in satin finish fully chrome plated.

No.	Width Bit	Length	Size Stock	Std. Pkg.	Pkg. Wt.
1931	1/8"	5 1/4"	3/8"	6	1.06 lbs.
1933	1/4"	5 1/2"	3/8"	6	1.37 lbs.

## PIPE WRENCHES

## HEAVY DUTY TYPE




These Heavy Duty Pipe Wrenches will withstand the roughest treatment. Perfectly balanced for ease of operation. Outstanding features include, easy adjustment, calibrated hook jaw and a patented double action spring for faster and easier bite, ratchet and release. Made of alloy steel scientifically designed for maximum strength. Steel jaws are forged and heat treated to just the right hardness.

Federal Specification GGG-W-651c, Type II, Class A, applies.

No.	Size	Pipe Capacity	Std. Pkg.	Pkg. Wt.
3528	8"	1/8" to 1"	6	6.00 Lbs.
3530	10"	1/8" to 1 1/2"	6	12.00 Lbs.
3532	14"	1/4" to 2"	6	21.00 Lbs.
3534	18"	1/4" to 2 1/2"	6	33.00 Lbs.
3536	24"	1/4" to 3"	6	60.00 Lbs.

## SWIVEL HEAD RATCHET



The Swivel Head Ratchet, a revolutionary concept in ratchets, affords the user positive ratcheting action from 0° to 90° in one direction and 0° to 30° in the other direction. 52 tooth action. Designed primarily for the removal of spark plugs, and to by-pass obstructions. 3/8" Sq. Drive. Length 9".

NO. 2736C SWIVEL HEAD RATCHET ON SELF MERCHANDISING CARD

## RATCHETING BOX WRENCHES



An ideal tool—the utility of a box wrench with the PLUS features of a ratchet—for speedy work where space is extremely limited. Available in six popular wrenches—11 separate openings. The four smallest sizes are especially designed with six point openings for a more positive grip where nuts and bolts are undersized or distorted. Brightly plated. Packaged on self merchandising card.

No.	Size	Length	Head Thickness	Std. Pkg.	Wt.
0701C*	1/4" x 5 1/16"	4 5/8"	7/16"	6	3/4 lb.
0702C*	3/8" x 7 1/16"	6 1/4"	7/16"	6	1 1/4 lbs.
0703C	1/2" x 9 1/16"	7 1/2"	1/2"	6	2 1/4 lbs.
0704C	5/8" x 11 1/16"	8 5/8"	1/2"	6	3 lbs.
0705C	5/8" x 3/4"	8 5/8"	1/2"	6	3 lbs.
0708C	13/16" x 7/8"	9 7/8"	1/2"	6	3 3/4 lbs.

\*Indicates 6 Point.



NEW ITEMS

## NEW POUCH KITS

### 3 PC. 15° BOX WRENCH SET



A popular series of short 15° box wrenches packed in an attractive two color plastic pouch. Forged chrome alloy steel. Heads and panels polished to a mirrorlike reflection and plated in a rich deep chrome. Wrenches have 12 point opening except No. 751 which is 6 point. Range  $\frac{3}{8}$ " to  $1\frac{1}{16}$ ".



#### Contents

No.	Size
751*	$\frac{3}{8}$ " x $7\frac{1}{16}$ "
752	$1\frac{1}{2}$ " x $9\frac{9}{16}$ "
753	$5\frac{8}{9}$ " x $11\frac{11}{16}$ "


\*INDICATES 6 POINT

**NO. 750-3PK 3 PC. SET**  
STD. PKG. 1. PKG. WT. 2 LBS.

**NO. K196 POUCH ONLY**

### 6 PC. COMBINATION WRENCH SET

A highly popular set of short handle wrenches for close quarter work. Forged from chrome alloy steel with highly polished heads and satin finished handles. Completely chrome plated. All box ends are 12 point. Range  $\frac{3}{8}$ " to  $1\frac{1}{16}$ ". Packed in attractive two color plastic pouch.



#### Contents


No.	Size
771S	$\frac{3}{8}$ "
772S	$7\frac{1}{16}$ "
773S	$1\frac{1}{2}$ "
774S	$9\frac{9}{16}$ "
775S	$5\frac{8}{9}$ "
776S	$11\frac{11}{16}$ "

**NO. 770-6PKB 6 PC. SET**  
STD. PKG. 1. PKG. WT.  $1\frac{1}{4}$  LBS.

**NO. K197 POUCH ONLY**

### 11 PC. COMBINATION WRENCH SET

A general utility set covering wide range of the most used sizes. Forged from chrome alloy steel with highly polished heads and satin finished handles. Completely chrome plated. All box ends are 12 point except No. 771S which is 6 point. Range  $\frac{3}{8}$ " to 1". Packed in attractive three color plastic pouch.



#### Contents

No.	Size
771S	$\frac{3}{8}$ "
772S	$7\frac{1}{16}$ "
773S	$1\frac{1}{2}$ "
774S	$9\frac{9}{16}$ "
775S	$5\frac{8}{9}$ "
776S	$11\frac{11}{16}$ "
777S	$3\frac{3}{4}$ "
777B	$13\frac{13}{16}$ "
778	$7\frac{7}{8}$ "
779	$15\frac{15}{16}$ "
780	1"

**NO. 770-11PK 11 PC. SET**  
STD. PKG. 1. PKG. WT.  $4\frac{1}{4}$  LBS.


**NO. K198 POUCH ONLY**

## BRAKE SERVICE TOOLS

### STAR NUT BRAKE ADJUSTING TOOLS

To speedily and conveniently adjust Bendix, Huck and other brakes on cars and trucks. Every Service Station, Garage or Mechanic should have these two tools as each has its advantages under certain conditions in clearing obstructions such as springs and body suspensions.

Each tool is notched at both ends to prevent slipping off of star nut. Forged for extra strength, the blades are thin but sufficiently wide for good contact. Scientifically hardened. Polished and Chrome plated.



**NO. 2161C**



**NO. 2162C**


Universal type for Bendix and Huck hydraulic brakes as well as brakes on compact model cars. Side of curved end is "notched" to clear front suspensions—"Angled" to clear brake drum flanges and "long" enough to clear wheel diameters. Hardened, polished and chrome plated. Length  $9\frac{1}{2}$ ". **Carded.**

**NO. 2161C BRAKE ADJUSTING TOOL**  
STD. PKG. 6. PKG. WT.  $1\frac{1}{4}$  LBS.

For adjusting Bendix, Huck and other hydraulic brakes. Both ends are notched to prevent slipping. Scientifically hardened, polished and chrome plated. Length 6". **Carded.**

**NO. 2162C BRAKE ADJUSTING TOOL**  
STD. PKG. 6. PKG. WT. 1 LB.

### BRAKE SPRING PLIERS



Pointed jaw holds in lined shoe while hook draws spring into position. End of one handle has cam which releases spring from anchor post. End of other handle grooved for replacing springs. CHROME ALLOY STEEL, brightly plated. **Carded.**


**NO. 3428C 13 1/2" BRAKE SPRING PLIER**  
STD. PKG. 3. PKG. WT. 3 LBS.

## NEW ITEMS

## METRIC SOCKETS & WRENCHES

**SENIOR DISPLAYS**  
**18" x 30"**

No. 5092B



Quan.	No.	Description Metric Sizes	Quan.	No.	Description Metric Sizes
<b>%"</b>	<b>Square Drive 12 Point Sockets</b>		<b>1</b>	<b>47030</b>	<b>30</b>
2	46007	7 (6 Pt.)	1	47032	32
2	46008	8 (6 Pt.)		<b>Open End Wrenches</b>	
2	46009	9 (6 Pt.)	2	40607	6 x 7
2	46010	10	2	40809	8 x 9
2	46011	11	2	41011	10 x 11
2	46012	12	2	41213	12 x 13
2	46013	13	2	41415	14 x 15
2	46014	14	2	41617	16 x 17
1	46015	15	1	41819	18 x 19
1	46016	16	1	42022	20 x 22
1	46017	17	1	42123	21 x 23
1	46018	18	1	42426	24 x 26
1	46019	19		<b>Combination Wrenches</b>	
<b>½"</b>	<b>Square Drive 12 Point Sockets</b>		2	44009	9
1	47010	10	2	44010	10
1	47011	11	2	44011	11
1	47012	12	2	44012	12
1	47013	13	2	44013	13
1	47014	14	2	44014	14
1	47015	15	2	44015	15
1	47016	16	2	44016	16
1	47017	17	2	44017	17
1	47018	18	1	44018	18
1	47019	19	1	44019	19
1	47020	20	1	44020	20
1	47021	21	1	44021	21
1	47022	22	1	44022	22
1	47023	23	1	<b>8072</b>	<b>¾" Sq. Dr. Metric Torque Wrench</b>
1	47024	24			
1	47025	25			
1	47026	26			
1	47027	27	1	<b>8074</b>	<b>½" Sq. Dr. Metric Torque Wrench</b>
1	47028	28			
1	47029	29			

**NO. 5092B METRIC SOCKET AND WRENCH DISPLAY**  
STD. PKG. 1. PKG. WT. 18.6875 LBS.



NO. 5021  
**COMBINATION  
WRENCHES**

**JUNIOR DISPLAYS**  
**12" x 30"**




---

**NO. 5021 COMBINATION WRENCH DISPLAY**

STD. PKG. 1. PKG. WT.  
32.00 LBS.

**NO. 5321**  
**"KLIPTITE" WRENCH SET DISPLAY**  
**FOR**  
**PERFORATED BOARD**



## CONTENTS

Quan.	No.	Description
2	<b>910-6W*</b>	<b>Box Wrench Sets</b>
2	<b>0910-5K</b>	6 Pc. Long 45° Type
2	<b>935-4K</b>	5 Pc. Long 45° Type
2	<b>920-4K</b>	4 Pc. Short 45° Type
		4 Pc. Short 15° Type
2	<b>0900-5A</b>	<b>Combination Wrench Sets</b>
2	<b>900-6A</b>	5 Piece
2	<b>01070-05K</b>	6 Piece
2	<b>1070-6W*</b>	5 Piece
		6 Piece
2	<b>930-5W*</b>	<b>Open End Wrench Sets</b>
2	<b>930-6W*</b>	5 Piece
		6 Piece

\*Sets having exclusive Wall Hanger Klip. Des. Patent No. 174919


**NO. 5321 KLIPTITE WRENCH SET DISPLAY**

STD. PKG. 1. PKG. WT. 31.25 LBS.

**NO. 5022  
PUNCHES—CHISELS**

## JUNIOR DISPLAYS

12 x 30



CONTENTS					
Quan.	No.	Description	Quan.	No.	Description
		<b>COLD CHISELS</b>			<b>TAPER PUNCHES</b>
3	1861	$\frac{1}{2}''$ x $6''$	3	1853	$\frac{7}{32}''$ x $4\frac{3}{4}''$
3	1861A	$\frac{9}{16}''$ x $5\frac{1}{2}''$	3	1854	$\frac{3}{4}''$ x $6''$
3	1862	$\frac{5}{8}''$ x $6\frac{1}{2}''$	3	1880	$\frac{3}{16}''$ x $8\frac{7}{8}''$
2	1863	$\frac{3}{4}''$ x $7''$	2	1882	$\frac{1}{4}''$ x $12\frac{1}{16}''$
		<b>PIN PUNCHES</b>			<b>CENTER PUNCHES</b>
3	1841	$\frac{1}{8}''$ x $5\frac{1}{2}''$	3	1871	$5''$
3	1842	$\frac{5}{32}''$ x $5\frac{3}{4}''$	3	1872	$6''$
3	1844	$\frac{3}{16}''$ x $6''$			
3	1846	$\frac{1}{4}''$ x $6\frac{3}{4}''$			
		<b>TAPER PUNCHES</b>			
3	1850	$\frac{3}{32}''$ x $4\frac{1}{2}''$	2	18001	5 Pc. Large Set
3	1851	$\frac{1}{8}''$ x $4\frac{3}{4}''$	2	18002	5 Pc. Small Set
3	1852A	$\frac{5}{32}''$ x $5\frac{3}{4}''$	2	18003	5 Pc. Large Set
3	1852	$\frac{3}{16}''$ x $5\frac{1}{2}''$	2	18004	5 Pc. Small Set
			2	18005	4 Pc. Large Set
			2	18006	4 Pc. Small Set

**NO. 5022 PUNCH-CHISEL DISPLAY**  
STUD. PKG. 1. PKG. WT. 31.75 LBS.

**TOOLS SELL ON SIGHT**  
*When Properly Displayed!*

# BIG NEWS an Indestro "First"



## REARVIEW

- Special "No Tilt" feature on large boxes
- "Man Size" permanently riveted handle—No bolts or screws to loosen.
- Electrically welded continuous piano hinge

## Now "CANTILEVER ACTION" TOOL BOXES

*Your customer has voted!*

9 out of 10 selected the "Cantilever Action" box because:

- ★ All tools are visible at a glance.
- ★ Every tool is at your fingertips.
- ★ Quick easy access to the bottom, no awkward tote tray to lift.
- ★ Provides orderly arrangement of sockets and fittings.
- ★ Flat top construction prohibits "Spill-Out" of sockets and provides for compact storage.
- ★ Elimination of tote tray assures "All tools at the job"—no lost time and motion.

## DEEP DRAWN, SEAMLESS WATERTIGHT TOOL BOXES

Two boxes, accommodating the larger and more complete socket and tool sets, have been especially designed. By the deep drawn manufacturing process, both the top and bottom are **SEAMLESS**—these boxes protect your tool investment against seepage of water, oil, gasoline, etc.

Unexcelled for convenience, utility, durability, and beauty, there are many other **PLUS VALUES**:

- Attractive Eye Catching Color
- Baked Enamel Finish
- Nickel Plated Hardware
- Padlock Hasp
- 6° Angle of Socket Tray Affords Complete Display Visibility
- All Edges Turned Double To Eliminate Sharp Corners
- Self-Sell Quality Story on Label
- Distinctive Name Plate
- Price Cards in Each Set

# INDESTRO

*"Super Quality"*



Indestro Mfg. Corp.  
Chicago, Illinois  
U.S.A.

# Indestro

## TOOLS FOR SERVICE

Automobiles

Trucks

Refrigeration Service

Farm Implements

Home and Hobbies

Industrial Production

Aircraft

Electrical Devices

Marine Gear

Railroads

Construction Equipment

